



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

WEALE'S
RUDIMENTARY
SERIES
NO. 245-64

*AGRICULTURAL
SURVEYING*

WEALE'S RUDIMENTARY SCIENTIFIC AND EDUCATIONAL SERIES.

The following are the Works already published in

AGRICULTURE, GARDENING, &c.

The Volumes are bound in limp cloth, except where otherwise stated.)

SOILS, MANURES, AND CROPS. (Vol. 1. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s.

FARMING AND FARMING ECONOMY, Historical and Practical. (Vol. 2. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. 3s.

"Eminently calculated to enlighten the agricultural community on the varied subjects of which it treats, hence it should find a place in every farmer's library."—*City Press*.

STOCK; CATTLE, SHEEP, AND HORSES. (Vol. 3. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.

"The author's grasp of his subject is thorough, and his grouping of facts effective. . . . We commend this excellent treatise."—*Weekly Dispatch*.

DAIRY, PIGS, AND POULTRY, Management of the. By R. SCOTT BURN. With Notes on the Diseases of Stock. (Vol. 4. OUTLINES OF MODERN FARMING.) Woodcuts. 2s.

"We can testify to the clearness and intelligibility of the matter, which has been compiled from the best authorities."—*London Review*.

UTILIZATION OF SEWAGE, IRRIGATION, AND RECLAMATION OF WASTE LAND. (Vol. 5. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.

"A work containing valuable information, which will recommend itself to all interested in modern farming."—*Field*.

OUTLINES OF MODERN FARMING. By R. SCOTT BURN, Author of "Landed Estates Management," "Farm Management," and Editor of "The Complete Grazier." Consisting of the above Five Volumes in One. 1,250 pp., profusely illustrated, half-bound. 12s.

"The aim of the author has been to make his work at once comprehensive and trustworthy, and in this aim he has succeeded to a degree which entitles him to much credit."—*Morning Advertiser*.

"Should find a place in every farmer's library."—*City Press*.

"No farmer should be without it."—*Banbury Guardian*.

SUBURBAN FARMING: A Treatise on the Laying-out and Cultivation of Farms, adapted to the Produce of Milk, Butter and Cheese, Eggs, Poultry, and Pigs. By the late Professor JOHN DONALDSON. With considerable Additions, illustrating the Modern Practice, by ROBERT SCOTT BURN. With numerous Illustrations. 3s. 6d.; cloth boards, 4s.

"An admirable treatise on all matters connected with dairy farms."—*Live stock Journal*.

ROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.

AGRICULTURE, GARDENING, &c.

A SELECTION FROM WEALE'S SERIES.

OUTLINES OF LANDED ESTATES MANAGEMENT. Treating of the Varieties of Lands, Methods of Farming, the Setting-out of Farms and their Fields, Construction of Roads, Fences, Gates, and Farm Buildings, Irrigation, Drainage, Plantation, &c. By R. SCOTT BURN. Second Edition. With numerous Illustrations. 2s. 6d.; cloth boards, 3s.

"A complete and comprehensive outline of the duties appertaining to the management of landed estates."—*Journal of Forestry*.

OUTLINES OF FARM MANAGEMENT. Treating of the General Work of the Farm, Field and Live Stock, Details of Contract Work, Specialities of Labour, &c., &c. By ROBERT SCOTT BURN, Author of "Outlines of Modern Farming." With numerous Illustrations. 2s. 6d.; cloth boards, 3s.

"The book is eminently practical, and may be studied with advantage by beginners in agriculture, while it contains hints which will be useful to old and successful farmers."—*Scotsman*.

OUTLINES OF LANDED ESTATES AND FARM MANAGEMENT. By R. SCOTT BURN. Consisting of the above two Works in One Volume, handsomely half-bound, 6s.

SHEEP: The History, Structure, Economy, and Diseases of. By W. C. SPOONER, M.R.V.C., &c. Fourth Edition, with fine Engravings, including Specimens of New and Improved Breeds. 366 pp. 3s. 6d.; cloth boards, 4s.

"The book is decidedly the best of the kind in our language."—*Scotsman*.

MEAT PRODUCTION. A Manual for Producers, Distributors, and Consumers of Butcher's Meat. By JOHN EWART, Author of "The Land Improver's Pocket-Book," &c. With numerous Illustrations. 2s. 6d.; cloth boards, 3s.

"A compact and handy volume on the meat question, which deserves serious and thoughtful consideration at the present time, when the question of the food supply of the country has become one of the leading topics of the day."—*Meat and Provision Trades' Review*.

A COMPLETE READY RECKONER FOR THE ADMEASUREMENT OF LAND, &c. By A. ARMAN. Second Edition, revised and extended by C. NORRIS, Surveyor, &c. 2s.

"A very useful book to all who have land to measure."—*Mark Lane Express*.
"Should be in the hands of all persons having any connection with land."—*Irish Farm*.


THE HAY AND STRAW MEASURER. New Tables for the Use of Auctioneers, Valuers, Farmers, Hay and Straw Dealers, &c., forming a complete Calculator and Ready Reckoner. By JOHN STEELE. Fourth Edition. 2s.

"A most useful handbook. It should be in every professional office where agricultural valuations are conducted."—*Land Agent's Record*.

MILLER'S, MERCHANT'S, AND FARMER'S READY RECKONER. With approximate values of Millstones, Millwork, &c. 1s.

"Will prove an indispensable *vade mecum*. Nothing has been spared to make the book complete and perfectly adapted to its special purpose."—*Miller*.

GROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.



AGRICULTURAL SURVEYING.

The present Volume, the Seventh, completes the Series of
FARM ENGINEERING TEXT-BOOKS
BY PROFESSOR JOHN SCOTT.

The following is a list of the Series :

DRAINING AND EMBANKING. With 68 Illustrations.
Price 1s. 6d.

IRRIGATION AND WATER-SUPPLY. With 34 Illustrations.
Price 1s. 6d.

FARM ROADS, FENCES, AND GATES. With 75 Illustrations.
Price 1s. 6d.

FARM BUILDINGS. With 105 Illustrations. Price 2s.

BARN IMPLEMENTS AND MACHINES. With 123 Illustrations.
Price 2s.

FIELD IMPLEMENTS AND MACHINES. With 138 Illustrations.
Price 2s.

AGRICULTURAL SURVEYING. With 62 Illustrations.
Price 1s. 6d.

N.B. *The above Seven Volumes may also be had, strongly half-bound, forming One handsome Volume, consisting of about 1300 pages, with 605 illustrations, price 12s., entitled "THE COMPLETE TEXT-BOOK OF FARM ENGINEERING."*

SCOTT'S FARM ENGINEERING TEXT-BOOKS

AGRICULTURAL SURVEYING

A PRACTICAL TREATISE

ON

LAND SURVEYING, LEVELLING, AND SETTING-OUT; AND
ON MEASURING AND ESTIMATING QUANTITIES,
WEIGHTS, AND VALUES OF MATERIALS,
PRODUCE, STOCK, ETC. ETC.

By JOHN SCOTT

EDITOR OF THE "FARMERS' GAZETTE," DUBLIN; LATE PROFESSOR OF AGRICULTURE
AND RURAL ECONOMY AT THE ROYAL AGRICULTURAL COLLEGE, CIRENCESTER;
AUTHOR OF THE "FARM VALUER," "RENTS AND PURCHASES," ETC.;
AND ONE OF THE AUTHORS OF MORTON'S "HANDBOOK OF
THE FARM" SERIES



LONDON

CROSBY LOCKWOOD AND CO.


7 STATIONERS' HALL COURT, LUDGATE HILL

1884

[All rights reserved]

19197. e. 2.

LONDON
PRINTED BY J. S. VIRTUE AND CO., LIMITED,
CITY ROAD.



PREFACE.

THIS, the seventh volume of the "Farm Engineering Text-Books," brings the series to a close.

The introductory chapters of this volume treat of the different methods of Land Surveying by the chain ; of the instruments used in chain surveying ; of noting the measurements ; and of plotting and calculating the content. Then follow chapters on Surveying by the Theodolite, and on Levelling. The peculiar system upon which the United States Public Lands are surveyed is explained, in the interest of the large body of immigrant farmers and young men who annually leave our shores for America ; and a chapter is devoted to the division and laying out of lands.


The principles of estimating weight, quantity, and values are likewise given as fully as the extent of the work will allow.

Tables of Imperial Weights and Measures are appended, with their Metric equivalents.



CONTENTS.

CHAP.	PAGE
I. LAND SURVEYING	1
II. INSTRUMENTS USED IN CHAIN SURVEYING	3
III. ON NOTING THE MEASUREMENTS	9
IV. PLOTTING A CHAIN SURVEY	14
V. CALCULATING THE CONTENT	21
VI. METHODS OF CHAIN SURVEYING	33
VII. SURVEYING WITH THE THEODOLITE	58
VIII. LEVELLING	67
IX. UNITED STATES PUBLIC LANDS SURVEYS	88
X. LAYING OUT LAND	96
IX. ESTIMATING WEIGHT, QUANTITY, AND VALUES	103
XII. WEIGHTS AND MEASURES	120
INDEX	127



AGRICULTURAL SURVEYING.

CHAPTER I.

LAND SURVEYING.

THE object of land surveying, as usually understood, is the determination of the area and shape of a tract of land.

A survey of this kind usually embraces—

(1.) An examination of a tract as to

Extent,

Contour,

Divisions, &c.

(2.) A plan showing the said features, or some of them.

The duties of a land-surveyor, however, frequently extend beyond making a plan and giving the superficial area ; such as disputed boundaries, exchange and division of land, diversion and improvement of roads, as well as the measurement of all kinds of materials and of work performed, &c.

Methods of Land Surveying.—There are but two methods employed in surveying, viz.—

(1.) That by distances and offsets, and

(2.) That by triangles or polygons.

That by distances and offsets is the more simple for

complicated objects, and is suitable to detail operations only, as the position of fences, buildings, &c. It is always based upon the system of triangles.

In surveying by triangles the system of triangles is used. There is a system of surveying by polygons, but it is only a modification of the system of triangles.

Land surveying is further divided into two classes, according to the instruments, &c., employed :—

First, by the chain, or by the chain and cross only ;

Second, by the chain, and the use of the theodolite or other instrument for measuring angles ; and

Third, by trigonometry, which is chiefly performed by the theodolite and logarithmic tables.

The latter is seldom required in agricultural surveying.

The mode of proceeding adopted by land-surveyors varies much with the extent and character of the country to be surveyed ; in fact, under the same circumstances, two different surveyors will perform their work very differently from each other, and with different kinds of instruments, although each may be equally accurate in his results.

And in all the methods of land surveying there are three stages of operations :—

1. *Measuring* certain lines and angles, and *recording* them.
2. *Drawing* them on paper to some suitable scale ;
and
3. *Calculating* the contents of the surface surveyed.

CHAPTER II.

INSTRUMENTS USED IN CHAIN SURVEYING.

Gunter's Chain.—This is the instrument most commonly used in land measuring. It is 66 feet, or 4 rods long, and is divided into 100 links, each link being 7·92 inches long.

The reason for having the chain of 66 feet or 100 links is owing to its convenient relation to the standard units, a chain being the $\frac{1}{80}$ th part of a mile; the $\frac{1}{10}$ th



Fig. 1.

part of a furlong, and a square chain being the $\frac{1}{10}$ th part of an acre. Ten square chains therefore make one acre, and the computation of areas is thus greatly facilitated.

The links being decimal parts of the chain is also a great advantage, as they may be so written down—10 chains and 80 links, for example, being 10·80 chains; and all the calculations respecting chains and links can then be performed by the common rules of decimal arithmetic.

Every tenth link in the chain is marked by a piece of brass, having one, two, three, or four points, corresponding to the number of tens which it marks, counting from the nearest end of the chain. The middle or fiftieth link is marked by a round piece of brass.

Steel wire is better than iron for surveying chains, owing to its greater strength and stiffness. The rings and eyes which unite the links of a chain are better to be welded than the old way of merely folding the ends. The elliptical form of eye is the best.

The chain should be kept free from bends or crooks in the links, the rings and eyes all clean; and the length should be accurately and regularly tested. It is prudent to test the length of a chain on every occasion of using it, even though the joints are welded.

Arrows.—Ten arrows usually accompany the chain. They are about a foot long, made of stout iron wire sharpened at one end and bent into a ring at the other. Pieces of red and white cloth are tied to their heads, so that they can be easily found in grass, dead leaves, &c. For carrying in the hand they should be strung on a ring which has a spring catch to restrain them.

Signals usually consist of a pole, to be seen at any necessary distance, and they vary in length from 9 feet upwards. They must be planted exactly over the station they are intended to mark, and truly vertical, by looking at it from a little distance, or by holding a plumb line between it and the eye, when it should be looked at from two points as nearly as possible perpendicular to each other.

To render poles conspicuous they should be painted black and white alternately in lengths, or have flags (red or white) attached to them. A red flag is of a

colour not so common as white, but white gives a brighter light than red, and, but for other objects, should be visible at the greatest distance.

The most important point with reference to signals is, the pole should be placed truly vertical, so that if only the top of it can be seen it may cause no error.

How to Chain.—The manner of using the chain should be carefully attended to, so that its length may be always correctly pointed off by the chain-leader, as thus:—

The line having been previously poled out, the surveyor standing at the station point holds one end of the chain, the assistant with the other end in his right hand and the arrows in his left hand, which are transferred one by one into the right hand. On arriving at the extent of the chain, he turns partly round, holding the arrow perpendicular at the end of the chain, looking towards the surveyor, who springs the chain until it is in a straight line with the fore object, then, by motion of the head or hand, directs the leader to move the arrow accordingly, until it is in the proper point of the line and the chain fairly stretched out; the arrow is then to be fixed in the ground and the chain remain at rest until the surveyor has taken all the offsets and remarks necessary, and at his signal proceed on to the next length, and so continuing until the whole ten arrows are fixed or transferred into the surveyor's possession. The leader then proceeds, without any pins, adjusting the chain in the line, which must remain at rest until the surveyor arrives at that end and puts one down, delivering the nine arrows remaining to the leader, each time carefully counting them at every change, and also at the end of every line, to prove that no mistake has occurred by dropping one or by false entry.

The leader should be trained to keep the line by a back object—that is, by placing himself in a line with the arrow last put down and the mark or pole at the station, or some distant object that may accidentally be in line. It saves much time and labour when the chain-man is made to keep or pole out a line truly.

Measuring-tapes.—Though the chain is most usually employed for the principal measurements, a tape-line, divided on one side into links and on the other side into feet and inches, is more convenient for taking short lengths, as in measuring offsets, &c. Tapes will all vary in length by the moisture in the air, and hence are not free from errors. Those made of best strong linen wear well, and keep to standard better than any others.



Fig. 2.

Offset-staff.—This is also an important accompaniment to the chain, being convenient for measuring short offsets. It is usually ten links long, painted white, with each link marked by a black painted ring, and the ring numbered 1, 2, 3, &c. The bottom of the rod is shod with an iron spike and the top has a stout open ring, as thus \oslash , to force or draw the chain through the bottom part of a fence.

Cross-staff.—A number of convenient instruments of simple form, known as the cross-staff or the surveyor's cross, are in use for setting out perpendiculars by lines of sight, crossing each other at right angles; and a temporary substitute for them is easily made by sticking a pin in each corner of a square piece of board, and sighting across these in the direction of the line and at right angles to it.

The commonest form of cross-staff is that represented in Fig. 3. It consists of a block of wood (which may be of any shape) having in it two saw-cuts, made very precisely at right angles to each other, and with centre-bit holes made in the bottom of the cuts to assist in finding the objects. This block is fixed on a pointed staff, on which it can turn freely, and which should be precisely 8 links ($63\frac{1}{3}$ inches) long, for the convenience of short measurements.




Fig. 3.

To test the accuracy of the instrument, sight through one slip to some point, A (Fig. 4), and place a stake, B, in the line of sight of the other slip. Then turn its head a quarter of the way around, so that the second slip looked through points to A. Then see if the other slip covers B again, as it will if correct.




Fig. 4.

If it does not do so, but sights to some other point, as B', the apparent error is double the real one, for it now points as far to the right of the true point, C, as it did before to its left. The invaluable principle of this test is that it doubles the real error and makes it twice as easy to perceive and correct it.

To use the cross-staff to erect a perpendicular, set it at the point of the line at which a perpendicular is wanted. Turn its head till, on looking through one saw-cut, you can see the ends of the line. Then will the other saw-cut point out the direction of the perpendicular, and thus guide the measurement desired.

There are many improved forms of cross-staffs.




Fig. 5.

Fig. 5 shows one of these. It is made of plain brass, with centre axis and divided circle to take any angle. A compass is sometimes attached to this cross-staff head.

Optical Square.—For measuring long offsets and perpendiculars this instrument (Fig. 6) is now very generally used.



Fig. 6.

It is a small circular box containing a strip of looking-glass, from the upper half of which the silvering is removed. This glass is placed so as to make precisely half a right angle with the line of sight, which passes through a slit on one side of the box, and a vertical hair stretched across the opening on the other side, or a mark on the glass.

Another form of the optical square contains two glasses fixed at an angle of 45° , and giving a right angle, or reflecting 90° on both hands.

CHAPTER III.

ON NOTING THE MEASUREMENTS.

Keeping the Field Notes.—In all the methods of surveying, the measurements, together with various incidental observations, are recorded after some established system in what are called *field notes*, and from these the results of the survey are afterwards plotted to a convenient scale.

In chain surveying the most simple method of keeping the field-book is to make a *sketch* of the field, as nearly correct as the unassisted hand and eye can produce, and note down on it the lengths of all the lines, as in Fig. 24. But where many other points require to be noted, such as where fences, or roads, or streams are crossed in the measurement, or any other additional particulars, the sketch would become confused and be likely to lead to mistakes in the subsequent plotting of it. The following is, therefore, the usual method of keeping the field notes. A long narrow book is most convenient for it.

Draw two parallel lines about an inch apart from the bottom to the top of the field-book, as in the margin. This column, or pair of lines, may be considered to represent the measured line split in two, its two parts being thus separated, an inch apart, merely

for convenience, so that the distances measured along the line may be written between these halves.



Hold the book in the direction of the measurement. At the bottom of the page write down the name or number or letter which represents the station at which the survey is to begin.

A "station" is marked with a triangle or circle, as in the margin. The latter is more easily made.

The station from which the measurements are made is usually put on the left of the column, and the station which is measured to is put on the right.

But it is more compact, and avoids interfering with the notes of "offsets" to write the name or number of the station in the column, as in the margin.


The measurements of different points of a line are written above one another. The numbers all refer to the beginning of the line, and are counted from it.

	⊙	to B	B	B
				400
	562		562	250
				100
From A	⊙		A	A

The end of a measured line is marked by a line drawn across the page above the numbers of the measurements which have been made.

If the chaining does not continue along the adjoining line, but the chain-men go to some other part of the field to begin another measurement, two lines are drawn across the page.

When a line has been measured, the marks Γ or γ are made to show whether the following line turns to the right or to the left.



When a mark is left at any point of a line, with the intention of coming back to it again in order to measure to some other point, the place marked is called a *false station*, and is marked in the field-book F.S., or has a line drawn around it to distinguish it, or has a station mark Δ placed outside of the column, to the right or left, according to the direction in which the measurement from it is to be made. Examples of these three modes are given in the margin.


A false station is named by its position on the line where it belongs; as thus, "200 on 562."

When a gate occurs in a measured line, the distance from the beginning of the line to the side of the gate first reached is the one noted.

When the measured line crosses a fence, brook, or road, &c., they are drawn on the field notes in their true direction as nearly as possible, but not in a continuous

562	
200	F.S.
0	
562	
(200)	
0	
562	
200	Δ
0	

line across the column, as in the first figure in the margin, but as in the second figure, so that the two




parts would form a continuous straight line, if the halves of the "split line" were brought together.



It is convenient to name the lines in the margin as being sides, diagonals, proof-lines, &c. ; but in many cases they are denoted by numbers. When two or more lines proceed from the same station, they are distinguished by a smaller figure over, thus 1^2 or 1^3 , denoting that a second or third line commenced from that point or station.

Particular attention should be paid in showing the fences, to which field they belong, and where they change, at which point always take an offset. If there is a ditch to the hedge or other fence, the ditch is always the boundary, and is noted in the field-book thus **TLL**. The line denotes the ditch, the letter **T** shows the side on which the fence belongs.

When the ditch is next the chain, the offset is taken at right angles from the chain to the edge of the ditch, and when the ditch is outside, the offset is taken to the middle of the fence with the offset staff, and six or seven links added to it, as general allowance for the ditch, about $4\frac{1}{2}$ feet from the middle of the fence.

When there is no ditch on either side, the offset

must then be taken to the centre of the fence, and noted in the field-book thus .

A paling fence is described thus — — — — , excepting when it is the boundary next a road, in which case there is sometimes a ditch outside. Wire fences are distinguished by a spiral line , and walls or dykes by two parallel lines . Foot-paths and roads without fences are shown by small dotted lines

CHAPTER IV.

PLOTTING A CHAIN SURVEY.

THE field work being completed, the figure of the tract surveyed is reproduced upon a diminished scale by what is termed *plotting*, or *platting*.

A *plot* of a survey is a skeleton or outline map. It is a figure similar to the original, having all its angles equal and its sides proportional. Every inch on it represents a foot, a yard, a rod, a mile, or some other length on the ground, all the measured distances being diminished in exactly the same ratio.

The only instruments absolutely necessary for this are a straight ruler and a pair of dividers or compasses. Others, however, are often convenient, and may be briefly noticed.

Parallels.—The readiest mode of drawing parallel lines is by the aid of a triangular piece of wood and a ruler. Let A B (Fig. 7) be the line to which a parallel is to be drawn, and c the point through which it must pass. Place one side of the triangle against the line, and place the ruler against another




Fig. 7.

side of the triangle. Hold the ruler firm and immovable

and slide the triangle along it till the side of the triangle which had coincided with the given line passes through the given point. This side will then be parallel to that given line, and a line drawn by it will be the line required.

Another easy method of drawing parallels is by means of a T-square, an instrument very valuable for many other purposes. It is nothing but a ruler let into a thicker piece of wood very truly at right angles to it. For this use of it, one side of the "cross-piece" must be even or "flush" with the ruler. To use it, lay it on the paper so that one edge of the ruler coincides with the given line *A B*. Place another ruler against the cross-piece, hold it firm, and slide the T-square along till its edge passes through the given point *c*, as shown by the




Fig. 8.

lowest part of the diagram (Fig. 8). Then draw by this edge the desired line parallel to the given line.

Perpendiculars.—These may be drawn by the various problems given in geometry, but more readily by a triangle which has one right angle.

Place the longest side of the triangle on the given line, and place a ruler against a second side of the triangle, as in Fig. 9. Hold




Fig. 9.

the ruler fast, and turn the triangle so as to bring its

third side against the ruler. Then will the long side be perpendicular to the given line. By sliding the triangle along the ruler, it may be used to draw a perpendicular from any point of the line, or from any point to the line.

Perpendiculars are also at times drawn by means of a semicircular protractor.

Drawing to Scale.—The operation of drawing on paper lines whose length shall be a half, a quarter, a tenth, or any other portion of the lines measured on the ground, is called "drawing to scale."

To set off on a line any given distance to any required scale, determine the number of chains or links which each division of the scale of equal parts shall represent. Divide the given distance by this number. The quotient will be the number of equal parts to be taken in the dividers and to be set off.

For example, suppose the scale of equal parts to be a carpenter's common rule, divided into inches and eighths. Let the given distance be 12 chains, which is to be drawn to a scale of 2 chains to an inch. Then 6 inches will be the distance to be set off. If the given distance had been 12 chains and 75 links, the distance to be set off would have been 6 inches and 3-8ths, since each eighth of an inch represents 25 links.

If the desired scale were 3 chains to an inch, each eighth of an inch would represent $37\frac{1}{2}$ links; and the distance of 1,275 links would be represented by thirty-four eighths of an inch, or $4\frac{1}{4}$ inches.

A similar process will give the correct length to be set off for any distance to any scale.

If the scale used had been divided into inches and tenths, as is much the most convenient, the above dis-

tances would have become on the former scale $6\frac{37}{100}$ inches or nearly $6\frac{4}{10}$ inches, and on the latter scale $4\frac{25}{100}$ inches, coming mid-way between the second and third tenth of an inch.

Conversely, to find the real length of a line drawn on paper to any known scale, reverse the preceding operation. Take the length of the line in the dividers, apply it to the scale, and count how many equal parts it includes, multiply their number by the number of chains or links which each represents, and the product will be the divided length of the line on the ground.

Scales.—The choice of the scale to which a plot should be drawn—that is, how many times smaller its lines shall be than those which have been measured in the ground—is determined by several considerations. The chief one is that it shall be just large enough to express clearly all the details which it is desirable to know. A farm survey would require its plot to show every field and building. A State survey would show only the towns, rivers, and leading roads.

Scales are named in various ways. *They should always be expressed fractionally—i.e., they should be so named as to indicate what fractional part of the real line measured on the ground the representative line drawn on the paper actually is.* It would be better still if the denominator could always be some power of 10, or at least some multiple of 2 or 5, such as $\frac{1}{500}$, $\frac{1}{1000}$, $\frac{1}{2000}$, $\frac{1}{2500}$, &c.

Plots of *farm surveys* are usually named as being so many *chains* to an *inch*.

Maps of *surveys of states* are generally named as being made to a scale of so many *miles* to an *inch*.

Farm Surveys.—If these are of small extent, two

chains to one inch (which is $= 2 \times 66 \times 12 = 1584$
 $= 1 : 1584$) is convenient. A scale of one chain to an
 inch ($1 : 792$) is useful for plans of buildings. Three
 chains to one inch ($1 : 2376$) is suitable for larger
 farms or estates. It is the scale prescribed by the
 (English) Tithe Commissioners for their first-class
 maps.

The choice of the most suitable scale for the plot of a




Fig. 10.

farm survey may be facilitated by the preceding figure
 which shows the actual space occupied by *one acre*, laid
 out in the form of a square, on maps drawn to the
 various scales named in the figure.

State Surveys.—On these surveys, smaller surveys, smaller scales, are necessarily employed.

The *Ordnance Survey* of the southern counties of England was plotted on a scale of 2 inches to 1 mile (1 : 31,880), and reduced for publication to that of 1 inch to a mile (1 : 63,300). The scale of 6 inches to a mile (1 : 10,560) was adopted for the northern counties of England and for the southern counties of Scotland.

The scale of the parish plans is 1-2500th of the actual length on the ground, and is equal to 25,344 inches to a mile, which is very approximately equal to one square inch to one acre, the square of 1·0018 inch being equal to one acre.

Whatever scale may be adopted for plotting the survey, it should be drawn on the map, both for convenience and reference, and in order that the contraction and expansion caused by changes in the quantity of moisture in the atmosphere may affect the scale and map alike.

Scale omitted.—It may be required to find the unknown scale to which a given map has been drawn, its superficial contents being known.

Assume any convenient scale, measure the lines of the map by it, and find the contents by the methods to be given in the next chapter, proceeding as if the assumed scale were the true one. Then make this proportion, founded on the geometrical principle that the areas of similar figures are as the square of their corresponding sides.

As the contents found *is* to the given content, *so* is the square of the assumed scale *to* the square of the true scale.

TABLE FOR REDUCING OR ENLARGING PLANS BY THE
EIDOGRAPH.

Proportion.	Division in Bars.	Proportion.	Division in Bars.
2 to 1	33·333	3 to 2	20·000
3 to 1	50·000	4 to 3	14·285
4 to 1	60·000	5 to 4	11·111
5 to 1	66·666	6 to 5	9·090
6 to 1	71·428	5 to 2	25·000

Reference Books are essential accompaniments to maps or plans, and are of various kinds. Sometimes they merely contain the names and contents of the fields or other parts or divisions, with the state of culture or condition in which they are; in other cases the soil and sub-soil are described; but in the most complete cases each farm is described, together with the history of its occupation or improvement under the following heads:—

Name.

Parish.

Extent.

Boundaries.

How let and managed hitherto.

To whom and for how much let at present.

Description of the farm buildings.

Fences, trees.

Ponds, &c., drain outlets, &c.

Content, soil, subsoil, surface, expanse, &c., of each field.

Proportion of land under timber, coppice, &c.

In addition to such a description as the above, some add in the reference book a separate map of each farm, which renders the whole very comprehensive.

CHAPTER V.

CALCULATING THE CONTENT.

Unit of Content.—The acre is the unit of land measurement. A rood contains 40 perches. A perch is a square rod, otherwise called a perch or pole. A rod is $5\frac{1}{2}$ yds., or $16\frac{1}{2}$ ft. Hence $1 \text{ acre} = 4 \text{ roods} = 160 \text{ perches} = 4,840 \text{ square yds.} = 43,560 \text{ square ft.}$ One square mile $= 5,280 \times 5,280 \text{ ft.} = 640 \text{ acres.}$ Since a chain is 66 feet long, a square chain contains 4,356 square feet, and consequently ten square chains make an acre.

In different parts of England the acre varies greatly. The *statute acre* contains 160 square perches of $16\frac{1}{2}$ ft., or 43,560 square ft. The acre of *Devonshire* and *Somersetshire* contains 160 perches of 15 ft., or 36 good square ft.; *Cornwall*, 160 perches of 18 ft., or 51,840 square ft.; *Lancashire*, 160 perches of 21 ft., or 70,560 square ft.; *Cheshire* and *Staffordshire*, 160 perches of 24 ft., or 92,160 square ft.; *Wiltshire*, 120 perches of $16\frac{1}{2}$ ft., or 32,670 square ft.; *Scotland* consists of 10 square chains, each of 74 ft., and therefore contains 54,760 square ft.; *Ireland* (same as *Lancashire*). The Irish chain is 84 ft.

When the content of a piece of land (following any of the methods to be explained presently) is given in square links, as is customary, cut off four figures on

the right (*i.e.* divide by 10,000), to get it into square chains and decimal parts of a chain; cut off the right figure of the *square chains*, and the remaining figures will be *acres*. Multiply the remainder by 4, and the figures if any, outside of the new decimal point will be *roods*. Multiply the remainder by 40, and the outside figure will be *perches*. Thus—

		A.	R.	P.	
86.22	square chains	=	8	2	20
8.250	"	=	0	3	12
0.8250	"	=	0	0	13

Boundary Lines.—The lines which are to be considered as bounding the land to be surveyed are often very uncertain, unless specified by the title-deeds.

If the boundary be a brook, the middle of it is usually the boundary line. On tide-waters the land is usually considered to extend to low-water mark.

When hedges and ditches are the boundaries of fields, the dividing line is generally the top edge of the ditch farthest from the hedge, both hedge and ditch belonging to the field on the hedge side. This varies, however, with the customs of the locality.

Methods of Calculation.—The various methods employed in calculating the content of a piece of ground may be reduced to four, which may be called *Arithmetical*, *Geometrical*, *Instrumental*, and *Trigonometrical*.

First Method.—*Arithmetically.* From direct measurements of the necessary lines on the ground.

The figures to be calculated by this method may be either the shapes of the fields which are measured, or those into which the fields can be divided by measuring various lines across them.

The familiar rules of mensuration for the principal figures which occur in practice will be now briefly enunciated.

Rectangles.—If the piece of ground be rectangular in shape, its content is found by multiplying its length by its breadth.

Triangles.—When the given quantities are on one side of a triangle, and the perpendicular distance to it from the opposite angle, the content of the triangle is equal to half the product of the side and the perpendicular.

When the given quantities are the three sides of the triangle, add together the three sides and divide the sum by 2 ; from this half sum




Fig. 11.

subtract each of the three sides in turn ; multiply together the half sum and the three remainders ; take the square root of the product ; it is the content required.

Parallelograms, or four-sided figures whose opposite sides are parallel. The content of a parallel equals the product of one of its sides by the perpendicular distance between it and the side parallel to it.

Trapezoids, or four-sided figures two opposite sides of which are parallel. The contents of a trapezoid equals half the products of the sum of the parallel sides by the perpendicular distance between them.

Quadrilaterals, or *Trapeziums*, four-sided figures none of whose sides are parallel.


A very gross error often committed as to this figure is to take the average, or half sum of its opposite sides, multiply them together for the area ; thus assuming the trapezium to be equivalent to a rectangle with these averages for sides.

In practical surveying it is usual to measure a line across it from corner to corner, thus dividing it into two triangles whose sides are known, and which can therefore be calculated.

Surfaces bounded by irregularly curved lines.—The rules for these will be more appropriately given in connection with the surveys which measure the necessary lines, as will be explained, Part 2, chap. 3.

Second Method. Geometrically.—From measurements of the necessary lines upon the plat or plot.

Division into Triangles.—The plat of a piece of ground having been drawn from the measurements made by any of the methods which will hereafter be explained, lines may be drawn upon the plat so as to divide it into a number of triangles.



Figs. 12, 13, 14, and 15.

Four ways of doing this are shown in the figs. 1. By drawing lines from one corner to the other corner. 2. From a point in one of the sides to the corners. 3. From a point inside of the fig. to the corners. 4. From various corners to other corners. The last method is usually the best. The lines ought to be drawn so as to make the triangles as nearly equilateral as possible.

One side of each of these triangles and the length of the perpendicular let fall upon it being then measured as directed, the content of these triangles can be at once obtained by multiplying their base by their altitude and dividing by two.

The easiest method of getting the perpendicular, without actually drawing it, is to set one point of the dividers at an angle from which a perpendicular is to be let fall, and to open and shut their legs till an arc

described by the other point will just touch the opposite side.


Otherwise, a platting scale may be placed so that the zero point of its edge coincides with the angle, and one of its cross lines coincides with the sides to which a perpendicular is to be drawn. The length of the perpendicular can then at once be read off.

The method of dividing the plat into triangles is the one most commonly employed by surveyors for obtaining the content of a survey, because of the simplicity of the calculations required. Its correctness, however, is dependent on the accuracy of the plat, and on its scale which should be as large as possible. Three chains to an inch is the smallest scale allowed by the Tithe Commissioners for plats from which the content is to be determined.

Some surveyors measure the perpendicular of the triangles by a scale half of that to which the plat is made. Thus, if the scale of the plat be 2 chains to an inch, the perpendiculars are measured with a scale of 1 chain to an inch. The product of the base by the perpendicular thus measured gives the area of the triangle at once, without its requiring to be divided by 2.

Division into Trapezoids.—A line may be drawn across the field, as in Fig. 16, and perpendiculars drawn to it. The field will thus be divided into trapezoids (except a triangle at each end), and their contents can be calculated. Otherwise, a line may be drawn outside the figure, and perpendiculars to it be drawn from such angle, as in Fig. 17. In that case the difference between the trapezoids formed by lines drawn to the outer angle of the fig. and those drawn to the inner angles will be the content. This method

is very advantageously applied to surveys by the compass.



Figs. 16 and 17.

Division into Squares.—Two sets of parallel lines at right angles to each other, one chain apart (to the scale of the flat) may be drawn over the plat, so as to divide it into squares, as in Fig. 18. The number of




Fig. 18.

squares which fall within the plat represent so many square chains, and the triangles and trapezoids which fall outside of these may then be calculated and added to the entire square chains which have been counted.

Instead of drawing the parallel lines on the plat,

they may better be drawn on a piece of transparent "tracing-paper," which is simply laid upon the plat and the squares counted as before. The same paper will answer for any number of plats drawn to the same scale. This method is a valuable and easy check on the results of other calculations.

To calculate the fractional parts, prepare a piece of tracing-paper by drawing on it one square of the same size as a square of the plat, and sub-dividing it by two sets of 10 parallels at right angles to each other, into hundreds. This will measure the fractions remaining from the former measurement as nearly as can be desired.

Divisions into Parallelograms.—Draw a series of parallel lines across the plat at equal distances depending on the scale. Thus, for a plat made to a scale of 2 chains to an inch, the distance between the parallel should be $2\frac{1}{2}$ inches, 3 chains to an inch should be $1\frac{1}{2}$ inch, 4 chains to an inch should be $\frac{5}{8}$ inch. 5 chains to an inch should be $\frac{4}{10}$ inch; and for any scale make the distance between the parallels that fraction of an inch which would be expressed by 10 divided by the square of the number of chains to the inch.

Then apply a common inch scale, divided on the edge into tenths, to these parallels, and every inch in length of the spaces included between each pair of them will be an acre, and every tenth of an inch will be a square chain.

To measure the triangles at the ends of the strips between the parallels, prepare a piece of stout tracing-paper of a width equal to the width between the parallel, and draw a line through its middle longitudinally. Apply it to the oblique line at the end of the space between two parallels and it will bisect the

line, and thus reduce the triangle to an equivalent rectangle as at A in Fig. 19.




Fig. 19.

When an angle occurs between two parallels, as at B in the fig., the fractional part may be measured by any of the preceding methods.

Addition of Widths.—When the lines of a plat are very irregularly curved, as in Fig. 20, draw across it a number of equi-distant lines as near together as the




Fig. 20.

case may seem to require. Take a straight-edged piece of paper, and apply one edge of it to the middle of the first space, and mark its length from the end; apply the same edge to the next space, bringing the mark just made to one end, and making another mark at the end of the additional length; so go on, adding the length of each space to the previous ones. When all have been thus measured, the total length, multiplied by the uniform width, will give the contents.

Third Method. Instrumentally.—By performing certain instrumental operations on the flat.

Any plain figure bounded by straight lines may be reduced to a single triangle which shall have the same content. This can be done by any instrument for drawing parallel lines.

Special Instruments.—Computing and calculating scales, &c., are also used for finding the content.

Fourth Method. Trigonometrically.—By calculating from the observed angles of the boundaries of the piece of ground the lengths of the lines needed for calculating the content.

This method is employed for surveys made with angular instruments, as the compass, &c., in order to obtain the content of the land surveyed, without the necessity of previously plotting it, thus avoiding both that trouble and the inaccuracy of any calculations founded upon it. It is, therefore, the most accurate method, but will be more appropriately explained under the head of compass surveying.

Logarithms.—The logarithm of a number is the exponent of the power to which it is necessary to raise a fixed number to produce the given number. The fixed number is called the *base*. Thus, in the equation $10^3 = 1000$, 3 is the log. of 1000, the base being 10. Any positive number except 1 may be taken as a base, and for each base there is a corresponding *system of logarithms*. There is therefore an infinite number of systems of logarithms, but only two of them are in general use—the *Napierian* system, whose base is 2.718281828, mostly employed in the higher branches of analysis and in scientific investigations; and the *Common* system, whose base is 10, used in practical computations, where they (the logs.) serve to convert the operations of multiplication and division into the simpler ones of addition and subtraction. (We adopt the latter.)

In trigonometric computations the use of logarithms is almost indispensable.

Computations by means of logarithms are made in accordance with the following principles:—

- (1.) The log. of the product of any number of factors is equal to the sum of the logs. of the factors.

- (2.) The log. of a quotient is equal to the log. of the dividend diminished by that of the divisor.
- (3.) The log. of any power of a quantity is equal to the log. of the quantity multiplied by the exponent of the power ; and
- (4.) The log. of any root of a quantity is equal to the log. of the quantity divided by the index of the root.

In applying these principles, the logs. needed are taken from tables called tables of logarithms.

The manner of arranging the tables, and also the manner of using them, will be best learned from the explanations which precede each collection of tables.

The following tables will be found useful :—

CHAINS INTO FEET.

Chains.	Feet.	Chains.	Feet.
0·01	0·66	1·00	66·
0·02	1·32	2	132
0·03	1·98	3	198
0·04	2·64	4	264
0·05	3·30	5	330
0·06	3·96	6	396
0·07	4·62	7	462
0·08	5·28	8	528
0·09	5·94	9	594
0·10	6·60	10	660
0·20	13·20	20	1320
0·30	19·80	30	1928
0·40	26·40	40	2640
0·50	33·00	50	3300
0·60	39·60	60	3960
0·70	46·20	70	4620
0·80	52·80	80	5280
0·90	59·40	90	5940
1·00	66·00	100	6600

FEET INTO LINKS.

Feet.	Links.	Feet.	Links.
0·10	0·15	10	15·2
0·20	0·30	15	22·7
0·25	0·38	20	30·3
0·30	0·45	25	37·9
0·40	0·60	30	45·4
0·50	0·76	33	50·0
0·60	0·91	35	53·0
0·70	1·06	40	60·6
0·75	1·13	45	68·2
0·80	1·21	50	75·8
0·90	1·36	55	83·3
1·00	1·52	60	90·9
2·	3·0	65	98·5
3·	4·5	70	106·1
4·	6·1	75	113·6
5·	7·6	80	121·2
6·	9·1	85	128·8
7·	10·6	90	136·4
8·	12·1	95	143·9
9·	13·6	100	151·5

To *reduce links to feet*, subtract from the number of links as many units as it contains hundreds; multiply the remainder by 2 and divide by 3.

To *reduce feet to links*, add to the given number half of itself, and add one for each hundred (more exactly, for each 99) in the sum.

To convert decimal fractions of an acre into roods and perches, multiply the decimal first by 4 and then by 40, preserving the same number of decimals in the product.

Examples—

			Acres.				Acres.
			633·357				527·013
			4				4
			<hr/>				<hr/>
			1·428				·052
			40				40
			<hr/>				<hr/>
A.	R.	P.	17·120	A.	R.	P.	2·080
633	1	17	<hr/>	527	0	2	<hr/>

TABLE
FOR CONVERTING DECIMAL PARTS OF AN ACRE INTO ROODS
AND PERCHES.

Perch.	0 Rood.	One Rood.	Two Roods	Three Roods.	Perch.	0 Rood.	One Rood.	Two Roods.	Three Roods.
0	·000	·250	·500	·750	21	·131	·381	·631	·881
1	·006	·256	·506	·756	22	·137	·387	·637	·887
2	·012	·262	·512	·762	23	·144	·394	·644	·894
3	·019	·269	·519	·769	24	·150	·400	·650	·900
4	·025	·275	·525	·775	25	·156	·406	·656	·906
5	·031	·281	·531	·781	26	·162	·412	·662	·912
6	·037	·287	·537	·787	27	·169	·419	·669	·919
7	·044	·294	·544	·794	28	·175	·425	·675	·925
8	·050	·300	·550	·800	29	·181	·431	·681	·931
9	·056	·306	·556	·806	30	·187	·437	·687	·937
10	·062	·312	·562	·812	31	·194	·444	·694	·944
11	·069	·319	·569	·819	32	·200	·450	·700	·950
12	·075	·325	·575	·825	33	·206	·456	·706	·956
13	·081	·331	·581	·831	34	·212	·462	·712	·962
14	·087	·337	·587	·837	35	·219	·469	·719	·969
15	·094	·344	·594	·844	36	·225	·475	·725	·975
16	·100	·350	·600	·850	37	·231	·481	·731	·981
17	·106	·356	·606	·856	38	·237	·487	·737	·987
18	·112	·362	·612	·862	39	·244	·494	·744	·994
19	·119	·369	·619	·869	40	·250	·500	·750	1·000
20	·125	·375	·625	·875					

CHAPTER VI.

METHODS OF CHAIN SURVEYING.

Stations.—In surveying there is a preliminary process of choosing suitable stations on the ground—such as will be well seen from each other; and straight lines may be necessary between them.

The principal station-lines may not be sufficient for all the work of the survey, but subordinate lines and stations are easily made out, forming a network of triangles.

The principal stations must be chosen before the survey is begun; they should be well seen from each other, and give a clear straight line for measurement between them.

The subordinate stations and lines are chosen as the work proceeds, with a view to running the lines near the fences, &c.

Marks, or Bench Marks, are made for reference to positions or levels. The most commonly used are wooden stakes or pegs. Care should be taken to place them truly vertical; and if the head of the pin is large, the precise point should be marked upon it by driving in a nail.

Measuring Straight Lines.—The lines or distances to be measured may be either actual or visual. Actual lines are such as really exist on the surface of the land

to be surveyed, either bounding it or crossing it, such as fences, ditches, roads, streams, &c. Visual lines are imaginary lines of sight, either temporarily measured on the ground, or simply indicated by stakes at their extremities. If long they are "ranged out," by methods to be hereafter explained.


Lines are usually measured with chains, tapes, or rods, divided into yards, feet, links, or some other unit of measurement.

Crooked lines are determined by means of perpendicular offsets measured from different points along the straight line, run as nearly coincident to the crooked line as may be.

When the boundary is irregular, the area of the residual portions which necessarily lie beyond the limits of the triangulation are estimated by the method of taking offsets, which will be fully described in a succeeding chapter of this book.

Triangulation.—Right angles may be set off on the ground by means of the chain.

The setting out of right-angled triangles by the chain, and the reduction of slopes to horizontals, are done by Euclid I. and 47.



In all triangulation (whether by angles or by measured lines), care should be taken to avoid ill-conditioned triangles, or such as have very acute or very obtuse angles. Generally, the surveyor should avoid angles greater than 120° or less than 30° .

An error on the ground generally amounts to an increased error on the paper. The limit of uncertainty, or the probable area of error, will be least when the angles are right angles.

Proof Lines, measured from the corner of each triangle to the opposite side, serve to rectify the other measures of the triangle, and if perpendicular to the side afford a convenient means of calculating upon the ground the area of the triangle.

Measurement of Angles.—The angle made by any two lines—that is, the difference of their directions—is measured by various instruments, consisting essentially of a circle divided into equal parts, with plain sights, or telescopes, to indicate the directions of the two lines. But angles in the field are also determined by the chain. This is done by measuring a *tie-line* from a measured point on one side to a measured point on the other side. By this means the boundaries of a tract may be determined when it cannot be conveniently measured off in triangles.

Horizontal Measurement.—All ground, however inclined or uneven its surface may be, should be measured horizontally and as if brought down to a horizontal plane, so that the surface of a hill, thus measured, would give the same content as the level base on which it may be supposed to stand.

Take, for example, a level field surrounded by a fence in the shape of a perfect square whose side is 10 chains. The area of the field is 10 acres. Through a convulsion of nature a large mound is thrown up in the centre, two or three hundred feet in height, leaving the fences undisturbed. The area of the surface now contained is obviously greater than before, although a surveyor would take no notice of the fact, but would make the area 10 acres, as originally. The necessity for adopting this system of surveying will be seen on considering the diagram.*

* *Knowledge*, November 30th, 1883.

A B C D is a square whose side is 10 chains in length ; the mound is shown by dotted lines in the centre. On measuring the line E F along the surface of the ground its length is found to be greater than 10 chains, and this length set off from E would extend to F, distorting




Fig. 21.

the fence, which we know has not changed its position, and bringing it nearer the point c, which we also know is not the case. The necessity for reducing the measurements to a horizontal datum is at once seen.

This is necessary for geometrical reasons, as otherwise in mapping a survey every hilly field or tract would overlap its real boundary.

Horizontal measurement is also justified by the fact that no more houses can be built on a hill than could be on its flat base ; and that no more trees, corn, or other

plants which shoot up vertically, can grow on it, as is represented by the vertical lines in the section, Fig. 21.

Hilly land is, therefore, always bought and sold in accordance with horizontal measurement.

Chaining on Slopes.—All the distances employed in land surveying must be measured horizontally, or on a level. In chaining uneven or sloping ground, therefore, it is necessary to make certain allowances or corrections. The chain may be held horizontally by the eye, or the slope may be taken by the theodolite, and horizontal distance calculated from the slope of the ground.

When the angle of the slope is measured, the calculation may also be made by a table already prepared. In the following table, the first column contains the angle which the surface of the ground makes with the horizon; the second column contains its slope named by the ratio of the perpendicular to the base; and the third the connection in links for each chain, measured on the slope, *i.e.* the difference between the hypotenuse, which is the distance measured, and the horizontal base, which is the distance desired.

TABLE FOR CHAINING ON SLOPES.

Angle.	Slope.	Correction in Links.	Angle.	Slope.	Correction in Links.
3°	1 in 19	0·14	13°	1 in $4\frac{1}{2}$	2·56
4°	1 „ 14	0·24	14°	1 „ 4	2·97
5°	1 „ $11\frac{1}{2}$	0·38	15°	1 „ 4	3·41
6°	1 „ $9\frac{1}{2}$	0·55	16°	1 „ $3\frac{3}{4}$	3·87
7°	1 „ 8	0·75	17°	1 „ $3\frac{1}{2}$	4·37
8°	1 „ 7	0·97	18°	1 „ $3\frac{1}{4}$	4·89
9°	1 „ $6\frac{1}{2}$	1·23	19°	1 „ 3	5·45
10°	1 „ 6	1·53	20°	1 „ $2\frac{3}{4}$	6·03
11°	1 „ $5\frac{1}{2}$	1·84	25°	1 „ 2	9·37
12°	1 „ $4\frac{1}{2}$	2·19	30°	1 „ $1\frac{1}{2}$	13·40

SURVEYING BY DIAGONALS.

Surveying by Diagonals is an application of the *first method* of determining the position of a point already shown, to which the student should again refer. Each corner of the field or farm which is to be surveyed is "determined" by measuring its distances from two other points. The field is then "platted" by repeating this process on paper for each corner, in a contrary order, and the "content" is obtained by some of the methods already explained.

The lines which are measured in order to determine the corners of the field are usually *diagonals* of the irregular polygon which is to be surveyed. They, therefore, divide up this polygon into triangles, whence this method of surveying is sometimes called "chain triangulation."

A few examples will make the principle and practice perfectly clear.

A Three-sided Field. Field Work.—Measure the three sides AB , BC , and CA . Measure also, as a proof-




Fig. 22.

line, the distance from one of the corners, as C , to some point in the opposite side, as D , at which a mark should have been left when measuring from A to B , at a known distance from A . A stick or

thing with a slit in its top to receive a piece of paper, with the distance from A marked on it, is the most convenient mark.

Platting.—Choose a suitable scale, then draw a line equal in length, on the chosen scale, to one of the sides; AB , for example. Take in the compasses the length of another side, as AC , to the same scale, and with one

leg in A as a centre describe another arc, intersecting the first arc in a point which will be the third corner, c. Draw the lines A c and B c, and A B c will be the plat or miniature copy of the field surveyed.

Instead of describing to acres to get the point c, two pairs of compasses may be conveniently used. Open them to the lengths respectively of the last two sides. Put one foot of each at the ends of the first side, and bring their other feet together, and their point of meeting will mark the desired third point of the triangle.

To "prove" the accuracy of the work, fix the point D by setting off from A the proper distance, and measure the length of the line D c. If its length on the plat correspond to its measurement on the ground, the work is correct.

Calculation.—The content of the field may now be found, either from the three sides, or more easily though not so accurately by measuring on the plat the length of the perpendicular c e, let fall from any angle to the opposite side, and taking half the product of these two lines.

Example 1.—Fig. 22 in the plat, on a scale of 2 chains to an inch, of a field of which the side A B is 200 links, B c is 100 links, and A c is 150 links. Its content is 0.726 of a square chain, or 0 acres, 0 rods, 12 poles. If the perpendicular A D be accurately measured, it will be found to be $72\frac{1}{2}$ links. Half the product of this perpendicular by the base will be found to give the same content.

Example 2.—The three sides of a triangular field are respectively 89.38, 54.09, and 45.98. Required its content. *Answer*, 100 acres 0 roods 10 poles.

The field notes of the triangular field plotted in

Fig. 49 are given below, according to both the methods mentioned in the preceding article.

In the field-notes in the column on the right hand it is not absolutely necessary to repeat the B and C.

Proof-line.	From D	89 F. S.	to C
Side.	From C	150 ○	to A ┐
Side.	From B	100	to C
Side.	From A	200 80 ○	to B F. S.

Proof-line.	From	C 89 (80)	on 200
Side.	┐	A 150 C	
Side.	┐	C 100 B	
Side.		B 200 (80) A	

A Four-sided Field. Field Work.—Measure the four sides. Measure also a diagonal as A C, thus dividing the four-sided field into two triangles. Measure also the other diagonal as a “proof-line.”

Platting.—Draw a line, as A C, equal in length to the diagonal, to any scale ; on each side of it construct




Fig. 23.

a triangle with the sides of the field, as directed in the preceding article.

To prove the accuracy of the work, measure on the plat the length of the "proof-lines," BD , and if it agrees with the length of the same line measured on the ground, the field work and platting are both proved to be correct.

Calculation.—Find the content of each triangle separately, as in the preceding case, and add them together; or, more briefly, multiply either diagonal (the large one is preferable) by the sum of the two perpendiculars, and divide the product by two. Otherwise, reduce the four-sided figure to one triangle, or use any of the methods of the preceding chapter.

Example 1.—In the field drawn in Fig. 23, on a scale of 3 chains to the inch, $AB = 588$ links, $BC = 210$ links, $CD = 430$, $DA = 274$, the diagonal $AC = 626$, and the proof diagonal $BD = 500$. The total content will be 1 acre 0 rods 17 poles.

Example 2.—The side of a four-sided field are $AC = 12.41$, $BC = 5.86$, $CD = 8.25$, $DA = 4.24$; the diagonal $BL = 11.55$, and the proof-line $AC = 11.04$. Required the content. *Ans.*, 4 acres 2 rods 38 poles.

A many-sided Field. Field Work.—Measure all the sides of the field. Measure also diagonals enough to divide the field into triangles, of which there will always be two less than the number of sides. Choose such diagonals as will divide the field into triangles as nearly equilateral as possible. Measure also one or more diagonals for "proof-lines."

Platting.—Begin with any diagonal and plat one triangle. Plat a second triangle adjoining the first one. Plat another adjacent triangle, and so proceed till all are laid down in their proper places. Measure the proof-lines as in the last article.

Calculation.—Proceed to calculate the content of the

figure precisely as directed for the four-sided field, measuring the perpendiculars and calculating the content of each triangle in turn; or taking in pairs those on opposite sides of the same diagonal; or using some of the other methods which have been explained.

Example 1.—The six-sided field chosen in Fig. 24 has the length of its lines, in chains and links, written




Fig. 24.

upon them, and is divided into four triangles, by three diagonals. The diagonal BE is a "proof-line." The fig. is drawn to a scale of 4 chains to the inch. The content of the field is 5 acres 3 rods 22 poles.

Example 2.—In a five-sided field the length of the sides are as follows :

$$AD = 2.69$$

$$BC = 1.22$$

$$CD = 2.32$$

$$DE = 3.55$$

$$EA = 3.23$$










The diagonals are $AD = 4.81$

and $BD = 3.33$ Required the content.

A field may be divided up into triangles, not only by measuring diagonals as in the last figure, but by any of the methods shown in the four figures. The one which we have been employing corresponds to the last of those figures.

Still another may be used when the angles cannot be seen from one another, or from any point within. Take three or more convenient points within the field, and measure from them to the corners, and thus form different sets of triangles.

The field-notes of the survey plotted in Fig. 24 are given below. They begin at the bottom of the left-hand column.

Side.	F 532 300 E	Gate. ┌
Side. 	E 662 400 D	Brook.  ┌
Side. 	D 300 270 211 80 C	Road.  ┌
Side.	C 703 150 B	Gate. ┌
Side.	B 562 A	
Diagonal. Proof-line.	E 770 B	
Diagonal. 	A 1142 C	
Diagonal. 	C 775 480 420 E	Road. 
Diagonal. 	E 737 280 210 A	Road 
Side.	A 270 130 80 F	Road. ┌

Surveying by Tie-lines.—This is a modification of the method explained in the previous article. It frequently happens that it is impossible to measure the diagonals of a field of many sides, in consequence of obstacles to measurements, such as woods, water houses, &c. In such cases "tie-lines" (so called because they *tie* the sides together) are employed as substitutes for diagonals. Thus,




Fig. 25.

in the four-sided field shown in the figure, the diagonals cannot be measured because of woods intervening. As a substitute, measure off from any convenient corner of the field, as B, any dis-

tance, B E, B F, along the sides of the field. Measure all the sides of the field as usual.

To plot this field, construct the triangle B E F, produce the sides B E and B F, till they become respectively equal to B A and B C, as measured on the ground. Then with A and C as centres, and with radii equal A D and C D, describe arcs whose intersection will be D, the remaining corner of the field.

It thus appears that one tie-line is sufficient to determine a four-sided field; two a five-sided field, and so on. But as a check on errors, it is better to measure a tie-line for each angle, and the agreement, in the plot, of all the measurements will prove the accuracy of the whole work.

The tie-lines should be as long as possible, as the nearer the corner the tie-line is drawn the more it magnifies inaccuracies in the side lines.

A tie-line may also be employed as a *proof-line* in the place of a diagonal, and tested in the same manner. If any angle of a field is re-entering, as

at B, Fig. 26, measure a tie-line across the salient angle, ABC .

Chain Angles.—It is convenient, though not necessary, to measure equal distances along the sides; BE , BF , in Fig. 25, and BA , BC in Fig. 26. "Chain angles" are thus formed.




Fig. 26.

Inaccessible Areas.—The method of tie-lines can be applied to measuring fields which cannot be entered. Thus, in the fig., $ABCD$ is an inaccessible wooded field of four sides. To survey it, measure all the sides, and at any corner, as D , measure any distance DE —the line DA produced. Measure also another distance, DF , in the line of CD produced. Measure the tie-line EF , and the figure can be platted as in the case of the field of Fig. 24, the sides of the triangle being produced in the contrary direction.




Fig. 27.

The same end would be obtained by prolonging only one side, as shown at the angle A of the same figure, and measuring AG , AH , and GH . It is better in both cases to tie all the angles in a similar manner.

This method may be applied to a figure of any number of sides by prolonging as many of them as are necessary, all of them if possible.

Surveying by Perpendiculars.—The method of surveying by perpendiculars is founded on the second method of determining the position of a point explained. It is applied in two ways, either to make a complete survey by "*Diagonals and Perpendiculars*," or

to measuring a crooked boundary by "offsets." Each will be considered in turn.

The best methods of getting perpendiculars on the ground must, however, be first explained.

TO SET OUT PERPENDICULARS.

Surveyor's Cross.—The simplest instrument for this purpose is the *surveyor's cross* or cross-staff, shown in Fig. 3.

Optical Square.—The most convenient and accurate instrument for taking perpendiculars is, however, the *optical square*, Fig. 6.

Chain Perpendiculars.—Perpendiculars may be set out with the chain alone by a variety of methods, these methods generally consist in performing on the ground the operations executed on paper in practical geometry, the chain being used in place of the compasses to describe the necessary arcs.

These operations, however, are less often used for the method of surveying now to be explained than for overcoming obstacles to measurement.

Perpendiculars to any line are readily laid out with a chain, as carpenters and masons draw right angles by what they call the 6, 8, and 10 rule, the popular application of the principle of the square of the hypotenuse being equal to the sum of the squares of the other two sides. The method is to measure from the point where the perpendicular meets the line, either along the line or along the perpendicular, a distance equal to 6 units of any kind, and then upon the other of these lines a distance of 8 units. The two lines are perpendicular to each other when the two termini are just 10 units apart. Convenient distances for this measurement

might be 3, 4, and 5 rods or chains, or any similar multiples of these numbers, as 21, 28, and 35. Other trigonometrical methods readily suggest themselves.

DIAGONALS AND PERPENDICULARS.

We have seen that plats of surveys made with the *chain* alone have their contents most easily determined by measuring on the flat the perpendiculars of each of the triangles into which the diagonals measured on the ground have divided the field. In the method of *surveying by diagonals and perpendiculars*, now to be explained, the perpendiculars are *measured on the ground*. The content of the field can therefore be found at once (by adding together the half products of each perpendicular by the diagonal on which it is let fall), without the necessity of previously making a plat, or if necessary the sides of the field. This is, therefore, the most rapid and easy method of surveying *when the content alone is required*, and is *particularly applicable to the measurement of ground occupied by crops*, for the purpose of determining the number of bushels grown to the acre, the amount to be paid for mowing by the acre, &c.

A Three-sided Field.—Measure the longest side, AB , and the perpendicular, CD , let fall upon it from the opposite angle, C .

Then the content is equal to half the product of the side by the perpendicular.

If obstacles prevent this, find the point where a perpendicular let fall from the angle, as A , to the opposite side produced, as BC , would meet it, as at E in the figure.




Fig. 28.

A Four-sided Field.—Measure the diagonal $A C$. Leave marks at the points on the diagonal at which perpen-




Fig. 29.

diculars from B and from D would meet it, finding these points by trial.

The best marks at these “false stations” have been described.

Example 1.—Required the content of the field, Fig. 29. *Answer*, 0 acres 2 rods 29 poles.




Fig. 30.

The field may be plotted from these measurements if desired, but with more liability to inaccuracy than in

the *first method*, in which the sides are measured. The plat of the figure is 3 chains to an inch.

Example 2.—Calculation :—(Fig. 29.)

$$\begin{array}{rcl}
 \text{A B C} & = \frac{1}{2} \times 480 \times 110 & = 26400 \\
 \text{A D C} & = \frac{1}{2} \times 480 \times 175 & = 42000 \\
 \hline
 \text{Sq. Chains} & . . . & 6.8400 \\
 \text{Acres} & . . . & 0.684
 \end{array}$$

It is still easier to take the two triangles together, multiplying the diagonal by the sum of the perpendicular and dividing by 2.

A Many-sided Field.—Fig. 30 and the accompanying field notes represent the field which was surveyed by the *first method* and plotted in Fig. 24.

From 5.07 on 7.37 .	1.54 F. S.	to F.
From 1.60 on 7.75 .	2.53 F. S.	to D.
From 5.45 on 11.42 .	4.93 F. S.	to E.
From 4.95 on 11.42 .	2.67 F. S.	to B.
F. S.	7.37 5.07	to A.
From E.	⊙	f
F. S.	7.75 1.60	to E.
From C.	⊙	f
F. S.	11.42 5.45	F. S.
From A.	4.95 ⊙	

Example 1. Calculations.—The content of the triangles may be expressed thus:—

					Sq. Links.
A B C	=	$\frac{1}{2}$	\times	1142 \times 267	= 152457
A E C	=	$\frac{1}{2}$	\times	1142 \times 493	= 281503
C D E	=	$\frac{1}{2}$	\times	775 \times 253	= 98037
A E F	=	$\frac{1}{2}$	\times	737 \times 154	= 56749
Sq. Chains . . .					58.8746
Acres					<u>5.88746</u>

The first two triangles might have been taken together, as in the previous field.

Content calculated from the perpendiculars will generally vary slightly from that obtained by measuring on the plat.

Offsets are short perpendiculars, measured from a straight line to the angle of a crooked or zigzag line





Fig. 31.

near which the straight line runs. Thus, let A B C D be a crooked fence bounding one side of a field. Chain



along the straight line A B, which runs from one end of the fence to the other, and when opposite each corner

note the distance from the beginning, or the point A, and also measure and note the perpendicular distance of each corner, c and D, from the line.

A more extended example, with a little different notation, is given in Fig. 32.

	B	
	1500	0
	1250	20
0	1000	0
30	750	
50	500	
40	250	
	0	
	A	

Fig. 32.



Fig. 32.

In the figure, which is on a scale of 8 chains to an inch for the distance along the line, the breadth of the offsets are exaggerated to four times their true proportional dimensions.

The offsets may generally be taken with sufficient accuracy by measuring them as nearly as possible at right angles to the base line as the eye can estimate.

They may be measured, if short, with an offset-staff, a light rod 10 or 15 links in length, and divided accordingly; or, if they be long, with a tape. They are generally but a few links in length. A chain's length should be the extreme limit. When the cross-staff is in use, its divided length of 8 links renders the offset-staff needless.

The offsets are to be taken to every angle of the

piece or other crooked line; that is, to every point where it changes its direction.

Platting.—The most rapid method of platting the offsets is by the use of a *platting scale* and an *offset scale*, which is a short scale divided on its edges like a platting scale, but having its zero in the middle, as in Fig. 33.




Fig. 33.

The platting scale is placed parallel to the line, with its zero point opposite the beginning of the line. The offset scale is slid along the platting scale till its edge comes to a distance on the latter at which an offset had been taken, the length of which is marked off with a needle point from the offset scale. This is then slid on to the next distance, and the operation is repeated. If one person reads off the field notes and another plats, the operation will be greatly facilitated. The points thus obtained are joined by straight lines, and a miniature copy of the curved line is thus obtained, all the operations of the platting being merely repetitions of the measurements made on the ground.

Calculating Content.—When the crooked line determined by offsets is the boundary of a field, the content enclosed between it and the straight line surveyed must be determined, that it may be added to or subtracted from the content of the field bounded by straight lines. There are various methods of effecting this.

The area enclosed between the straight lines and the crooked lines is divided up by the offsets into *triangles* and *trapezoids*, the content of which may be calculated separately and then added together. *Example 1.* The content of Fig. 32 will therefore be $1500 + 4125 + = 6250$ square links $= 0.625$ square chains. *Example 2.* The content of plat, Fig. 32, will in like manner be found to be on the left of the straight line 30.000 square links, and on its right 5.000 square links.

When the offsets have been taken at equal distances, the content may be more easily obtained by adding together half of the first and of the last offset, and all the intermediate ones, and multiplying the sum by one of the equal distances between the offsets. This rule is merely an abbreviation of the preceding one.

Thus, in Fig. 32 the distances being equal, the content of the offset on the left of the straight line will be $120 \times 250 = 30,000$ square links, and on the right side $20 \times 250 = 5,000$ square links—the same result as before.

When the line determined by the offsets is a curved line, "Simpson's Rule" gives the content more accurately. To employ it, an *even* number of *equal* distances must have been measured in the part to be calculated; then add together the *first* and *last* offsets, four times the sum of the *even* offsets (*i.e.* the 2nd, 4th, 6th, &c.), *twice* the sum of the odd offsets (*i.e.* the 3rd, 5th, 7th, &c.), *not* including the first and last. Multiply the sum by one of the equal distances between the offsets and divide by 3. The quotient will be the area.

Example 1. The offsets from a straight line to a curved fence were 8, 9, 11, 15, 16, 14, 9 links, at equal distances of 5 links. What was the content included

between the curved fence and the straight line? *Answer*, 371·666.

Many *erroneous rules* for calculating offsets have been given, such as—(a). To divide the sum of all the offsets by one less than their number, and multiply the quotient by the whole length of the straight line; or what is the same thing, to multiply the sum of all the offsets by the common distance between them.

(b). To divide the sum of all the offsets by their number, and then to multiply the quotient by the straight line.

Reducing to one triangle the many-sided figures which are formed by the offsets is the method of calculation sometimes adopted.

Equalizing, or *giving and taking*, is an approximate mode of calculation much used by practical surveyors. A crooked line, determined by offsets, having been platted, a straight line is drawn on the plat across the crooked line, leaving as much space outside of the




Fig. 34.

crooked line as inside of it, as nearly as can be estimated by the eye, *equalizing* it, or *giving and taking* equal portions. The straight line is best determined by laying across the irregular outline the straight edge of a piece of transparent horn, or tracing-paper, or glass, or a fine thread or horsehair. In practical hands this method is sufficiently accurate in most cases.

SURVEYING BY DIAGONALS, TIE-LINES, AND PERPENDICULARS COMBINED.

All the above methods of surveying, and that of per-

pendiculars particularly, in the form of offsets, are frequently required in the same survey.

The method of *diagonals* should be the leading one. In some parts of the survey obstacles to the measurement of diagonals may require the use of *tie-lines*; and if the fences are crooked, straight lines are to be measured near them, and their crooks determined by *offsets*.

Offsets are necessary additions to almost every other method of surveying. In the smallest field surveyed by diagonals, unless all the fences are perfectly straight lines, their bends must be determined by offsets. The plot (scale 1 chain to an inch) and field notes of such a case are given below. A sufficient number of the sides, diagonals, and proof-lines, to prove the work, should be plotted before plotting the offsets.

Side.	C	
0	360	
6	315	
10	275	
5	215	
0	150	0
	115	10
	80	5
	65	8
	B	0 F
Side.	B	
0	125	
11	90	
23	62	
12	22	
0	A	

Proof-Line.	B	
	340	
Diagonal.	C	
	310	
Side.	A	F
0	A	
11	248	
0	180	
0	105	0
	65	5
	D	0 F
Side.	D	
0	135	
15	110	
13	90	
0	50	0
	30	9
	C	0 F




Fig. 35.

Inaccessible Areas.—A combination of *offsets* and *tie-lines* supplies an easy method of surveying an inaccessible area, such as a pond, swamp, forest, block of houses, &c., as appears from the Fig. 36, in which the




Fig. 36.

external boundary lines are taken at will and measured, and tied by the "tie-lines" measured between those lines, prolonged when necessary, while offsets from them determine the irregularities of the actual boundaries of the pond, &c.

These offsets or insets and their content is, of course, to be subtracted from the content of the principal figure.

Even a circular field might thus be approximately measured from the outside.

A great variety of expedients are adopted for overcoming natural obstacles and determining the extent and shape of inaccessible objects, systems of triangles being in such cases formed outside of and around such objects.

In surveying buildings and enclosures which cannot be passed through, it is done by means of rectangles, as shown in Fig. 37.




Fig. 37.

CHAPTER VII.

SURVEYING WITH THE THEODOLITE.

A MORE common system of surveying (than with the chain alone) is that in which instruments for taking angles are employed in connection with the chain. A graduated horizontal circle, with a straight edge called an alidade turning upon its central point, which may be conveniently sighted along, furnishes the means of ascertaining the regular distances of two lines, the instruments being set at their intersection, and the alidade pointed in the direction of one and then of the other. This involves the principle of the engineering *transit* or of the *theodolite*.

With these instruments angles can be determined with great accuracy, especially when the observations are repeated by reversing the instrument and taking the mean, each including the reading of both verniers.

A tract of almost any dimensions is accurately surveyed by measuring the angles at its corners, or the correction of the work is proved when the product of all the interior angles is found equal to the product of two right angles, or 180° , by the number of sides of the tract less two; or if the instruments be used by the method called *traversing*,* “or surveying by the back

* *Traversing* is a combination of linear and angular measurement.

angle" (which consists in noting the angle which each successive line makes, not with the preceding line, but with the first line observed, which is hence called the meridian of the survey), then the reading, on getting round to the last station, and looking back to the first line, should be 360° or 0° .

Transit Theodolite.—The transit theodolite is a

Just published, royal 32mo, price 5s. cloth.

THE APPRAISER, AUCTIONEER, BROKER,
HOUSE AND ESTATE AGENT,
AND VALUER'S

POCKET ASSISTANT,

FOR THE VALUATION FOR PURCHASE, SALE, OR RENEWAL
OF LEASES, ANNUITIES AND REVERSIONS, AND OF PROPERTY GENERALLY:

WITH

PRICES FOR INVENTORIES

AND A GUIDE TO DETERMINE THE

VALUE OF INTERIOR FITTINGS, FURNITURE, AND OTHER EFFECTS.

BY JOHN WHEELER, VALUER.

FIFTH EDITION, REVISED, REWRITTEN, AND GREATLY EXTENDED, BY
C. NORRIS, SURVEYOR, VALUER, &c.

CONTENTS.

I. ON THE VALUATION OF FREEHOLDS, LEASEHOLDS, COPYHOLDS,
REVERSIONS, AND RENEWALS.—Real Estate—Freeholds—Net Annual
Rental—Leaseholds—Reversions—Renewals—Lifeholds—Renewals with
Lives—Copyholds—Tables for the Valuation of Estates.

ing eye-pieces, vertical and horizontal circles divided in silver to 30', two verniers and two microscopes to each circle, clamping and tangent screw motions, mounted on a mahogany tripod stand.



Fig. 39.

On the vernier of some theodolites are three indices at angles of 120° , instead of two indices at 180° . Two indices correct for eccentricity ; three indices correct for eccentricity and ellipticity.

Theodolite Adjustments.—The adjustments for the theodolite are :—

Temporary—

- (1.) Vertical axis at \odot .
- (2.) Level the instrument, or place vertical axis truly vertical ; and
- (3.) Adjust the prevent parallax, or bring the foci of the glasses to the cross-wires.

The first and second adjustments require to be made every time the instrument is set up ; the third may require to be made at every observation.

Permanent—

- (1.) Adjust the line of collimation.
- (2.) Adjust the level.
- (3.) Ascertain index-error of vertical circle ; and
- (4.) Adjust horizontal axis exactly perpendicular to vertical axis.

Prismatic Compass.—A compass may be employed in filling up the interior details of a large survey with the transit.

Surveying by the compass is done by taking the bearings of the measured bases from the magnetic meridian. The magnetic needle, wherever the instrument is set, establishes the meridian line, and from this, the sights of the instrument having been turned to any other line, the angle of divergence is read on the graduated circle around the compass box. It is rapid, but not accurate ; but it may be depended upon as safe from great errors, such as 10° or any whole number.




Fig. 40.

The instrument, as in Fig. 40, is usually furnished with sights for the more accurate noting of the angles.

Box-Sextant.—A box-sextant will be found a more valuable auxiliary in filling up the details of a survey.

To save time in surveying, angles should be measured directly with the sextant. This is done by means of a level table upon which the sextant is laid; and poles are used, or a plumb line, &c., to enable the observer to bring the line of sight of the objects to the same horizontal plane.




Fig. 41.

One of Stanley's box-sextants, divided in silver, with telescope and supplementary arc, is shown in Fig. 41.

Adjustments—

- | | | |
|--------------------|---|--|
| (1.) Index glass | . | Index glass \perp to plane of instrument. |
| (2.) Horizon glass | . | Horizon glass \perp to plane of instrument. |
| (3.) Index error | . | Ascertain the index error. |
| (4.) Collimation | . | Line of collimation of telescope \parallel to plane of instrument. |

Correction for "index error" in adjusting the sextant may be necessary for two causes, but it is generally

only the first of these that requires attention, the cause of the second happening very rarely in surveys with such instruments.

- (1.) Deviation of the index from its correct position.
- (2.) The object looked at may be so near the observer that the rays coming from it may not be sensibly parallel, as they would be at a distance.

TABLE FOR ASCERTAINING HEIGHTS AND DISTANCES BY THE BOX-SEXTANT.

Mul.	Angle.	Angle.	Div.
	Degs.	Degs.	
1	45·00	45·00	1
2	63·26	26·34	2
3	71·34	18·26	3
4	75·58	14·02	4
5	78·41	11·19	5
6	80·32	9·28	6
8	82·52	7·08	8
10	84·17	5·43	10

In land measuring on a large scale, a theodolite is invariably used for the measurement of angles. A base line is first chosen and carefully measured, and from each extremity, which is marked by some object visible from a considerable distance, the angle between the other extremity and an arbitrarily chosen and convenient point is measured. This may be done directly, or, as is more usual, the geographical bearings of the new point with respect to the other points are measured, the orientation of the base line itself being already known. Thus the base and contiguous angles of the triangle are given, and from these the other sides and area can be easily calculated. Each of the sides is now taken as a new base line, and new triangles are constructed upon them by arbitrarily choosing new ver-

tices; and thus, by the simple observation of the necessary angles and the careful measurement of one base line, a large tract of country is triangulated or surveyed.

To tell the accuracy of the observations and to fix the limits of error, the last side, whose calculated value depends upon *all* the observations leading up to it, is measured directly as the original base line was.

When the triangulation extends over a whole country, corrections must be applied to the value calculated, because of the sphericity of the earth. The triangles are not plain but spherical, and the problem is therefore really one of spherical trigonometry.

The *details of surveys* are necessarily modified according to the extent of the area, character of the ground, &c. With the transit or compass, the bounding lines may be all followed out, and the angles they make with each other determined and their lengths measured by the chain; the points of crossing of roads, brooks, fences, &c., measured, and the bearings of these objects taken; and increased accuracy may be given to the work by measuring *diagonal or proof-lines*, as in chain surveying.

Additional checks are furnished by taking at each station the bearings of square-marked objects, which, when the work is plotted, should severally fall at the point of intersection of the lines directed toward these objects from the several stations.

Sometimes a tract may be surveyed from a measured base line, either a line within or without it, or one of the boundary lines, by placing the compass successively at each end of this line and taking the bearings of each corner; or, without a compass, the work may be very conveniently performed with appropriate correctness by

plane *table method*, provided no angles are taken less than 30° nor larger than 150° .

A drawing-board covered with paper is set up at one end of a measured base line, and a ruler furnished with upright sights at each end, exactly over the drawing edge, is set with this edge against a fine needle stuck up in the board, and is then directed successively towards the corners of the tract to be surveyed and any other prominent objects, towards which from the needle lines are to be drawn on the paper. One of these lines should be in the direction of the measured line.

The instrument is then taken to the other end of the measured line, the needle is removed along the last line named on the board a distance corresponding, according to the scale adopted, to that of the measured line on the ground, and the board is so placed as to make the line toward the former station.

The ruler is then again pointed to the same object, and lines are drawn toward each from the new position of the needle. Their intersection with the former lines designate the places of these objects on the plane.

The *plane table* is used in various other ways, as by moving it from one corner to the next, and placing it at each so that the last line drawn coincides with that in the ground. From any central point also radiating may be measured to the corners, and the distances measured and marked off to the proper scale.

Rivers, brooks, and roads are surveyed by measuring a succession of lines following their several courses, and taking offsets from the sides of the line.

Protractor.—To accompany the theodolite, &c., there must be provided a protractor, to plot the angles that are taken by the instrument.

The circular protractor with vernier and arm, as in Fig. 42, is the one now commonly used.




Fig. 42.

To Measure an Angle by the Protractor.—From the centre of the protractor at the point or angle *A*, and the edge along the line *A B*, extend the lines sufficiently




Fig. 43.

to read where it cuts the outer edge of the protractor, and the number of degrees and minutes it reads from *B* to *C* will be the measure of the angle required.

CHAPTER VIII.

LEVELLING.

LEVELLING is the art of determining the difference of the heights of two or more points, or of finding the comparative heights of different points of the earth's surface. It is that branch of geodesy which treats of the measurement of heights either (1) *absolute*, when referring to the sea level, or (2) *relative*, between any two distant places on the earth's surface.

Methods.—There are three principal and independent methods in use.

The *first* and most accurate method—that of direct levelling—employs the levelling instrument, and depends on the property of fluids when at rest to present their surfaces at right angles to the direction of gravity.

The *second*, or trigonometrical method, employs the theodolite, and depends on the angular measure of elevation, in combination with the known distance of the object, and having regard to the effect of atmospheric refraction. This is the only method applicable in case one or both stations are inaccessible.

The *third* or barometric method depends on the law of the decrease of pressure of the atmosphere with an increase of altitude. It is the least accurate method of the three, and is of no value for determining small differences of level at any two or more points, though

very serviceable in ascertaining approximately the altitude of a station, mountain, &c., above sea-level.

Level Lines and Surfaces.—A *level surface* is one that is concentric with the surface of the ocean; that is, with the surface the ocean would have if the globe were entirely covered with water.

Any line drawn on a level surface is a *level line*.

A surface of *apparent level* at any point is a plane drawn tangent to the surface of true level at that point. Any line drawn on a surface of apparent level is a line of apparent level.

The lines indicated by our levelling instruments are *lines of apparent level*, but we may deduce from them lines of *true level* by making suitable corrections for curvature and refraction. With short distances, however, such corrections are unnecessary.

Curvature.—The level line given by an instrument is tangent to the surface of the earth. Therefore the line of true level is always the line of apparent level. In Fig. 44, A B represents the line of apparent level, and A C the line of true level. B C is the correction for the earth's curvature.




Fig. 44.

$AB^2 = BC \times (BC + 2CD)$. But B C being very small compared with the diameter of the earth, may be dropped from the quantity in the parenthesis, and we have—

$$BC = \frac{AB^2}{2CD}$$

that is, the correction equals the square of the distance divided by the diameter of the earth.

The difference of height for a distance of

$$1 \text{ mile} = \frac{1}{7916} = \frac{5280 \times 12}{7916} = 8 \text{ inches.}$$

This varies as the square of the distance. The effect, if neglected, is to make distant objects appear lower than they really are.

The effect is destroyed by setting the instrument mid-way between the two points.

Refraction.—Rays of light coming through the air are curved downwards. The effect is to make objects look higher than they really are. It amounts to about one-seventh that of curvature, and it operates in a contrary direction.

Correction.—Correction for curvature is, therefore, always to be subtracted—

$$= \frac{x^2}{2R} \quad \begin{array}{l} x = \text{distance in feet.} \\ R \text{ earth's radius.} \end{array}$$

Refraction is to be added—

$$= \frac{x^2}{12R}$$

Curvature and refraction combined is to be subtracted from staff-readings—

$$= \text{on an average } \frac{5}{6} \cdot \frac{d^2}{2R} = \frac{5}{6} \cdot \frac{\text{distance}^2}{41,778,000'}$$

Levelling Instruments.—The instruments used in levelling are of two classes. Those of the first class are used to point out or indicate a line or surface of apparent level, and are technically termed *levels*; those of the second class are used to measure the distances of this line or surface of apparent level above the points whose difference of level is to be determined, and these are called *levelling rods*.

Levels.—These are constructed on one of three principles—

- (1.) A line of apparent level is perpendicular to a plumb line freely suspended.
- (2.) A line of apparent level is tangent to the free surface of a liquid in equilibrium ; and
- (3.) A ray of light which is perpendicular to a vertical mirror is a line of apparent level.

(1.) The levels used by bricklayers, carpenters, &c., afford an example of the method of applying the first principle. In its simplest form, this kind of level consists of a **T**-shaped frame, the line corresponding to the top of the **T** being perfectly straight and at right angles to a second line drawn through the middle of the stem of the **T**. A plumb-line is attached to some point of the second line, and when the instrument is held so that the plumb-line corresponds to this second line, the first line is a line of apparent level. The cross line of the **T** may be turned downwards, as is usually the case when used by mechanics, or it may be turned upwards, in which case, if supported on a suitable stand, it can be used for the rougher kinds of field levelling.

(2.) The ordinary Dumpy level (Fig. 45) affords an illustration of the second principle. It consists essentially of a telescope mounted on a tripod stand. The tripod itself is attached to a solid bar called the limb, which turns about an axis at right angles to it, and so arranged that the axis may be made vertical by the aid of levelling screws. Attached to the telescope is a ring compass and a delicate spirit-level. The latter, when in adjustment, is parallel to the line of collimation of the telescope, which is indicated by two cross hairs mounted on an adjustable diaphragm placed in the common focus of the field lens and eye-piece.

The parts of the instrument are so constructed that they may be brought into accurate adjustment—that is, with proper relative positions. When the instrument




Fig. 45.

is adjusted, the attached level is parallel to the line of collimation of the telescope, and both are perpendicular to the axis of the limb, that is, the line that remains fixed when the limb is turned in *azimuth*.

The necessary adjustments of level are—

Temporary.—(1.) Level; (2.) Correct parallax.

Permanent.—(1.) Line of collimation \parallel spirit level;
(2.) Traverse.

To use the instrument thus adjusted we plant the tripod firmly in the ground, and by means of the levelling screws bring the level in such a position that the bubble will remain in the middle of the tube during an entire revolution in *azimuth*. The axis of the limb is then

vertical, and consequently the line of collimation of the telescope in all its positions is a line of apparent level.

(3.) Levels constructed on the third principle are called *reflecting levels*. One form of this class of levels consists of a plate of glass suspended from a ring and weighted so that the plane of the glass shall always be vertical. One-half of the glass is silvered and the other half unsilvered, the line of division between the two portions being vertical. A line is ruled across the middle of the plate, perpendicular to the one last mentioned, and is consequently horizontal. To use the instrument, it is held by the ring, and raised or lowered until the observer sees the image of his eye reflected from the ruled horizontal line on the silvered portion; the plane through the eye in that position, and the line of the unsilvered portion, is a plane of apparent level. Instruments of this kind are convenient for contouring in topographical surveys, but they are not very accurate.




Fig. 46.

Levelling Rods.—These are rods of wood graduated to feet and decimals of a foot, the lines of division being numbered from below upwards; the 0 of the scale is at the bottom of the rod.

The one mostly used consists of a staff of hard wood in three slides or sections, and has the end capped with metal. It is made in length varying from 10 or 14 to 18 feet. The rod may be graduated in different ways; three patterns are shown in Fig. 46. A is a pattern of Sopwith's levelling rod; B is Rogers's field-pattern; and C is the Stanley pattern.

Another form of rod is now much used. It consists of a simple rod without a sliding vane, the divisions and numbers being so distinct as to make them easily read.

In levelling, the rod requires to be held at changes of slope, streams, banks, lines of communication, bench marks, &c.

A plummet is not necessary to set the staff perpendicular, for if the staff be moved backwards and forward, the true reading will be the smallest.




Fig. 47.

Sights.—A pair of sights, or readings, are required to make one complete observation. The first is called the back sight, and the second the fore sight.

The names back sight (B.S.) and Fore Sight (F.S.) do not necessarily mean sights taken looking backwards or forward, though they generally are so for turning points, but the first sight taken after setting up the instrument is a B.S. or + (plus) sight, and all following ones, taken before removing the instrument, are F.S., or — (minus) sights.

All but the first and last points sighted are called *intermediate points*, or “intermediates.” The last point sighted to before moving the instrument is called a “turning point” or *changing point*.

Levels may be marked on the ground along a line of road or railway, &c., at distances of from 66 to 300 ft.

The principal reasons for taking sights at short dis-

tances is the uncertainty of the refracting action of the air. They should not be more than 10 chains, or 660 feet.

The only reason for a long sight is when great accuracy is not needed; then we may take the distances as far as we can read the staff, and reduce for curvature and refraction.

Most errors of observation increase as the distance simply.

Errors of refraction increase as the square of the distance merely.

But there are always errors which are constant, and do not vary with the distance.

The greater the distance the greater the effect, and therefore the more need that the instrument be planted exactly half way between fore and back sights.

Direct Levelling.—The levelling instrument is set up mid-way between any two consecutive stations, A and B, on the line of levels, and after its adjustment the




Fig. 48.

readings of the staves placed over the stations are necessarily taken. The line of sight having been made horizontal, the difference in the readings equals the difference of level of the two points A and B. (Fig. 48.)

When the first is subtracted from the second, if the

remainder is +, the second point is higher than the first; if the remainder is — the second point is lower than the first.

In the same manner we may determine the difference in level between the second point and a third point, between the third and a fourth point, and so on, as far as may be desirable.

The total difference of level between the first point and the last is then equal to the algebraic sum of all the partial differences of level.

Example.—A levelling instrument was placed at a station c, mid-way between two bench marks, A and B. (Fig. 48).

Staff-reading at A . 8.25


Ditto at B . 5-10

The instrument was then shifted to a station D, near to B, and 2,000 feet from A.

Staff-reading at B . 4.80

Calculate—

- (1.) True difference of level of A and B.
- (2.) Error from curvature and refraction of reading at A as seen from D.
- (3.) Proper staff-reading at A (including curvature and refraction).



(1.) The instrument being mid-way between A and B, the errors from curvature and refraction are neutralised, and the true difference of level of the two bench marks is the difference of their readings on the staff.

$$= 8.25 - 5.10 = 3.15 \text{ feet.}$$

(2.) The error from curvature and refraction of reading at A as seen from D—

$$\begin{aligned} &= \frac{5}{6} \times \frac{2000^2}{41,778,000} = \frac{5}{6} \times \frac{4,000,000}{41,778,000} \\ &= \frac{5}{6} \times .09574 = 0.07978 \text{ feet.} \end{aligned}$$

(3.) Proper staff-reading at A as seen from D, including effects of curvature and refraction.

$$\begin{aligned} &= (4.80 + 3.15) + .07978. \\ &= 7.95 + .07978 = 8.02978 \text{ feet.} \end{aligned}$$

Note Regarding Adjustment of Level.

Let the readings from C be 8.25 at A and 5.10 at B. The difference of level is 3.15.

If the level is shifted to D, 2,000 feet from A and 500 feet from B, and reads 4.80 at B, then it would read 7.95 at A, if there was no error from curvature and refraction; but the error in 2,000 feet = .079 \therefore the real reading at A from D should be 8.029. Now if the reading at A from D does not = 8.029, the line of collimation is out of adjustment. Suppose that what we do read is 7.53, or .50 less than it should read, then .50 represents the error in A B for $4.80 + 3.15 + .079 = 8.029 = 7.53 + .50$.

The total error of adjustment in A D

$$= \text{error in A B} \times \left(\frac{A D}{A B} = \frac{2000}{1500} = \frac{4}{3} \right) = .5 \times \frac{4}{3} = .67.$$

Hence $7.53 + .67 = 8.20 =$ the true reading at A; and $8.20 - 3.15 = 5.05 =$ true reading at B from D. Hence $5.05 - 4.80 = .25 =$ error in B D.

The curvature and refraction in B D supposed to be inappreciable.

Field Notes.—Gillespie recommends the beginner to sketch the heights and distances measured in a profile or side view, as in Fig. 50. But when the observa-

tions are numerous they should be placed in one of the following tabular forms. These all refer to Fig. 50, and may be compared with that sketch.




Fig. 50.

First form of Field Book.—In this the names of the points or “stations” whose heights are demanded are placed in the first column, and their height is finally

Stations.	Distances.	Back sights.	Fore sights.	Rise.	Fall.	Reduced Levels.	Remarks.
A						0·00	B. M., mark cut on wall of shepherd's cottage.
B	100	2·00	6·00		—4·00	—4·00	
C	60	3·00	4·00		—1·00	—5·00	
D	40	2·00	1·00	+1·00		—4·00	
E	70	6·00	1·00	+5·00		+1·00	
F	50	2·00	6·00		—4·00	—3·00	B. M., lower hook of gate of farmyard.
		15·00	18·00		—9·00		
					+6·00		
					—3·00		

ascertained in reference to the seventh column. The heights above the starting point are marked +, and those below it are marked —. The back sight to any

station is placed on the line below the point to which it refers. When a back sight exceeds a fore sight, their difference is placed in the column of "rise"; when it is less their difference is a "fall."

The above table shows that B is 4 ft. below A, that C is 5 ft. below A, that E is 1 ft. above A, and so on. To test the calculation, add up the back sights and fore sight. The difference of the same should equal the last total height or reduced level.

Second form of Field Book.—This is presented below. It refers to the same stations and levels noted in the first table, and shown in Fig. 50.

Stations.	Distances.	Back sights.	Height of Inst. above Datum.	Fore sights.	Reduced Levels.	Remarks.
A					0·00	B.M.
B	100	2·00	+ 2·00	6·00	— 4·00	
C	60	3·00	— 1·00	4·00	— 5·00	
D	40	2·00	— 3·00	1·00	— 4·00	
E	70	6·00	+ 2·00	1·00	+ 1·00	
F	50	2·00	+ 3·00	6·00	— 3·00	B.M.
		15·00		18·00	— 3·00	

In the above table it will be seen that a new column is introduced, containing the heights of the instrument above the datum or starting-point. The former columns of "rise" and "fall" are omitted. The above notes are taken thus: The height of the starting-point, or "datum," at A is 0·00. The instrument being set up and levelled, the rod is held at A. The back sight upon it is 2·00; therefore the height of the instrument is also 2·00. The rod is next held at B. The fore sight to it is 6·00. That point is therefore 6·00 below the instrument, or $2·00 - 6·00 = -4·00$ below datum. The instrument is now moved, and again set up, and

the back sight to B, being 3·00, the height of instrument $5 - 4\cdot00 + 3\cdot00 = 1\cdot00$, and so on, the height of instrument being always obtained by adding the backsight to the height of the peg on which the rod is held, and the height of the next peg being obtained by subtracting the fore sight to the rod held on that peg from the height of instrument.

Third form of Field Book.—In this form the defects of the preceding methods are avoided, and it approximates to a sketch of the operations, the fore-sight being

F. S. —	Dis- tances.	Sta- tions.	Height of Staff.	B. S. +	Height of Inst.	Remarks.
6·00	100	A	0·00	2·00	+ 2·00	B. M.
4·00	60	B	— 4·00	3·00	— 1·00	
1·00	40	C	— 5·00	2·00	— 3·00	
1·00	40	D	— 4·00	6·00	+ 2·00	
1·00	70	E	+ 1·00	2·00	+ 3·00	
6·00	50	F	— 3·00			B. M.
— 18·00				+ 15·00		
				— 18·00		
				— 3·00		

placed before the stations to which they are taken, and the back sights after them. The distances are placed before the stations to which they are taken, or after those from which they are taken. Another advantage is that the stations, their heights, and the distances, are brought together, which facilitates the making of a profile.

In checking the level book after taking levels, the difference between the sums of back and fore sights should equal the difference of the sums of the rises and falls, and each of those quantities should be equal to the difference between the first and last numbers in the columns of reduced levels or height of staff.

Check Levels.—No single set of levels is to be trusted, but they must be tested by another set, run between the bench marks, though not necessarily over the same ground. A set of levels will verify themselves if they come around to the starting-point again. Check levels should be taken of bench marks, of lines of communication, of summits, and of hollows, and for working sections every level should be checked.

Trial Levels.—Their object is to get a general approximate idea of the comparative heights of a portion of the country, as a guide in choosing lines to be levelled more accurately, or for ascertaining the elevation of detached points of primary importance as regards the work in hand. More rapidity and less precision is required in these trial or flying levels.

Levelling Location.—It is the converse of the general problem of levelling, which is to find the difference of heights of two given points. *This* consists in determining the place of a point of any *required* height above or below any given point.

To do this hold the rod on some point of known height above the datum level; sight to it, and then determine the height of the cross hairs. Subtract from this the desired height of the required point, and set the target at the difference. Hold the rod at the place where the height is desired, and raise or lower it till the cross-hair bisects the target. Then the bottom of the rod is at the desired height. Usually a peg is driven till its top is at the given height above the datum.

To Locate a Level Line.—This consists in determining in the ground a series of points which are at the same level, *i.e.* at the same height above some datum. Set one peg at the desired height, as directed above. Sight to the rod held thereon, and make fast the target when

bisected. Then send on the rod—the desired direction, and have it moved up or down the slope of the ground until the target is again bisected. This gives a second point; so go on as far as sight can be correctly taken, keeping unchanged the instrument and target. Make the last point sighted to a “turning-point.” Carry the instrument beyond it, set up again, take a B. S., and proceed as at first.

The rod should be held and pegs driven at points so near together that the level line between them will be approximately straight.

Contouring.—Contour lines in hilly districts are usually made 100 feet apart; in lower districts the principal lines are in the 6-inch Ordnance map at 50 feet apart with intermediate lines between. Contour




Fig. 51.

lines show the general figure of the surface, and therefore are of little use for the construction of sections if they are at wide intervals. In Fig. 51, the contour lines are 5 yards apart.

Methods for Determining Contour Lines.—They are of two classes:—1. Determining them on the ground at

once ; 2. Determining the highest and lowest points, and thence deducting the contour lines.

First Method. General Method.—Determine one point at the desired height of one line, and then “locate” a line at that level. The “reflected hand level,” or “reflecting level,” or “water level,” are sufficiently accurate between “bench mark,” not very distant.

One such line having been determined, a point in the next higher or lower one is fixed, and the preceding operations repeated.

On a long narrow strip of ground, such as that required for locating a road, run a section across it at every quarter or half mile, about in the line of greatest slope. Set stakes on these sections at the height of the desired contour lines, and then set intermediate points at these heights between the stakes. These sections *check* the levels. *On a broad surface*, level around it, setting stakes at points of the desired height, and then run sections across it and from them obtain the contour lines as before.

The external here serve as checks to the cross lines.

The contour lines may be surveyed by any method.

Contouring with Plane Table.—It is used to map the points as soon as obtained.

Second Method. General Nature.—This method consists in determining the height and position of the principal points, where the surface of the ground changes its slope in degree or in direction—*i.e.* determining all the highest and lowest points and lines, the tops of the hills and bottoms of hollows, ridges and valleys, &c., and then, by proportion or interpolation, obtaining the places of the points which are at the same desired level. The heights of the principal points are

found by common levelling, and their places fixed by their heights being written upon them.

The first method is more *accurate* ; the second is more *rapid*.

Cross Levels.—These show the heights of the ground on a line at right angles to the main line. They give “cross-sections” of it. They may be taken at the same time as the other levels, or independently. In taking “cross levels” where the slopes are steep, as in mountain districts, frequent settings of the instrument are necessary, unless “cross-section rods” are used.

Levelling for Sections.—The object of this is to measure all the ascents and descents of the line, and the distances between the points at which the slope changes, so that a section or profile of it can be made from the observations taken.

A *section* is a continuous line of levels in which distances as well as heights are measured.

The three principal parts of a section are (1) the datum line ; (2) the natural surface of the ground ; (3) the line of proposed work. The datum point must be near the terminus of the line of works, and not near the middle of the line.

In *drawings of sections* the *vertical scale* should be vertical on the paper, owing to the irregular expansion and contraction in different directions. The scale of *distances* is divided into miles and furlongs, and these when necessary into chains and tenths of a chain, &c.

The vertical measures in the section must be written in figures ; the gradients must also be written, and the changes of gradient marked ; as also the greatest depth of cuttings and the greatest height of embankments.

The quantities of earthwork should be calculated from the field-book, and not measured on the paper.

Working Sections.—A working section is a definite profile of the ground, and the levels taken to form this section are termed permanent levels. The heights are taken at every chain from the top of stumps that have previously been driven in, and every minutiae is particularly defined, such as the tops of banks, depths of ditches, watercourses, roads, pits, &c. A working section should state in writing the level of the ground, and the proposed work, and height of embankment or depth of cutting, at every point whose level has been taken. Those quantities should be found by calculation, not by measurement on paper. The positions and levels of bench marks should also be stated. For working sections every level should be checked.

Trigonometrical Levelling.—This consists by means of a theodolite or transit instrument in measuring the vertical angle between the zenith of the station occupied and the distant object the height of which is to be determined. The horizontal distance to this object must be known, and the measured angle must be increased on account of *refraction*, which may be taken roughly as proportioned to the length of arc of junction, and ordinarily equal to about $\frac{1}{4}$ of the corresponding angle at the earth's centre. We may either measure double the zenith distance—one half of the operation with position of theodolite, say circle left, the other half with circle right (the instrument having been turned 180° in azimuth)—or, if the zenith point (or horizontal point) of the vertical circle be previously determined, it will suffice to measure the single zenith distance (or altitude, depression being a negative altitude).

[†]respective of other *adjustments for the theodolite*,

those for *collimation*, for *verticality of the vertical axis*, and for *horizontality of the horizontal axis* of the telescope must be carefully attended to. The observer should also examine the verticality of the plane of his circle to the last-named axis.

To Measure Horizontal Angles.—Set the transit so that its centre shall be precisely over the angular point. This is done by means of a plumb-line suspended from the centre of the instrument. Level the instrument carefully, sight to a rod, held at some point on one of the lines, as at B in the figure (A being the place of the




Fig. 52.

transit), and note the reading. Then loosen the clamp of the vernier plate, keeping the other plate clamped; sight to a rod held at some point on the second line, as at C, and again note the reading. The difference of the two readings will give the angle B A C. This is the *angle of intersection*.

To measure the *angle of deflection*, D A C, i.e. the angle between A C and B A prolonged. After sighting to B, turn over the telescope. It will now point towards D, in the line B A prolonged. Note the reading; sight to C, and again note the reading. The difference of the readings will give the required angle.

Vertical angles are measured similarly to horizontal ones, only using the vertical instead of the horizontal circle.

Traversing.—In this method of surveying and recording a line, the direction of each successive portion is determined, not by the angle which it makes with

the line preceding it, but with the first line observed, or some other constant line. The operation consists essentially in taking such back sight by the lower motion (which turns the circle without changing the reading), and taking each forward sight by the upper motion, which moves the vernier over the arc measuring the new angle, and thus adds it to or subtracts it from the previous reading.

Set up the instrument at some station, as B; put the vernier at zero, and, by the lower motion, sight back to A. Tighten the lower clamp, reverse the telescope, loosen the upper clamp, sight to c by the upper motion, and clamp the vernier-plate again. Remove




Fig. 53.

the instrument to c, sight back to B by the lower motion. Then clamp below, reverse the telescope, loosen the upper clamp, and sight to D by the upper motion. Then go to D, and proceed as at c; and so on. The reading gives the angles measured to the right or "with the sun," as shown by the arcs in the figure.

Barometric Levelling.—We need here only refer to the barometer as an instrument for measuring heights. In the form of a *mercurial barometer* it may be regarded as essentially a balance in which, under the influence of gravity, the mass of the superincumbent atmosphere is equilibrated by a mass of mercury. In the *aneroid barometer*, on the contrary, the atmospheric pressure is

counterbalanced by the elasticity of a corrugated metallic vessel (generally filled with gas, sometimes supplied with a spring). A change of gravity could not, therefore, be indicated by an instrument of the first form, but would be by one of the second form. It is an instrument of great simplicity and portability, and depends on the known relation between the variations in the atmospheric pressure and the corresponding changes in the boiling-point of water. The results, however, are subject to considerable uncertainty.

CHAPTER IX.

UNITED STATES PUBLIC LANDS SURVEYS.

THE extensive territories of the United States are surveyed upon a peculiar system, planned with reference to the division of the land into squares of uniform size, so arranged that any tract of 160 acres may have its distinct designation and be readily found upon the map or recognised upon the ground by the marks left by surveyors.

These squares are bounded on the east and west sides by lines which are true meridians of longitude radiating from the north pole, and on the north and south sides by lines which are chords of the circular parallels of latitude intersecting such meridians.

In each land district a *principal meridian* line is run, extending through the entire district, and from this meridian, at points 24 miles apart, east and west, *base lines* are run, which also extend through the district. These lines are determined astronomically, and when located serve as axes to which the subdivisions of the district are referred.

Parallel to the axes, and on each side of them, other lines are run 6 miles apart, dividing the whole territory into squares, called *townships*, each containing 36 square miles, or 36 sections.

The meridians are drawn from the base lines north

and south to the depth of two townships; but owing to their not being parallel, they do not meet—that is to say, the meridian drawn north from the first base line to the depth of two townships would not meet the meridian line drawn south from the second base, thus creating corners or offsets between the townships and section outlines, and making necessary a *correction line* at every distance of four townships apart, as shown on the index map.




Fig. 54.

Townships.—A township measures, from centre to centre of the road allowances which form its actual boundary, 483 chains square ($= 10,604$ yards square), more or less, subject to the deficiency resulting from the convergence or divergence of the meridians, as the case may be, caused by the curvature of the surface of the globe.

The townships lying between two consecutive meridians 6 miles apart constitute a “range,” and the ranges are numbered from the principal meridians, both east and west. In each range the townships are

numbered both north and south, from the principal east and west line.

Thus if a township lies 12 miles east of the principal meridian, and 18 miles north of the principal east and west line, it is called township 3 N, range 2 E.

Each township is divided by meridians and east and west lines into squares having a mile on each side. These are called *sections*, and each contains 640 acres, more or less.

Sections.—Each township is divided into 36 “sections” of 640 acres (1 square mile) more or less, the exact area being, like that of the township itself, subject to the convergence or divergence of meridians—together with certain road allowances, having a width of one chain, on each section line running north and south, and on every other section line running east and west.

The sections are laid out the precise width of 80 chains, more or less, on the *base lines* running east and west, and the meridians bounding sections are drawn, both north and south, to the depth of two townships, to the “correction” lines already referred to.

All sections south of a base line will accordingly have their northern boundary lines rather more than 80 chains, while the north and south boundaries of sections in the townships laid off north of the same base line will correspondingly measure less than the normal dimensions of 80 chains. The difference, however, is practically inappreciable, as there is only about half a foot discrepancy between the northern and southern boundary of a quarter section—*i.e.* half a foot in a distance of half a mile.

The sections of a township are numbered from the S.E. corner, running along the southern tier of sections No. 6, thence backward to No. 12, which lies exactly

north of No. 1, and so on alternately, running from left to right and from right to left, to the north-easterly corner, which is No. 36.

The following diagram shows a township, as surveyed, with road allowance, and the manner in which the sections are numbered.





Fig. 55.

Legal Subdivisions of Sections.—Each section of a township is subdivided into “quarter sections,” containing 160 acres each, or half a mile square, as shown in the diagram, and they are referred to respectively



as the N.E. $\frac{1}{4}$, the S.E. $\frac{1}{4}$, the S.W. $\frac{1}{4}$, and the N.W. $\frac{1}{4}$ of the section of which they form part.

The terms "half-quarter section," and "quarter-quarter section" are legal designations expressing the quantity of 80 or 40 acres respectively. In the latter case the quarter sections comprising every separate section are, in accordance with the boundary of the same as planted in the original survey, supposed to be further subdivided into four quarter-quarter sections, of 40 acres each, as shown in the following diagram :—

	N				
	13	14	15	16	
	12	11	10	9	
W	5	6	7	8	E
	4	3	2	1	
	S				

Posts and Mounds.—Surveyed lines on the prairie are marked by posts with mounds of earth built around them, as shown in Fig. 56.

Except in the case of correction lines, section posts and mounds are so placed that lines connecting the cardinal points of the compass will pass through their angles.

On correction lines they are placed square with the line.

In a timbered country the mounds are dispensed with, and the lines marked by blazing the trees on the side next the line and the direction in which it is run, the corners being established by wooden posts, the position of which are defined by bearing trees.

Only a single row of posts to indicate the corners of the townships or sections (except in correction lines)





Fig. 56.

is placed on any surveyed line. These posts are placed in the west limit of road allowances leading north and



Figs. 57 and 58.

south, and in the south limit of roads leading east and west.

On correction lines posts are planted on each side of the road allowance, and marked independently for the township on either side.

It frequently occurs that a section corner falls into a lake, slough, or stream. In this case the surveyor builds a circular witness mound on the shore at




Fig. 59.

the point nearest to the true position of the section corner, the post standing in the mound being marked W.M., the bearing and distance to the site of the true corner being written thereon.

Post Markings.—Wooden posts are marked with Roman numerals cut into their faces.

Where iron posts are used, the figures are punched on a square plate of tin, which rests on the top of the mound, the post passing through its centre. In addition to the section numbers, the plates are marked with the letters N S E and W, and it is necessary in ascertaining the number of a section to see that the plate is turned so that these letters correspond with the cardinal points which they are intended to indicate.

Quarter section corners are designated by wooden posts, flattened on two sides. They are marked with the fraction $\frac{1}{4}$, and stand with their flattened sides facing the direction in which the section line is run.

The position in which the mounds and posts stand

Township 7 Range 15 W. 2nd Merⁿ




Diagram shewing manner in which posts are marked



Fig. 60.

with reference to the section lines, and the manner in which they are marked, is shown in the above diagram.

CHAPTER X.

LAYING OUT LAND.

Its Nature.—This operation is precisely the reverse of that of surveying, properly so called. The latter measures certain lines as they are; the former marks them out in the ground where they are required to be, in order to satisfy certain conditions. The same instruments, however, are used as in surveying.

Perpendiculars and parallels are the lines most often employed. The perpendiculars may be set out either with the chain alone, still more easily with the cross-staff or optical square, and most precisely with a transit or theodolite. Parallels may be set out with the chain alone, or with transit, &c.

To Lay Out Squares.—Reduce the desired content to square chains, and extract its square root. This will be the length of the required side which is to be set out by one of the methods indicated above.

An *acre* laid out in the form of a square is frequently desired by farmers. Its side must be made $316\frac{1}{4}$ links of a Gunter's chain, or $208\frac{71}{100}$ ft., or $69\frac{37}{100}$ yds. It is often taken at 70 paces.

The number of plants, loads of manure, &c., which an acre will contain at any uniform distance apart can be at once found by dividing 209 by this distance in feet, and multiplying the quotient by itself, or by

dividing 43,560 by the square of the distance in feet. Thus, at 3 feet apart, an acre would contain 4,840 plants, &c.; at 10 feet apart, 436; at a rod apart, 160, and so on. If the distance apart be unequal, divide

product of these distances in feet; thus,

AGRICULTURAL WORKS BY MR. R. SCOTT BURN.

SOILS, MANURES, AND CROPS. By R. SCOTT BURN.
Fifth Edition, illustrated, price 2s.

Summary of Contents.—Soils: Varieties—Productiveness—Rotation of Crops—Preparation for various Crops—Ploughing—Draining—Tillage. MANURING: Principles of Manuring—Different Varieties—Farmyard, Liquid, and Artificial Manures. PRINCIPLES OF CROPS: Wheat—Barley—Oats—Rye—Varieties of Seeds—Preparation of the Soil for Turnips—Crops—Sowing—Harvesting. LEGUMINOUS CROPS: Beans—Peas. ROOT CROPS: AGE CROPS, &c.: Mangold Wurzel—Carrots—Parsnips—Potatoes—Artichoke. FODDER CROPS: Rye Grass—Gorse. GRASSES: Pastures—Meadows—Haymaking—Flax—Hops.

FARMING AND FARMING ECONOMY, Historical and Practical. By R. SCOTT BURN. Fourth Edition, illustrated, price 2s.

Summary of Contents.—BRITISH AGRICULTURE: Historical Notices connected with our Farm Crops. AGRICULTURAL CHEMISTRY: Rise and Progress of. THE CHEMISTRY OF MANURES: Farmyard—Artificial—Exhaustion of Soils—Rotations. THE CHEMISTRY OF PLANTS: Composition of Drainage-water—Fertilising Properties of Rain-water—The Food of Cattle—Food and Feeding. MECHANICAL TREATMENT OF THE SOIL: Draining—Ploughing—Steam Culture, &c. FARM STOCK: Stock—Cattle—Sheep.

STOCK, CATTLE, SHEEP, AND HORSES. By R. SCOTT BURN. Fifth Edition, illustrated, price 2s. 6d.

Summary of Contents.—CATTLE: Principles and Practice of Cattle-breeding—Varieties of Breeds. STOCK: Rearing, Feeding, and Management. CATTLE-REARING: General Principles of Cattle-feeding. SHEEP: Varieties and Management—The Principles involved in the Breeding of Sheep—Varieties of British Sheep—The Breeding, Rearing, and Management of Sheep. HORSES: Varieties—Breeding and Management.

DAIRY, PIGS, AND POULTRY, Management of the. By R. SCOTT BURN. With Notes on the Diseases of Cattle, &c. Price 1s.

dicular on the
vertex of the required triangle.

The content being given, and the base having to be m times the height, the height will equal the square root of the quotient obtained by dividing twice the given area by m .

The content being given and the triangle to be equilateral, take the square root of the content and multiply it by 1.520. The product will be the length of the side required. This rule makes the sides of an equilateral triangle containing *one acre* to be $480\frac{1}{2}$ links. A quarter of an acre laid out in the same form would have each side 240 links long.

The content and base being given, and one side having to make a given angle, as B, with the base A B, the length of the side B C =
$$\frac{2 \times \text{A B C}}{\text{A B sin. B}}$$

Example.—Eighty acres are to be laid out in the form of a triangle, on a base, A B, of 60 chains, bearing N. 80° W., the bearing of the side B C being N. 70° E. Here the angle B is found from the bearings to be 30° . Hence B C = 53.33. The figure is on a scale of




Fig. 61.

50 chains to 1 inch, = 1:39,600.

Any right-line figure may be laid out by analogous methods.

To Lay Out Circles.—Multiply the given content by 7, divide the product by 22, and take the square root of the quotient. This will give the radius with which the circle can be described on the ground with a rope or chain.

A circle containing *one acre* has a radius of $178\frac{1}{2}$ links.

A circle containing a quarter of an acre will have a radius of 89 links.

There is much truth in the proverbial advantage of a farm or estate lying within a ring fence. The inconvenience which arises from fields of one farm running into or lying in the middle of another farm is often very great, and it is still too common in England. There can be no excuse for it, certainly, where the farms belong to the same owner. Both that and irregularities in the boundaries should be rectified at the very first opportunity; and, if they are on different proprietors' lands, such glaring inconveniences should be made the subject of an excaulm, or exchange, in the interest of the owners as much as of the farmers.

As to the size of farms, both large and small ones have their fitness and utility; but grazing farms should be relatively larger than those devoted to tillage.

In the interior arrangements of the farm lands, a great consideration is to have the fields properly set off, not merely as regards the division of arable and pasture land, but so as to mark the different soils that occur in each. It makes all the difference sometimes in the working of the fields, and in the equally good yield of the crops if the divisions have been made as far as possible in conformity with the surface soils.

The old style of laying out farms in England—if style it can be called—cannot certainly claim much on the score of utility; and it is a true type of the falsely named picturesque, with its miry lanes, its wide straggling hedgerows and ditches, the land cut up into numberless misshapen fields, and here and there waste plots of ground that seem to have been left out of the general plan because they would not fit in anywhere.

There can be little doubt that enclosures are bene-

ficial to a certain extent—in some districts more so than in others; but whatever the size and number of the enclosures, they should be laid out so as to utilize the whole of the ground that makes up the farm and is free for this purpose. And if the wasteful agriculture which is so strongly encouraged by an ill arrangement of the fields is to be fully avoided, the same principle must regulate the laying out of roads and buildings.

It must be confessed that there is little plan or precision in our field system. If the limits of the field are defined, and perhaps the boundary fenced, it is thought to be quite enough for the purposes of agriculture; and if the shape of the field is at all nearly square or rectangular, it is considered a very well laid-out piece of land.

But while it is proper that the size, shape, and boundary of the enclosure should be attended to, this does not supply the place of an interior arrangement of the fields. Only those who have tried the plan of marking out the whole field-surface in squares or divisions of fractions of an acre know its advantages, in point of accuracy and readiness in conducting almost every branch of field-work, and in making trials of seeds, manures, &c. We shall notice a few of the advantages arising from such a plan.

In the first place, it enables the farmer to see at a glance what quantity of field-work is done in a given time by the hands or teams employed, no matter what description of work they are at—hoeing, reaping, ploughing, manuring, or anything else; and it is, at the same time, a great help to a better inspection of the work done. It also facilitates and encourages the use of piece-work in the employment of field hands. A square can be taken up, worked off, inspected, and paid

for at the rate agreed on per acre with a simplicity that compares favourably with the slipshod fashion of day hands at work without a gauge, or piece-workers whose task is an uncertainty until the ground is measured.

It likewise affords a ready facility for making experiments on a small scale with seeds and manures, for trying different modes of culture, and for ascertaining the weight of produce obtained from the land, or the weight of crop consumed in the feeding of stock. These are only a few of the advantages. The plan, when adopted, will be found convenient for many purposes besides those enumerated.

But the question is, How to lay out fields in small squares so as to provide these advantages. With the use of improved machinery it does not do to have ditches, nor even deep furrows, as the bounds of these squares; and otherwise, of course cropped land has to be marked out annually, or at least as often as the field is resown. It may be done, however, not by furrows, but simply by lining out the ground after the crop is sown, and then drilling in the lines, with a small hand single drill, a single row of the same seed as the crop may be—grass, corn, turnips, &c. The same variety of seeds will be quite visible in the lines, especially where otherwise throughout the field the seed-corn or grass was broadcasted; and in the case of root crops, it may be nicely arranged by drilling, say in a field of yellow turnips, swede-seed in the marked lines, &c.

The expense and trouble of marking out lines is very little, and is soon amply repaid. Let a man, or a man and a boy, line out the field as soon as it is sown, in *tenths* or *poles*, &c., as decided on. Then take the hand drill and run along the lines, first the length of the

field, then across, drilling somewhat thicker in the lines than it was sown over the field. The lines must be kept perfectly straight; but if the ground is properly lined out first, that is easy to do. The rate at which a man and a boy will line and drill-mark a field will of course depend on its total acreage, and on the size of the divisions into which it has to be lined or marked.

Of course if a more permanent system of marking without loss of land could be devised it would be better; but until that is discovered no labour on the farm will be better bestowed than that given to forming the line divisions here indicated.

CHAPTER XI.

ESTIMATING WEIGHT, QUANTITY, AND VALUES.

A KNOWLEDGE of measuring solids is indispensable to the land agent, surveyor, and farmer, as the dimensions and weight of all materials and objects are calculated by it.

Mensuration of solids comprehends the measure by length, breadth, and thickness of all bodies, whether solid, liquid, or gaseous. The general rule is, to "find the area of one end, and multiply that by the length." This rule is of universal application, whether to earth-work, ricks of corn or hay, heaps of dung, of stone, or of burnt clay, and to timber, &c. The area of one end, or of one surface, whether the end, side, top, or bottom, is found on exactly the same principle as in ascertaining the superficial contents of land; and if the figure diminishes in the course of its length, as the top of a rick, or the trunk of a tree, the mean length or half is taken as a multiplier.

Weight of Cattle.—The rule for ascertaining the weight of an animal by measurement is to multiply the square of the girth by the length, and this product by the decimal $\cdot 238$, which will give the weight of the four quarters in imperial stones.

To ascertain the dead-weight by weighing—multiply the live-weight by the decimal $\cdot 605$, and the product

will give the dead-weight of the four quarters in imperial stones.

It is simpler to ascertain the weight by measurement.

We here explain the calculation of the dimensions of an animal and the principle upon which it is founded, by which anyone may find the weight without the assistance of tables. The length and girth of the animal being measured—the first from the shoulder-top to the tail-head, and the second immediately behind the shoulder—these dimensions bring the figure of the animal into the form of a cylinder, or nearly so. The rule for finding the contents of a cylinder is to find the area of the end and to multiply that sum by the length. The common method is, to multiply the square of the diameter by $\cdot7854$ (the area of a circle whose diameter is unity), and this product by the length for the solid content. But in measuring cattle the girth or circumference, and not the diameter, is obtained; and as the rule for finding the diameter correctly from the circumference involves itself into long decimal multipliers, the process, especially when feet and odd inches are the dimensions, is complicated and tedious. The more simple method, therefore, is to multiply the square of the circumference by $\cdot0795775$,* and that product multiplied by the length gives the contents; which again multiplied by the established weight of a cubic foot or other measure will give the weight of the animal.

To find the proportional weight of a cubic foot, &c. :
—Find, by the above rule, the number of cubic feet

* This number is obtained in the following way: The area of a circle equals the square of the circumference divided by four times $3\cdot1416$ (the circumference of a circle whose diameter is unity); or 1 divided by $12\cdot5664$ ($=4 \times 3\cdot1416$) $=\cdot0795775$. Hence the square of the circumference multiplied by $\cdot0795775$ gives the area of the circle.

which the animal contains, and weigh the four quarters after it is killed, and the former divided by the latter would give the weight per cubic foot. Thus, if an ox measures 8 feet girth, 6 feet length : $8 \times 8 = 64 \times .0795775 = 5.09296 \times 6 = 30.55776$ cubic feet in the animal ;* and if the four quarters of the killed animal weighed 91 stones $6\frac{1}{2}$ lbs., this weight divided by the number of cubic feet in the animal gives the weight of a cubic foot. Hence 91 stones $6\frac{1}{2}$ lbs. = $91.4642857 \div 30.55776$ give 2.993 stones per cubic foot. And this is the actual weight assumed for a cubic foot.

The calculation may be shortened. As .0795775 and 2.993 are both constant multipliers in the operation, they may be multiplied together and the product used in one multiplier, thus : $.0795775 \times 2.993 = .2381754675$. But .238, or three figures only, may be near enough for a multiplier. Thus $8 \times 8 = 64 \times 6 = 384 \times .238 = 91.392$, or 91 stones $5\frac{1}{2}$ lbs. (In place of .238 some use .24, which gives a higher weight.) Thus, then, to find the weight of a fat animal, multiply the square of the girth by the length, and that product by .238, or take $\frac{238}{1000}$ th part of it, or use any lower and more convenient denomination of the same value.

Another rule is to multiply the square of the girth by five times the length, and divide the product by 21, to get the weight of the four quarters ; *i.e.* multiply the square of the girth by the length and take the $\frac{5}{21}$ st part of the product for the weight. Now $\frac{5}{21}$ converted into decimals is .23809523, which exactly agrees, in

* The calculation may be performed by duodecimals, or by reducing odd inches, if any, to decimals or fractions ; or both length and girth may be reduced to inches, and then as above. To bring cubic inches to feet, divide the product by 1728.

as far as the decimal numbers necessary for the calculation are required, with the numbers we have given.

Weight of Hay-ricks.—Various modes may be adopted for determining this, but the only accurate one is by the use of the platform scales. The number of tons may be nearly determined by ascertaining the number of cubic feet or yards in the rick, and obtaining the weight per foot by actual weighing if necessary.

Weight per foot.	Yards to a ton.	Weight per foot.	Yards to a ton.
lbs. oz.		lbs. oz.	
5 3	= 16	7 8	= 11
5 8½	= 15	8 4	= 10
6 0	= 14	9 3	= 9
6 6	= 13	10 5	= 8
6 14	= 12		

The number of yards per ton will depend on the solidity of settlement of the stack. If a good-sized stack has well settled, about 12 cubic yards to a ton will be fair.

The following rule will give the weight approximately by measurement.

With the tape measure the length and breadth, then the height to the eaves, and from the eaves to the top.

To calculate the quantity proceed thus:—

To the height from the ground to the eaves, add one-third of the height from the eaves to the top: multiply this sum by the breadth, and that product by the length. This will give the area in feet, which, divided by 27 (cubic feet in a yard), the quotient will be in yards. Divide this by 10 to bring it into tons.

1. *Example.*—Suppose a stack of hay 30 ft. in length, 20 ft. in breadth, the height to the eaves 14 ft., height from the eaves to the top 9 ft. Required the quantity in tons.

14 ft. height to the eaves	
3 add $\frac{1}{3}$ of height to roof	
<hr/> 17	
20 breadth	
<hr/> 340	
30 length	
<hr/> 27) 102,00 (377.7 \div 10 =	Tons
81	
<hr/> 210	
189	
<hr/> 210	20 cwt.
189	7
<hr/> 21	<hr/> 10) 140
<hr/> 27	14 cwt. = $\frac{7}{5}$ of a ton.

2. *Example*.—Required the quantity of hay in a stack, the dimensions of which are as follows:—

Height to the eaves	12 feet.
From the eaves to the top . .	9 „
Length	25 „
Breadth	14 „

Average compactness 10 yards to a ton. *Answer*, 19 tons 8 cwt.

Thatching.—Thatchers' work is measured by the square of 100 square feet.

1. To find the quantity of thatching on square or oblong ricks:—

Rule.—Multiply the width over the top from eave to eave by the length at the eaves, both in feet, and divide the product by 100 for the quantity in squares of 100 square feet. If the ends of the rick are thatched, add the breadth of the rick to the length for the multiplier.

Example.—Required the amount of thatching on a rick measuring 30 ft. over top from eave to eave, length of side 40 ft., and width at eaves 12 ft. *Answer*, 15 $\frac{60}{100}$ squares.

2. To find the quantity of thatching when the roof of the rick or stack is conical:—

Rule.—Multiply the circumference of the eaves by half the slant height, both in feet, and divide the product by 100 for the quantity in squares of 100 square feet.

Example.—Required the amount of thatching on a rick of 36 ft. circumference, 12 ft. slant height. *Answer,* $2\frac{1}{6}$ squares.

Measurement of Grain in a Bin or Heap.—Multiply the length, breadth, and depth in feet, and that product by 0·8. Suppose the bin is 20 ft. long, 4 ft. wide, and 6 ft. deep; this will give, when multiplied together, 480 cubic ft. To reduce this amount to bushels multiply by 0·8, which gives 384 in answer. It takes 2,150 cubic inches to make a straked bushel, and a cubic foot has 1,728 cubic inches; hence the bushel is to the foot as 5 to 4, which is the explanation of the use of the fraction 0·8.

Weight is the only true standard of the quality of corn. The heaviest wheat in the smallest compass will always yield the greatest proportion of flour, and the millers are so well aware of this that they always stipulate for a nominal measure to be made up to a certain specified weight; but the heavy corn will always be worth more than the same weight of lighter corn.

To measure Dung-heaps, &c.—Measure the length and breadth, and take three or four depths, according to the inequalities of the surface. The mean of these depths, multiplied by the length and that product by the breadth, will give the cubical content of the heap.

If the area is in feet, divide by 27, and the quotient will be the quantity in loads.

Example.—A dung-heap is 50 ft. long, 25 ft. broad,

and of the different depths of $3\frac{1}{8}$, 4, $4\frac{1}{2}$, and 5 ft. Required the number of cartloads.

Ft.	in.
3	2
4	0
4	6
5	0
<hr/>	
4)	16 8
<hr/>	
4	2 average depth.

Ft.	in.
50	length.
25	breadth.
<hr/>	
1250	ft. in.
<hr/>	
$4\frac{1}{2}$	= 4 2 aver. depth.
<hr/>	
5000	
208	·3
<hr/>	
27)	5208·3(192·9 cartloads.
<hr/>	
27	
<hr/>	
250	
243	
<hr/>	
78	
54	
<hr/>	
24·3	
24·3	
<hr/>	

Earthwork.—In calculations of earthwork we require to know three things—

- (1.) The base.
- (2.) The slope.
- (3.) The depth of cutting or height of embankment.

In all rectilineal excavations, such as trenches, &c., or any other regular figure, the common rule will produce accurate quantities, as—

Multiply the length by the thickness and the product by the breadth. If the dimensions are taken in feet, to reduce it to cube yards, divide the product by 27. A cube yard of earth is equivalent to a load.




Fig. 62.

Example.—Given base of a cutting 30 ft., slopes $1\frac{1}{2}$ to 1, as in Fig. 62. Natural ground level transversely. Depths at intervals of 100 ft., as follows:—

Distances. (Feet.)	Depths. (Feet.)	Areas. (Sq. Feet.)
0	0	0
100	14	714
200	24	1584
300	30	2250
400	32	2496
500	24	1584
600	0	0

Calculate the sectional area in square feet; also the volumes in three divisions each of 200 feet long in cubic feet to the nearest whole number; also the total volume in cubic yards to the nearest whole number:—

$$(1.) \text{ AREA} = (30 \times h) + (1\frac{1}{2} \times h^2).$$

$$\text{Area of section } 0 = 0$$

$$\text{,, ,, } 100 = 420 + 294 = 714 \text{ sq. ft.}$$

$$\text{,, ,, } 200 = 720 + 864 = 1584 \text{ ,,}$$

$$\text{,, ,, } 300 = 900 + 1350 = 2250 \text{ ,,}$$

$$\text{,, ,, } 400 = 960 + 1536 = 2496 \text{ ,,}$$

$$\text{,, ,, } 500 = 720 + 864 = 1584 \text{ ,,}$$

$$\text{,, ,, } 600 = 0$$

$$(2.) \text{ VOLUME} = x. \frac{A. + 4A_1 + A_2}{6}$$

Volume of first 200 feet of length

$$= 200. \frac{(714 \times 4) + 1584}{6} = 148,000 \text{ cub. ft.}$$

Volume of middle length

$$= 200. \frac{1584 + (4 \times 2250) + 2496}{6} = 436,000 \text{ cub. ft.}$$

$$\begin{aligned} & \text{Volume of third length} \\ & = 200 \frac{2496 + 1584 \times 4}{4} = 294,400 \text{ cub. ft.} \end{aligned}$$

(3.) THE TOTAL VOLUME IN CUBIC YARDS.

$$\begin{aligned} & = \frac{148000 + 436000 + 294400}{27} \\ & = \frac{878400}{27} = 32533.32 \text{ cub. yds.} \end{aligned}$$

Estimating the quantity of work which ought to be done in a given time by teams of labourers is an art that ought to be familiar to every agriculturist. In general no absolute rule can be laid down, because so much depends on soils, roads, cattle, and other circumstances; but in every particular case the rate or market price of labour per day being given, and the quantity of work ascertained which a man or a horse can fairly perform in a given time, a rate per square yard, pole, or acre, or per solid quantity of materials which are to be moved, can easily be determined on. A farmer should know by memory the number of ridges, or of single furrows or bouts, which it requires to make an acre on every field of his farm. This will aid him in every operation that requires to be performed on these fields, the quantity of manure, seed, ploughings, harrowings, hoeings, mowing, reaping, raking, &c., as well as in estimating the produce, whether corn, hay, roots, or the number of cattle or sheep that may be grazed there for any given time (Louden). It will be seen that the proper laying out of farm lands has a great deal to do with this.

Draining work, ditching and hedging, &c., ought to be subjected to similar calculations, so as, if possible, to let out all work not performed with the master's own

men and cattle, by contract or quantity, instead of by time. As spade work is nearly the same in most parts of the country, certain general rules have been laid down which, though seldom strictly followed up, it may be useful to know. Thus in moving soil, as in digging a drain or the like, if the soil is soft and no other tool than the spade is necessary, a man will throw up a cubic yard of 27 solid feet in an hour, or 10 cubic yards in a day. But if picking be necessary an additional man will be required, and very strong gravel will require two. The rates of a cubic yard, depending thus upon each circumstance, will be in the rates of the arithmetical numbers 1, 2, 3, so that if a labourer earns 3s. 4d. a day the cost per cubic yard will be 4d. in the first case, 8d. in the second case, and 1s. in the third case.

Measurement of Timber.—It is desirable that a regular and recognised method of measuring be adopted, and the simplest and easiest way is to take the whole length of the tree to the height where it girths 26 inches round the bark. Then take the mean girth of the tree between this point and the base. If the measurement is taken outside the bark, one inch should be allowed for every foot of circumference. In practice, I girth the standing tree at 6 feet from the ground, which gives the medium girth of the lower 12 feet; then compute by sight the upper part of the tree, which a little experience soon enables any one to do sufficiently near for all practical purposes.

Before commencing to measure, the forester provides himself with a foot-rule and slide, leather strap marked or graduated, a pole, a marking axe, and a red lead pencil, or a small brush and paint.

The strap may be any convenient length, from 15 to 20 feet, $\frac{3}{4}$ inch broad, and of the strength of a small

bridle-rein, with a piece of lead attached to one end of it. Previous to marking the strap with the necessary figures, the leather should be alternately wetted and dried, otherwise it is apt to shrink and expand when in use, according to the state of the weather. A seasoned gig-rein, when reduced to proper dimensions, forms an excellent strap. Such straps are not generally to be bought in the shops, but must be home-made.

6 being the last figure upon the strap, is exactly 26 inches from the end, including the lead and is the side of the square. The next figure is 7, and so on. The cross stroke indicates half inches, and quarter inches are indicated by the dot.

The pole used for taking the height is 14 feet long, marked *ft.* and *half ft.* The lowest mark is at 6 feet, at which height the trees are mostly girthed. Thus, by an expeditious and simple process the contents of the first 12 feet of the trunk are found. This is a ready method of measuring standing timber either for sale, transfer, or other purposes.

Though the use of the slide-rule is recommended for casting up the contents of a tree, yet in extensive practice it is seldom used. Having the length of the section (or whole tree) as indicated by the pole, and the side of the square as shown by the girth, the relative contents soon become so familiar that no casting up is required.

In making the strap it is advantageous to mark one side with white paint for measuring peeled timber, when no allowance is made for the bark; thus the side of the square of a tree *three feet* (3 feet) in girth is 9 inches. The other side may be marked with red paint, allowing for bark at the rate of 1 inch to the foot in girth.

The true and full content of a round tree can be found very nearly by Dr. Hutton's rule, which is—

Multiply the square of one-fifth the mean girth by twice the length.

Take a tree 44 in. in girth and 32 ft. long,

$$8.8^2 \times \frac{64}{144} = 34.41 \text{ cubic ft.}$$

But rough timber is never bought and sold by this rule, for it allows nothing for loss and waste in squaring the tree. In order to provide for that, another rule of measurement is adopted in practice, and it is this—

Multiply the square of the quarter girth by the length, and take the product for the volume. Thus the above tree gives by this rule—

$$11^2 \times \frac{32}{144} = 26.88 \text{ cubic ft.,}$$

or little more than three-fourths of the full content of the tree. It is often urged against this rule that it allows more than is needed to make good the loss in squaring the tree, but it may be shown that it gives a higher result than the tree can actually be hewn to. It assumes that the quarter-girth and the side of the inscribed square are equal, whereas it is self-evident that the inscribed square is less than the circle. The greatest square a tree 44 inches in circumference can be hewn to is 9.9 inches, instead of 11 inches, as is assumed by the common rule of the quarter-girth, and therefore the actual volume of squared timber in the tree is only

$$9.9^2 \times \frac{32}{144} = 21.76 \text{ cubic ft.,}$$

or 5.08 cubic ft. less than by the quarter-girth rule. The true squared content will, therefore, be fully 36 per cent. less than the full content of the unhewn tree.

This great difference may very well be more than will cover the actual cost of and loss by squaring, if the slabs and chips are saleable, as they generally are, and hence practice has adopted a rule which, although erroneous in itself, gives something between the two, and for general use is the most fair one as between buyer and seller.

In measuring standing timber there is very little difficulty: use a ladder and pole for the length, and take the girth in three or four places.

A *cord* of wood is 8 ft. long \times 4 ft. wide \times 4 ft high = 128 cubic ft.

Valuing Plantations.—It can scarcely be said that any forester thoroughly knows his duties till he can correctly value the various crops of wood of different ages that are under his charge. There are various ways of doing this.

On taking charge of the woods and plantations on an estate, it is necessary, in the first place, to become acquainted with every individual plantation, great and small, on the estate, and to ascertain (1) the name by which it is known on the estate plan, and generally or locally as well; (2) the date of planting, and whether planted in spring or autumn, as that makes a difference of one year's growth; (3) the acreage; (4) the proportion of different classes or species of trees in the plantation; (5) the aggregate number of trees; (6) the total value of the trees; (7) the average annual growth each plantation is making at the time of inspection; in lineal feet or cubic contents; (8) the money value per acre of the annual growth of each plantation; (9) the transferable value per acre; (10) the highest prospective value the plantation is ever likely to attain.

To the value of the growth of all plantations of

which the thinnings have not yet paid for the original outlay in forming the cost of thinning is added, but not when the thinnings have paid such outlay.

It may be necessary to explain how the various data are obtained, and especially how the number of trees upon the ground are ascertained.

A book of convenient size for the pocket is provided, and ruled horizontally but not vertically, which can best be done on the spot; and with the assistance of two men a line through the greatest length of the plantation is taken, the first man, or leader, calling out the species of each tree in the line as he comes to it—oak, ash, larch, spruce, &c.—and the second man intimating the distance in feet and inches between each two trees throughout the whole length of the plantation. The leading man also girths the tree as he goes up to it, always at 4 feet from the ground, intimating the figures, and walks on to the next tree. The line pursued is not direct, but zigzag, each tree being taken as arrived at. The valuer in the meantime is entering the various data in his book—such as species, distance, height, and girth—

Species.	Distance.	Height.	Girth.
Sp. (Spruce).	10	16	15
L. (Larch).	18	15	20
Bi. (Birch).	13	14	16

and so on.

The plantation is again traversed in other directions, and when the whole is done the various averages are taken, by adding all the respective measurements, and dividing the same by the number of them.

It is to be observed that the trees are girthed at 4 feet from the ground, at which the height over the

bark is equal to the girth at the ground *minus* the bark. This applies only to such plantations as have been at least once thinned but are below timber size.

In dealing with plantations that have not been thinned at all, the practice is to go carefully through every part, and note the lengths of the last top growths, and the full height of the trees, to the number of about 800 to the acre—the quantity that should remain upon the ground after being thinned the first time.

The method of casting up the value of a young plantation is a matter of simple proportion, stated thus—If a plantation is valued prospectively at sixty years' growth to be worth £60 an acre, what ought it to be worth at forty years' growth?

Plantations below thirty years growth have the original cost of forming added or subtracted as the case requires, and those over thirty years, or such as have been sufficiently thinned, are simply valued according to their present or prospective worth.

No further revenue is expected from the thinnings of a plantation after thirty years old, but an equivalent benefit is derived from it, in the form of grazing for sheep or cattle, which is indeed often of more value than the thinnings.

This mode of valuing young plantations may be objected to on account of no allowance being made for interest on the original outlay, and no sum being set apart for rent. These, however, are included in the *one item*—viz. the value of the annual growth. Say, the annual value of the growth of a plantation is 20s. per acre; against this there is the ground-rent 7s. 6d. per acre, and *interest* on cost of planting, 70s. per acre at 5 per cent., = 3s. 6d., making altogether 11s. per acre

chargeable against the 20s. worth of produce, and leaving 9s. per acre in favour of planting.

There are various ways of valuing mature timber and old plantations, but the only plan to be recommended is to take the quantity of measurable timber tree by tree, and put a price upon it according to the kind and quality of the wood.

The age at which a plantation will come to maturity and at which it should be cut down to yield most profit, is a question that admits of no general answer; for trees vary in growth and early maturity according to soil, situation, climate, &c., so that no fixed period of cutting can be generally applied to any class of trees grown in different places and under more or less varying conditions. Within the range of our own climate, however, the quality and depth of the soil that the tree stands in has more influence on the age of maturity than any other single circumstance. For it has been found that when an oak tree in good strong soil $2\frac{1}{2}$ feet deep will cut most profitably at fifty years, in an equally good and strong soil $3\frac{1}{2}$ feet deep the same tree requires about seventy years to come to maturity; and if the soil is $4\frac{1}{2}$ feet deep, one hundred years; but in lighter and sandy soils of the same depths, the periods of maturing are lessened to forty, sixty, and eighty years. The hard-wood trees are all slow growers, and it is generally held that a hard-wood plantation requires sixty years to come to maturity. A fir plantation will be at its best in about half that time, or thirty years. Where the plantation is a mixed one, the relative quantity of fast and slow-growing trees, and the effect which the greater proportion of either will have on the time of average maturity, must necessarily be considered.

To Calculate the Cost of Buildings by the Square.—The dimensions of the different compartments are taken and the length of each multiplied by the breadth, so as to give their superficial areas; and an amount per square foot, or generally per square of 100 ft.—that is, 10 ft. each way—is assigned to each. But the same difficulty attends this mode of computation (as estimating by comparison), even perhaps to a greater extent, for the sum placed against each square must be guided entirely by what is supposed to be the value of the class of building (farm-house, cottage, steading, &c.) it is intended to erect.

Professor Kerr very properly varies the allowance per square in proportion to the cost, extent, and finish of the house, and begins at £40 per square (and upwards) for family rooms, and £28 for servants' rooms, of a house of about the value of £1,250, increasing to £100 and £50 per respective squares in a house estimated at £40,000.

His plan is to take the dimensions of every room and portion of the house internally, multiplying their relative length by the breadth, then squaring the floor-spaces of passages and stairs in the same manner, and adding to the total $\frac{1}{5}$ th of the whole for walls and waste.

TABLE OF THE RELATIVE PROPORTIONS OF THE CIRCLE, ITS
EQUAL AND INSCRIBED SQUARES.

1. Diameter of a circle . . .	×	·8862	} = the side of equal square.
2. Circumference . . .	×	·2821	
3. Diameter . . .	×	·7071	} = the side of inscribed square.
4. Circumference . . .	×	·2251	
5. Area . . .	×	·6366	
6. Side of inscribed square .	×	1·4142	= { the diameter of a circum- scribed circle.
7. Side of inscribed square .	×	4·443	= { the circumference of an equal circle.
8. Side of a square . . .	×	1·128	= { the diameter of an equal circle.
9. Side of a square . . .	×	3·545	= { the circumference of an equal circle.

CHAPTER XII.

WEIGHTS AND MEASURES.

LINEAL MEASURE.

Marked.			
inc.	12 inches	=	1 foot.
ft.	3 feet	=	1 yard.
yd.	5½ yards	=	1 pole.
pl.	40 poles	=	1 furlong.
fur.	8 furlongs	=	1 mile, <i>m</i> .

4 inches = 1 hand, 6 feet = 1 fathom, 3 miles = 1 league.

Inches.	Foot.	Yard.	Pole.	Furlong.	Mile.
12 =	1				
36 =	3 =	1			
198 =	16½ =	5½ =	1		
7920 =	660 =	220 =	40 =	1	
63360 =	5280 =	1760 =	320 =	8 =	1

The inch is divided by mechanics into halves, quarters, 8ths, and 16ths. It is also divided into 10ths, and into 12ths, called lines.

Land is measured by the Imperial chain of 100 links = 66 feet, and therefore 1 link = 7·92 inches.

In geographical and nautical measurements, 60 minutes = 1 degree = 60 geographical miles. But 360 degrees = the circumference of a circle; therefore the mean circumference of the earth being 24,856 English miles, 1 degree = $69\frac{2}{3}$ English miles, or 60 geographical miles.

MEASURES OF SURFACE, OR SQUARE MEASURE.

By square measure is meant length and breadth taken together. Thus, 1 foot, or 12 inches long by 12 inches broad = $12 \times 12 = 144$ square inches = 1 square foot, &c.

Marked.

sq. inc.	144 square inches	= 1 square foot.
sq. ft.	9 square feet	= 1 square yard.
sq. yds.	$30\frac{1}{4}$ square yards	= 1 square pole.
pls.	40 square poles	= 1 rood.
rds.	4 roods	= 1 acre, <i>ac.</i>

Sq. In.	Sq. Ft.	Sq. Yd.	Sq. Pl.	Rood.	Acre.
144 =	1				
1296 =	9 =	1			
39204 =	$272\frac{1}{4}$ =	$30\frac{1}{4}$ =	1		
1568160 =	10890 =	1210 =	40 =	1	
6272640 =	43560 =	4840 =	160 =	4 =	1

An imperial acre = 10 chains long by 1 chain broad, 640 imperial acres = 1 square mile, 36 square yards = 1 rood of mason's work. A square of thatching, slating, roofing, flooring, and partitioning are each = 100 square feet.

A VOIR DUPOIS WEIGHT.

For all goods sold by weight, except gold, silver, and jewels.

Marked.

drs.	16 drams	= 1 ounce.
oz.	16 ounces	= 1 pound.
lb.	28 pounds	= 1 quarter.
qrs.	4 quarters	= 1 hundredweight.
cwt.	20 hundredweight	= 1 ton, <i>t.</i>

14 lbs. = 1 stone, 8 stones or 112 lbs. = 1 cwt.

Drams.	Ounce.	Pound.	Qr.	Cwt.	Ton.
16 =	1				
256 =	16 =	1			
7168 =	448 =	28 =	1		
28672 =	1792 =	112 =	4 =	1	
573440 =	35840 =	2240 =	80 =	20 =	1

The pound avoirdupois is declared by statute equal to 7,000 troy grains.

Therefore 7000 lbs. troy = 5760 lbs. avoird.

or 175 „ „ = 144 „ „
and 175 oz. „ = 192 oz. „

Hay and Straw.—36 lbs. of straw = 1 truss, 56 lbs. of old hay or 60 lbs. of new hay = 1 truss, and 36 trusses = 1 load; but straw and hay are generally sold by the stone or cwt. The hay of any year is considered new till the 1st of September.

Wool Weight.—7 lbs. = 1 clove, 2 cloves = 1 stone, 2 stones = 1 tod, $6\frac{1}{2}$ tods or 182 lbs. = 1 wey, 2 weys or 364 lbs. = 1 sack, 12 sacks = 1 last; 20 lbs. = 1 score, 12 scores = 1 pack.

SOLID OR CUBIC MEASURE.

In solid measure, length, breadth, and thickness are taken. Thus 1 foot, or 12 inches long \times 12 inches broad \times 12 inches deep = 1,728 solid inches = 1 solid or cubic foot, &c.

Solid In.		Solid Ft.		Solid Yd.
1728	=	1		
46656	=	27	=	1

40 solid feet of rough or 50 solid feet of hewn timber = 1 load.

MEASURES OF CAPACITY

(For both liquid and dry goods).

Marked.

gl.	4 gills	= 1 pint.
pts.	2 pints	= 1 quart.
qt.	4 quarts	= 1 gallon.
gall.	2 gallons	= 1 peck.
pks.	4 pecks	= 1 bushel.
bush.	8 bushels	= 1 quarter, <i>qr.</i>

[illegible]

42 gallons = 1 tierce, 63 gallons = 1 hogshead (hhd.), 84 gallons = 1 puncheon, 126 gallons = 1 pipe, 252 gallons = 1 tun.

The weights and measures in use should be imperial, and uniform in all districts, and apply to all commodities.

The variations of local weights and measures are so perplexing between corn and coals, hay and straw, wool and wheat, &c., that very few men of business even, if taken unprepared, can recollect the whole of them.

The 27th chapter of Magna Charta declares that the weights all over England are to be the same, but unnecessarily gives for different sorts of commodities two different sorts of weights—*troy* and *avoirdupois*.

The pound troy, consisting of 12 ounces, each ounce of 20 pennyweights, and each pennyweight of 32 grains of wheat, gathered in the middle of the ear, and well dried. The pennyweight has since been divided into 24 equal parts, called grains, and therefore weigh $1\frac{1}{3}$ grains of wheat each. Dr. Hutton, however, estimated the grain troy at $1\frac{1}{2}$ of wheat.

The avoirdupois, which from its more general utility is in greater use, has been computed by Dr. Hutton to contain 6,999 $\frac{1}{2}$ grains troy; by Ferguson, 7,000; and by the academies of London and Paris, 7,004.

In dry measure, the following inconsistencies take place.

The *brass bushel* of Henry VII., found in the Ex-

chequer in 1688, contained 2,145 cubic inches; and it being known by experience that 1,728 cubic inches of wheat weigh $58\frac{17}{8}$ pounds troy, the above bushel will, therefore, contain 72lbs. troy of wheat, or 9 gallons weighing 8lbs. per gallon, and measuring $238\frac{1}{2}$ cubic inches each.

But, according to Greaves, in his "Origin of Weights and Measures," this same bushel, when filled with common spring water, and measured before the House of Commons in 1696, was found to contain $2,145\frac{6}{10}$ cubic inches, and the water weighed was equal to 1,131 ounces and 14 pennyweights, or 94 lbs 3 ounces and 14 pennyweights troy.

The Winchester gallon, measuring $272\frac{1}{4}$ cubic inches, contains 9 lbs. 13 ounces avoirdupois. But the Winchester bushel, legalised in 1697, measures $18\frac{1}{2}$ inches diameter and 8 inches in depth, and therefore contains $2,150\frac{42}{100}$ cubic inches, and its corresponding gallons should be $265\frac{8}{10}$ inches.

These are some of the inconsistencies in our present confused system of weights and measures.*

Measures of capacity are verified by ascertaining the weight of pure water they will contain at the temperature of maximum density ($3\cdot945^{\circ}$ C., or $39\cdot101^{\circ}$ F.)

The verification of *measures of length* is made by means of what is called a comparator, a piece of mechanism upon which the bar to be verified may be placed, and determined in length by closely divided scales and verniers with microscopic observation, or by micrometers with finely divided screws, and large screw-heads divided on their circumference to one or more hundred parts.

* The Weights and Measures Act, which came into operation on January 1st, 1879, established the uniformity of weights and measures in the United Kingdom.

METRIC EQUIVALENTS OF IMPERIAL WEIGHTS AND MEASURES.

The units of the metric system are five, viz. :—

(1.) The *Metre*, the unit of length = 3·280899 feet = 39·37079 inches.

(2.) The *Are*, the unit of surface = the square of 10 metres = 119·60332 square yards.

(3.) The *Litre*, the unit of capacity = the cube of $\frac{1}{10}$ of a metre = 0·26418635 yards = 1·0567454 quarts = 2·1134908 pints.

(4.) The *Stere*, the unit of solidity = 1 cubic metre = 35·336636 cubic feet = 1·308764 cubic yards. This unit has fallen into general disuse.

(5.) The *Gramme*, the unit of weight = 15·43234874 grains troy.

Each unit has its decimal multiples and submultiples, *i.e.* weights and measures ten times larger or ten times smaller than the unit of the denomination preceding. These multiples and submultiples are indicated by prefixes placed before the names of the several fundamental units. The prefixes denoting multiples are derived from the Greek language, and are *deka*, ten; *hecto*, hundred; *kilo*, thousand; and *myria*, ten thousand. Those denoting submultiples are from the Latin, and are *deci*, tenth; *centi*, hundredth; and *milli*, thousandth.

The unit of itinerary measure is the *kilometre* = 0·62138 miles.

The unit of land measure is the *hectare* = 2·47114 acres.

The unit of commercial weight is the *kilogramme* = 2·2046425 lbs. avoirdupois.

To change *French grammes* into *lbs.* (avoir.) *Eng-*

lish, we have only to multiply the number of grammes by $\cdot 0022$. To change *kilogrammes* into *cwts.*, multiply by $\cdot 1969$. To change *lbs. English* into *kilogrammes French*, multiply by $\cdot 4535$. To change *gallons* into *litres*, multiply by $4\cdot 543$. To change *cubic inches* into *litres*, multiply by $\cdot 0163$.

INDEX.

ACRE, 21

- Addition of widths, 28
- Adjustment of level, 76
- Adjustment of theodolite, 61
- Apparent level, 63
- Arrows, 4
- Azimuth, 71

BAROMETRIC levelling, 67, 86

- Bench marks, 33
- Boundaries, 11
- Boundary lines, 21
- Box sextant, 62
- Buildings, 57, 119

CALCULATING content, 21

- Cattle, 103
- Chain angles, 45
- Chain perpendiculars, 46
- Chain surveying, 33
- Chaining on slopes, 37
- Changing-point, 73
- Check levels, 80
- Circular protractor, 66
- Computing scales, 28
- Content, unit of, 21
- Contouring, 81
- Correction for curvature and refraction, 69
- Cost of buildings, 119
- Crooked lines, 34
- Cross levels, 83
- Cross-staff, 6
- Curvature, 68

DIAGONALS, 11, 47, 54

- Direct levelling, 67, 74
- Drawing to scale, 16

Dumpy level, 70

Dung-heaps, 109

EARTHWORK, 110

- Eidograph, 20
- Enclosures, 57
- Enlarging plans, 20
- Estimating weight, quantity, and values, 103
- External angles, 59

FALSE station, 11

- Farm surveys, 17
- Fences, 11, 12
- Field notes, 9
- Finding an unknown scale, 19
- Furlong, 3

GRAIN heaps, 108

- Gunter's chain, 3

HAY-RICKS, 105

- Horizontal angles, 85
- Horizontal measurement, 35
- How to chain, 5

INACCESSIBLE areas, 45, 56

- Instruments used in chain surveying, 3
- Intermediates, 73

LABOUR, 112

- Land-surveyor, 1
- Land-surveying, its objects, 1
- Laying out land, 96
- Level field-book, 77
- Levelling location, 80
- Levelling-rods, 72

Level lines and surfaces, 68
 Levelling instruments, 69
 Levelling for sections, 83
 Levels, 70
 Levelling, 67
 Links in a chain, 3
 Logarithms, 29
 Locating a level line, 80

MARKS, 33

Measuring angles, 35, 66
 Measuring straight lines, 33
 Measuring-tapes, 6
 Mensuration of solids, 103
 Methods of calculation, 22
 Methods of chain surveying, 33
 Methods of land surveying, 1
 Metric system, 126

NOTING the measurements, 9

OFFSET-STAFF, 6

Offsets, 10, 50, 55
 Optical square, 8, 46
 Ordnance survey, 19

PARALLELOGRAMS, 23, 27

Parallels, 14
 Parish plans, 19
 Perches, 21
 Perpendiculars, 15, 46, 54
 Plan, 1
 Plantations, 115
 Plotting, 14
 Plummet, 73
 Polygon, 59
 Post markings, 94
 Posts and mounds, 92
 Prismatic compass, 61
 Proof lines, 11, 35
 Protractor, 65

QUADRILATERALS, 23

READINGS, 73

Rectangles, 23
 Reference books, 20
 Reflecting levels, 72

Refraction, 69

Roods, 21

SCALES, 17

Sections, 83, 90
 Sides, 11
 Sights, 73
 Signals, 4
 Sketch of survey, 9
 Spirit-level, 70
 Square chain, 3, 22
 Square mile, 21
 Squares, 26
 State surveys, 19
 Stations, 10, 33
 Survey, 1
 Surveying, 1
 Surveying by diagonals, 38
 Surveying by tie-lines, 44, 54
 Surveying by perpendiculars, 45
 Surveyor's cross, 46
 Surveying with the theodolite, 58
 Surveys of estates, 17

THATCHING, 108

Theodolite, 58, 60
 Theodolite adjustments, 61
 Timber measuring, 113
 Townships, 89
 Transit instrument, 58
 Trapezoids, 23, 24
 Traversing, 85
 Traversing surveys, 59
 Triangles, 23, 24
 Triangulation, 34
 Trial levels, 80
 Trigonometrical levelling, 84
 True level, 68
 Turning point, 73

UNIT of content, 21

United States survey, 88

VALUING plantations, 115

Vertical angles, 85

WEIGHT of cattle, 103

Weight of hay-ricks, 106
 Weights and measures, 121
 Working sections, 84

Weale's Rudimentary Series.

LONDON, 1862.

THE PRIZE MEDAL

Was awarded to the Publishers of

"WEALE'S SERIES."



A NEW LIST OF

WEALE'S SERIES

RUDIMENTARY SCIENTIFIC, EDUCATIONAL,
AND CLASSICAL.

Comprising nearly Three Hundred and Fifty distinct works in almost every department of Science, Art, and Education, recommended to the notice of Engineers, Architects, Builders, Artisans, and Students generally, as well as to those interested in Workmen's Libraries, Literary and Scientific Institutions, Colleges, Schools, Science Classes, &c., &c.

“WEALE'S SERIES includes Text-Books on almost every branch of Science and Industry, comprising such subjects as Agriculture, Architecture and Building, Civil Engineering, Fine Arts, Mechanics and Mechanical Engineering, Physical and Chemical Science, and many miscellaneous Treatises. The whole are constantly undergoing revision, and new editions, brought up to the latest discoveries in scientific research, are constantly issued. The prices at which they are sold are as low as their excellence is assured.”—*American Literary Gazette*.

“Amongst the literature of technical education, WEALE'S SERIES has ever enjoyed a high reputation, and the additions being made by Messrs. CROSBY LOCKWOOD & CO. render the series even more complete, and bring the information upon the several subjects down to the present time.”—*Mining Journal*.

“It is impossible to do otherwise than bear testimony to the value of WEALE'S SERIES.”—*Engineer*.

“Everybody—even that outrageous nuisance ‘Every Schoolboy’—knows the merits of ‘WEALE'S RUDIMENTARY SERIES.’ Any persons wishing to acquire knowledge cannot do better than look through Weale's Series and get all the books they require. The Series is indeed an inexhaustible mine of literary wealth.”—*The Metropolitan*.

“WEALE'S SERIES has become a standard as well as an unrivalled collection of treatises in all branches of art and science.”—*Public Opinion*.

PHILADELPHIA, 1876.

THE PRIZE MEDAL

Was awarded to the Publishers for

Books: Rudimentary, Scientific,

"WEALE'S SERIES," ETC.



CROSBY LOCKWOOD & CO.,

7, STATIONERS' HALL COURT, LUDGATE HILL, LONDON, E.C.

WEALE'S RUDIMENTARY SCIENTIFIC SERIES.




. The volumes of this Series are freely Illustrated with Woodcuts, or otherwise, where requisite. Throughout the following List it must be understood that the books are bound in limp cloth, unless otherwise stated; *but the volumes marked with a ‡ may also be had strongly bound in cloth boards for 6d. extra.*

N.B.—In ordering from this List it is recommended, as means of facilitating business and obviating error, to quote the numbers affixed to the volumes, as well as the titles and price

CIVIL ENGINEERING, SURVEYING, ETC.

No.

31. **WELLS AND WELL-SINKING.** By JOHN GEO. SWINDEL A.R.I.B.A., and G. R. BURNELL, C.E. Revised Edition. With a New Appendix on the Qualities of Water. Illustrated. 2s.
35. **THE BLASTING AND QUARRYING OF STONE,** Building and other Purposes. With Remarks on the Blowing up of Bridges. By Gen. Sir JOHN BURGOYNE, Bart., K.C.B. Illustrated. 1s. 6d.
44. **FOUNDATIONS AND CONCRETE WORKS,** containing Synopsis of the principal cases of Foundation Works, &c., Practical Remarks on Footings, Planking, Sand, Concrete, Déton, Pile-driving, Caissons, Cofferdams, &c. By E. DOBSON, M.R.I.B.A. Fifth Edition. 1s. 6d.
60. **LAND AND ENGINEERING SURVEYING,** a Treatise on Surveying with all the Modern Improvements. By T. BAKER, C.E. New Edition revised by EDWARD NUGENT, C.E. Illustrated with Plates and Diagrams. 2s.
- 80*. **EMBANKING LANDS FROM THE SEA.** With examples and Particulars of actual Embankments, &c. By J. WIGGINS, F.G.S. 2s.
81. **WATER WORKS,** for the Supply of Cities and Towns. With a Description of the Principal Geological Formations of England as influencing Supplies of Water; and Details of Engines and Pumping Machinery for raising Water. By SAMUEL HUGHES, F.G.S., C.E. New Edition. 4s.
117. **SUBTERRANEAN SURVEYING,** an Elementary and Practical Treatise on. By THOMAS FENWICK. Also the Method of Conducting Subterranean Surveys without the Use of the Magnetic Needle, and other Modern Improvements. By THOMAS BAKER, C.E. Illustrated. 2s. 6d.
118. **CIVIL ENGINEERING IN NORTH AMERICA,** a Sketch of. By DAVID STEVENSON, F.R.S.E., &c. Plates and Diagrams. 3s.
167. **IRON BRIDGES, GIRDERS, ROOFS, AND OTHER WORKS.** By FRANCIS CAMPIN, C.E. 2s. 6d.‡
197. **ROADS AND STREETS (THE CONSTRUCTION OF)** in two Parts: I. THE ART OF CONSTRUCTING COMMON ROADS, by HENRY LAW, C.E., revised by D. K. CLARK, C.E.; II. RECENT PRACTICE, including pavements of Stone, Wood, and Asphalte, by D. K. CLARK. 4s. 6d.‡
203. **SANITARY WORK IN THE SMALLER TOWNS AND VILLAGES.** Comprising:—1. Some of the more common Forms of Nuisance and their Remedies; 2. Drainage; 3. Water Supply. By CHARLES SLAGG, Assoc. M. Inst. C.E. Second Edition, revised and enlarged. 3s.
212. **THE CONSTRUCTION OF GAS-WORKS,** and the Manufacture and Distribution of Coal Gas. Originally written by SAMUEL HUGHES, C.E. Sixth Edition, re-written and much enlarged by WILLIAM RICHARDS, C.E. With 72 Illustrations. 4s. 6d.‡
213. **PIONEER ENGINEERING.** A Treatise on the Engineering Operations connected with the Settlement of Waste Lands in New Countries. By EDWARD DOBSON, Assoc. Inst. C.E. 4s. 6d.‡

 The ‡ indicates that these vols. may be had strongly bound at 6d. extra.

LONDON: CROSBY LOCKWOOD AND CO.,


Civil Engineering, Surveying, etc., continued.

216. **MATERIALS AND CONSTRUCTION**; A Theoretical and Practical Treatise on the Strains, Designing, and Erection of Works of Construction. By FRANCIS CAMPIN, C.E. Second Edition, revised. 3s.†
219. **CIVIL ENGINEERING**. By HENRY LAW, M.Inst. C.E. Including HYDRAULIC ENGINEERING by GEO. R. BURNELL, M.Inst. C.E. Seventh Edition, revised, with large additions by D. KINNAR CLARK, M.Inst. C.E. 6s. 6d., Cloth boards, 7s. 6d.

MECHANICAL ENGINEERING, ETC.

33. **CRANES**, the Construction of, and other Machinery for Raising Heavy Bodies. By JOSEPH GLYNN, F.R.S. Illustrated. 1s. 6d.
34. **THE STEAM ENGINE**. By Dr. LARDNER. Illustrated. 1s. 6d.
59. **STEAM BOILERS**: their Construction and Management. By R. ARMSTRONG, C.E. Illustrated. 1s. 6d.
82. **THE POWER OF WATER**, as applied to drive Flour Mills, and to give motion to Turbines, &c. By JOSEPH GLYNN, F.R.S. 2s.†
98. **PRACTICAL MECHANISM**, the Elements of; and Machine Tools. By T. BAKER, C.E. With Additions by J. NASMYTH, C.E. 2s. 6d.†
139. **THE STEAM ENGINE**, a Treatise on the Mathematical Theory of, with Rules and Examples for Practical Men. By T. BAKER, C.E. 1s. 6d.
164. **MODERN WORKSHOP PRACTICE**, as applied to Marine, Land, and Locomotive Engines, Floating Docks, Dredging Machines, Bridges, Cranes, Ship-building, &c., &c. By J. G. WINTON. Illustrated. 3s.†
165. **IRON AND HEAT**, exhibiting the Principles concerned in the Construction of Iron Beams, Pillars, and Bridge Girders, and the Action of Heat in the Smelting Furnace. By J. ARMOUR, C.E. 2s. 6d.†
166. **POWER IN MOTION**: Horse-Power, Toothed-Wheel Gearing, Long and Short Driving Bands, and Angular Forces. By J. ARMOUR, 2s. 6d.†
171. **THE WORKMAN'S MANUAL OF ENGINEERING DRAWING**. By J. MAXTON. 5th Edn. With 7 Plates and 350 Cuts. 3s. 6d.†
190. **STEAM AND THE STEAM ENGINE**, Stationary and Portable. By JOHN SEWELL and D. K. CLARK, M.I.C.E. 3s. 6d.†
200. **FUEL**, its Combustion and Economy. By C. W. WILLIAMS, With Recent Practice in the Combustion and Economy of Fuel—Coal, Coke, Wood, Peat, Petroleum, &c.—by D. K. CLARK, M.I.C.E. 3s. 6d.†
202. **LOCOMOTIVE ENGINES**. By G. D. DEMPSEY, C.E.; with large additions by D. KINNAR CLARK, M.I.C.E. 3s.†
211. **THE BOILERMAKER'S ASSISTANT** in Drawing, Tempering, and Calculating Boiler and Tank Work. By JOHN COURTNEY, Practical Boiler Maker. Edited by D. K. CLARK, C.E. 100 Illustrations. 2s.
217. **SEWING MACHINERY**: Its Construction, History, &c., with full Technical Directions for Adjusting, &c. By J. W. URQUHART, C.E. 2s.†
223. **MECHANICAL ENGINEERING**. Comprising Metallurgy, Moulding, Casting, Forging, Tools, Workshop Machinery, Manufacture of the Steam Engine, &c. By FRANCIS CAMPIN, C.E. 2s. 6d.†
236. **DETAILS OF MACHINERY**. Comprising Instructions for the Execution of various Works in Iron in the Fitting-Shop, Foundry, and Boiler-Yard. By FRANCIS CAMPIN, C.E. 3s.†
237. **THE SMITHY AND FORGE**; including the Farrier's Art and Coachsmithing. By W. J. E. CRANE. Illustrated. 2s. 6d.†
238. **THE SHEET-METAL WORKER'S GUIDE**; a Practical Handbook for Tinsmiths, Coppersmiths, Zincworkers, &c. With 94 Diagrams and Working Patterns. By W. J. E. CRANE. 1s. 6d.
251. **STEAM AND MACHINERY MANAGEMENT**: a Guide to the Arrangement and Economical Management of Machinery, with Hints on Construction and Selection. By M. POWIS BALE, M.Inst.M.E., A.M.Inst.C.E. 2s. 6d.†

[Just published.]

 The † indicates that these vols. may be had strongly bound at 6d. extra.

7, STATIONERS' HALL COURT, LUDGATE HILL, E.C.

MINING, METALLURGY, ETC.

4. **MINERALOGY**, Rudiments of; a concise View of the Properties of Minerals. By A. RAMSAY, Jun. Woodcuts and Steel Plates. 3s.†
117. **SUBTERRANEAN SURVEYING**, Elementary and Practical Treatise on, with and without the Magnetic Needle. By THOMAS FENWICK, Surveyor of Mines, and THOMAS BAKER, C.E. Illustrated. 2s. 6d.†
133. **METALLURGY OF COPPER**; an Introduction to the Methods of Seeking, Mining, and Assaying Copper, and Manufacturing its Alloys. By ROBERT H. LAMBORN, Ph.D. Woodcuts. 2s. 6d.†
135. **ELECTRO-METALLURGY**; Practically Treated. By ALEXANDER WATT, F.R.S.S.A. Eighth Edition, revised, with additional Matter and Illustrations, including the most recent Processes. 3s.†
172. **MINING TOOLS**, Manual of. For the Use of Mine Managers, Agents, Students, &c. By WILLIAM MORJANS. 2s. 6d.†
- 172*. **MINING TOOLS, ATLAS** of Engravings to Illustrate the above, containing 235 Illustrations, drawn to Scale. 4to. 4s. 6d.; cloth boards, 6s.
176. **METALLURGY OF IRON**. Containing History of Iron Manufacture. Methods of Assay, and Analyses of Iron Ores, Processes of Manufacture of Iron and Steel, &c. By H. BAUERMAN, F.G.S. Fifth Edition, revised and enlarged. 5s.†
180. **COAL AND COAL MINING**. By WARINGTON W. SMYTH, M.A., F.R.S. Fifth Edition, revised. With numerous Illustrations. 3s. 6d.†
195. **THE MINERAL SURVEYOR AND VALUER'S COMPLETE GUIDE**, with new Traverse Tables, and Descriptions of Improved Instruments; also the Correct Principles of Laying out and Valuing Mineral Properties. By WILLIAM LINTERN, Mining and Civil Engineer. 3s. 6d.†
214. **SLATE AND SLATE QUARRYING**, Scientific, Practical, and Commercial. By D. C. DAVIES, F.G.S., Mining Engineer, &c. 3s.†
220. **MAGNETIC SURVEYING, AND ANGULAR SURVEYING**, with Records of the Peculiarities of Needle Disturbances. Compiled from the Results of carefully made Experiments. By W. LINTERN. 2s.

ARCHITECTURE, BUILDING, ETC.

16. **ARCHITECTURE—ORDERS**—The Orders and their Æsthetic Principles. By W. H. LEEDS. Illustrated. 1s. 6d.
17. **ARCHITECTURE—STYLES**—The History and Description of the Styles of Architecture of Various Countries, from the Earliest to the Present Period. By T. TALBOT BURY, F.R.I.B.A., &c. Illustrated. 2s.
** ORDERS AND STYLES OF ARCHITECTURE, in One Vol., 3s. 6d.
18. **ARCHITECTURE—DESIGN**—The Principles of Design in Architecture, as deducible from Nature and exemplified in the Works of the Greek and Gothic Architects. By E. L. GARRETT, Architect. Illustrated. 2s. 6d.
- *. The three preceding Works, in One handsome Vol., half bound, entitled "MODERN ARCHITECTURE," price 6s.
22. **THE ART OF BUILDING**, Rudiments of. General Principles of Construction, Materials used in Building, Strength and Use of Materials, Working Drawings, Specifications, and Estimates. By E. DOBSON, 2s.†
25. **MASONRY AND STONECUTTING**; in which the Principles of Masonic Projection and their application to the Construction of Curved Wing-Walls, Domes, Oblique Bridges, and Roman and Gothic Vaulting, are explained. By EDWARD DOBSON, M.R.I.B.A., &c. 2s. 6d.†
42. **COTTAGE BUILDING**. By C. BRUCE ALLEN, Architect. Ninth Edition, revised and enlarged. Numerous Illustrations. 1s. 6d.
45. **LIMES, CEMENTS, MORTARS, CONCRETES, MASTICS, PLASTERING**, &c. By G. R. BURNELL, C.E. Twelfth Edition. 1s. 6d.

† The † indicates that these vols. may be had strongly bound at 6d. extra.

LONDON: CROSBY LOCKWOOD AND CO.,

Architecture, Building, etc., continued.

57. **WARMING AND VENTILATION.** An Exposition of the General Principles as applied to Domestic and Public Buildings, Mines, Lighthouses, Ships, &c. By C. TOMLINSON, F.R.S., &c. Illustrated. 3s.
111. **ARCHES, PIERS, BUTTRESSES, &c.:** Experimental Essays on the Principles of Construction. By W. BLAND. Illustrated. 1s. 6d.
116. **THE ACOUSTICS OF PUBLIC BUILDINGS;** or, The Principles of the Science of Sound applied to the purposes of the Architect and Builder. By T. ROGER SMITH, M.R.I.B.A., Architect. Illustrated. 1s. 6d.
127. **ARCHITECTURAL MODELLING IN PAPER,** the Art of. By T. A. RICHARDSON, Architect. Illustrated. 1s. 6d.
128. **VITRUVIUS—THE ARCHITECTURE OF MARCUS VITRUVIUS POLLO.** In Ten Books. Translated from the Latin by JOSEPH GWILT, F.S.A., F.R.A.S. With 23 Plates. 5s.
130. **GRECIAN ARCHITECTURE,** An Inquiry into the Principles of Beauty in; with an Historical View of the Rise and Progress of the Art in Greece. By the EARL OF ABERDEEN. 1s.
- The two preceding Works in One handsome Vol., half bound, entitled "ANCIENT ARCHITECTURE," price 6s.
132. **THE ERECTION OF DWELLING-HOUSES.** Illustrated by a Perspective View, Plans, Elevations, and Sections of a pair of Semi-detached Villas, with the Specification, Quantities, and Estimates, &c. By S. H. BROOKS. New Edition, with Plates. 2s. 6d.‡
156. **QUANTITIES AND MEASUREMENTS,** How to Calculate and Take them in Bricklayers', Masons', Plasterers', Plumbers', Painters', Paper-hangers', Gilders', Smiths', Carpenters', and Joiners' Work. By A. C. BEATON, Architect and Surveyor. New and Enlarged Edition. Illus. 1s. 6d.
175. **LOCKWOOD & CO.'S BUILDER'S AND CONTRACTOR'S PRICE BOOK,** containing the latest Prices of all kinds of Builders' Materials and Labour, and of all Trades connected with Building, &c., &c. Edited by F. T. W. MILLER, Architect. Published annually. 3s. 6d.; half bound, 4s.
182. **CARPENTRY AND JOINERY—THE ELEMENTARY PRINCIPLES OF CARPENTRY.** Chiefly composed from the Standard Work of THOMAS TREBGOULD, C.E. With Additions from the Works of the most Recent Authorities, and a TREATISE ON JOINERY by E. WYNDHAM TARN, M.A. Numerous Illustrations. 3s. 6d.‡
- 182*. **CARPENTRY AND JOINERY. ATLAS** of 35 Plates to accompany the above. With Descriptive Letterpress. 4to. 6s.; cloth, 7s. 6d.
185. **THE COMPLETE MEASURER;** the Measurement of Boards, Glass, &c.; Unequal-sided, Square-sided, Octagonal-sided, Round Timber and Stone, and Standing Timber, &c. By RICHARD HORTON. Fourth Edition. 4s.; strongly bound in leather, 5s.
187. **HINTS TO YOUNG ARCHITECTS.** By G. WIGHTWICK. New Edition. By G. H. GUILLAUME. Illustrated. 3s. 6d.‡
188. **HOUSE PAINTING, GRAINING, MARBLING, AND SIGN WRITING:** containing full information on the Processes of House-Painting, the Practice of Sign-Writing, the Principles of Decorative Art, a Course of Elementary Drawing for House-Painters, Writers, &c., &c. With 9 Coloured Plates, and nearly 150 Wood Engravings. By ELLIS A. DAVIDSON. Fourth Edition. 5s. cloth limp; 6s. cloth boards.
189. **THE RUDIMENTS OF PRACTICAL BRICKLAYING.** In Six Sections: General Principles; Arch Drawing, Cutting, and Setting; Pointing; Paving, Tiling, Materials; Slating and Plastering; Practical Geometry, Mensuration, &c. By ADAM HAMMOND. Illustrated. 1s. 6d.
191. **PLUMBING.** A Text-Book to the Practice of the Art or Craft of the Plumber. With Chapters upon House Drainage. Fourth Edition. With 330 Illustrations. By W. P. BUCHAN. 3s. 6d.‡


•‡ The ‡ indicates that these vols. may be had strongly bound at 6d. extra.

Architecture, Building, etc., continued.

192. **THE TIMBER IMPORTER'S, TIMBER MERCHANT'S, and BUILDER'S STANDARD GUIDE.** By RICHARD E. GRANDY. Second Edition, Revised. 3s.†
206. **A BOOK ON BUILDING, Civil and Ecclesiastical,** including CHURCH RESTORATION. With the Theory of Domes and the Great Pyramid, &c. By SIR EDMUND BECKETT, Bart., LL.D., Q.C., F.R.A.S. 4s. 6d.†
226. **THE JOINTS MADE AND USED BY BUILDERS** in the Construction of various kinds of Engineering and Architectural Works. By WYVILL J. CHRISTY, Architect. With upwards of 160 Engravings on Wood. 3s.†
228. **THE CONSTRUCTION OF ROOFS OF WOOD AND IRON** By E. WYNDHAM TARN, M.A., Architect.* Second Edition, revised. 1s. 6d.
229. **ELEMENTARY DECORATION:** as applied to the Interior and Exterior Decoration of Dwelling-Houses, &c. By JAMES W. FACEY, Jun. Illustrated with Sixty-eight explanatory Engravings. 2s.
230. **HANDRAILING (A Practical Treatise on).** Showing New and Simple Methods for finding the Pitch of the Plank, Drawing the Moulds, Beveling, Jointing-up, and Squaring the Wreath. By GEORGE COLLINGS. Illustrated with Plates and Diagrams. 1s. 6d.
247. **BUILDING ESTATES:** a Rudimentary Treatise on the Development, Sale, Purchase, and General Management of Building Land, including the Formation of Streets and Sewers, and the Requirements of Sanitary Authorities. By FOWLER MAITLAND, Surveyor. Illustrated. 2s.
248. **PORTLAND CEMENT FOR USERS.** By HENRY FAIJA, Assoc. M. Inst. C.E. Second Edition, corrected. Illustrated. 2s.
252. **BRICKWORK:** a Practical Treatise, embodying the General and Higher Principles of Bricklaying, Cutting and Setting, &c. By F. WALKER. *[In the Press.]*

SHIPBUILDING, NAVIGATION, MARINE ENGINEERING, ETC.

51. **NAVAL ARCHITECTURE,** the Rudiments of; or an Exposition of the Elementary Principles of the Science, and their Practical Application to Naval Construction. Compiled for the Use of Beginners. By JAMES PEAKE. Fifth Edition, with Plates and Diagrams. 3s. 6d.†
- 53*. **SHIPS FOR OCEAN AND RIVER SERVICE,** Elementary and Practical Principles of the Construction of. By H. A. SOMMERFELDT, Surveyor of the Royal Norwegian Navy. With an Appendix. 1s. 6d.
- 53**. **AN ATLAS OF ENGRAVINGS** to Illustrate the above. Twelve large folding plates. Royal 4to, cloth. 7s. 6d.
54. **MASTING, MAST-MAKING, AND RIGGING OF SHIPS,** Rudimentary Treatise on. Also Tables of Spars, Rigging, Blocks; Chain, Wire, and Hemp Ropes, &c., relative to every class of vessels. By ROBERT KIPPING, N.A. Fifteenth Edition. Illustrated. 2s.†
- 54*. **IRON SHIP-BUILDING.** With Practical Examples and Details for the Use of Ship Owners and Ship Builders. By JOHN GRANTHAM, Consulting Engineer and Naval Architect. 5th Edition, with Additions. 4s.
- 54**. **AN ATLAS OF FORTY PLATES** to Illustrate the above. Fifth Edition. 4to, boards. 38s.
55. **THE SAILOR'S SEA BOOK:** a Rudimentary Treatise on Navigation. Part I. How to Keep the Log and Work it off. Part II. On Finding the Latitude and Longitude. By JAMES GREENWOOD, B.A. To which are added, the Deviation and Error of the Compass; Great Circle Sailing; the International (Commercial) Code of Signals; the Rule of the Road at Sea; Rocket and Mortar Apparatus for Saving Life; the Law of Storms; and a Brief Dictionary of Sea Terms. With Coloured Plates of Flags, &c. New, and enlarged edition. By W. H. ROSSER. 2s. 6d.†

 The † indicates that these vols. may be had strongly bound at 6d. extra.

LONDON: CROSBY LOCKWOOD AND CO.,

Shipbuilding, Navigation, Marine Engineering, etc., *cont.*

80. **MARINE ENGINES, AND STEAM VESSELS.** By ROBERT MURRAY, C.E. Eighth Edition. [*In preparation.*]
- 83*bis*. **THE FORMS OF SHIPS AND BOATS:** Hints, Experimentally Derived, on some of the Principles regulating Ship-building. By W. BLAND. Seventh Edition, revised, with numerous Illustrations and Models. 1s. 6d.
99. **NAVIGATION AND NAUTICAL ASTRONOMY,** in Theory and Practice. By Prof. J. R. YOUNG. New Edition, including the requisite Elements from the Nautical Almanac for working the Problems. 2s. 6d.
106. **SHIPS' ANCHORS,** a Treatise on. By G. COTSELL, N.A. 1s. 6d.
149. **SAILS AND SAIL-MAKING,** an Elementary Treatise on. With Draughting, and the Centre of Effort of the Sails. Also, Weights and Sizes of Ropes: Mastng, Rigging, and Sails of Steam Vessels, &c., &c. Eleventh Edition, enlarged, with an Appendix. By ROBERT KIPPING, N.A., Sailmaker, Quayside, Newcastle. Illustrated. 2s. 6d.†
155. **THE ENGINEER'S GUIDE TO THE ROYAL AND MERCANTILE NAVIES.** By a PRACTICAL ENGINEER. Revised by D. F. M'CARTHY, late of the Ordnance Survey Office, Southampton. 3s.
- 55 & 204. **PRACTICAL NAVIGATION.** Consisting of The Sailor's Sea-Book. By JAMES GREENWOOD and W. H. ROSSER. Together with the requisite Mathematical and Nautical Tables for the Working of the Problems. By HENRY LAW, C.E., and J. R. YOUNG, formerly Professor of Mathematics in Belfast College. Illustrated with numerous Wood Engravings and Coloured Plates. 7s. Strongly half-bound in leather.

AGRICULTURE, GARDENING, ETC.

- 61*. **READY RECKONER FOR THE ADMEASUREMENT OF LAND,** including Tables showing the price of work from 2s. 6d. to £1 per acre, and other useful Tables. By ABRAHAM ARMAN. Second Edition, corrected and extended by C. NORRIS, Surveyor, &c. 2s.
131. **MILLER'S, MERCHANT'S, AND FARMER'S READY RECKONER.** With approximate values of Millstones, Millwork, &c. 1s.
140. **SOILS, MANURES, AND CROPS.** (Vol. 1. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s.
141. **FARMING & FARMING ECONOMY,** Notes, Historical and Practical, on. (Vol. 2. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. 3s.
142. **STOCK; CATTLE, SHEEP, AND HORSES.** (Vol. 3. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.
145. **DAIRY, PIGS, AND POULTRY,** Management of the. By R. SCOTT BURN. With Notes on the Diseases of Stock. (Vol. 4. OUTLINES OF MODERN FARMING.) Woodcuts. 2s.
146. **UTILIZATION OF SEWAGE, IRRIGATION, AND RECLAMATION OF WASTE LAND.** (Vol. 5. OUTLINES OF MODERN FARMING.) By R. SCOTT BURN. Woodcuts. 2s. 6d.
- * Nos. 140-1-2-5-6, in One Vol., handsomely half-bound, entitled "OUTLINES OF MODERN FARMING." By ROBERT SCOTT BURN. Price 12s.
177. **FRUIT TREES,** The Scientific and Profitable Culture of. From the French of DU BREUIL. Revised by GEO. GLENNY. 187 Woodcuts. 3s. 6d.†
198. **SHEEP; THE HISTORY, STRUCTURE, ECONOMY, AND DISEASES OF.** By W. C. SPOONER, M.R.V.C., &c. Fourth Edition, enlarged, including Specimens of New and Improved Breeds. 3s. 6d.†
201. **KITCHEN GARDENING MADE EASY.** Showing how to prepare and lay out the ground, the best means of cultivating every known Vegetable and Herb, &c. By GEORGE M. F. GLENNY. 1s. 6d.†

† The † indicates that these vols. may be had strongly bound at 6d. extra.

Agriculture, Gardening, etc., continued.

207. **OUTLINES OF FARM MANAGEMENT, and the Organization of Farm Labour:** Treating of the General Work of the Farm; Field and Live Stock; Contract Work; Labour, &c. By R. SCOTT BURN. 2s. 6d.†
208. **OUTLINES OF LANDED ESTATES MANAGEMENT:** Treating of the Varieties of Lands, Methods of Farming, Farm Buildings, Irrigation, Drainage, &c. By R. SCOTT BURN. 2s. 6d.†
- * Nos. 207 & 208 in *One Vol., handsomely half-bound, entitled "OUTLINES OF LANDED ESTATES AND FARM MANAGEMENT."* By R. SCOTT BURN. Price 6s.
209. **THE TREE PLANTER AND PLANT PROPAGATOR.** A Practical Manual on the Propagation of Forest Trees, Fruit Trees, Flowering Shrubs, Flowering Plants, &c. By SAMUEL WOOD. 2s.†
210. **THE TREE PRUNER.** A Practical Manual on the Pruning of Fruit Trees, including also their Training and Renovation; also the Pruning of Shrubs, Climbers, and Flowering Plants. By SAMUEL WOOD. 2s.†
- * Nos. 209 & 210 in *One Vol., handsomely half-bound, entitled "THE TREE PLANTER, PROPAGATOR, AND PRUNER."* By SAMUEL WOOD. Price 5s.
218. **THE HAY AND STRAW MEASURER:** Being New Tables for the Use of Auctioneers, Valuers, Farmers, Hay and Straw Dealers, &c. Fourth Edition. By JOHN STEELE. 2s.
222. **SUBURBAN FARMING.** The Laying-out and Cultivation of Farms, adapted to the Produce of Milk, Butter, and Cheese, Eggs, Poultry, and Pigs. By Prof. JOHN DONALDSON and R. SCOTT BURN. 3s. 6d.†
231. **THE ART OF GRAFTING AND BUDDING.** By CHARLES BALLET. With Illustrations. 2s. 6d.†
232. **COTTAGE GARDENING;** or, Flowers, Fruits, and Vegetables for Small Gardens. By E. HOBDAY. 1s. 6d.
233. **GARDEN RECEIPTS.** Edited by CHARLES W. QUIN. 1s. 6d.
234. **THE KITCHEN AND MARKET GARDEN.** Compiled by C. W. SHAW, Editor of "Gardening Illustrated." 3s.†
239. **DRAINING AND EMBANKING.** A Practical Treatise, embodying the most recent experience in the Application of Improved Methods. By JOHN SCOTT, late Professor of Agriculture and Rural Economy at the Royal Agricultural College, Cirencester. With 68 Illustrations. 1s. 6d.
240. **IRRIGATION AND WATER SUPPLY.** A Treatise on Water Meadows, Sewage Irrigation, Warping, &c.; on the Construction of Wells, Ponds, and Reservoirs; and on Raising Water by Machinery for Agricultural and Domestic Purposes. By Prof. JOHN SCOTT. With 34 Illus. 1s. 6d.
241. **FARM ROADS, FENCES, AND GATES.** A Practical Treatise on the Roads, Tramways, and Waterways of the Farm; the Principles of Enclosures; and the different kinds of Fences, Gates, and Stiles. By Professor JOHN SCOTT. With 75 Illustrations. 1s. 6d.
242. **FARM BUILDINGS.** A Practical Treatise on the Buildings necessary for various kinds of Farms, their Arrangement and Construction, including Plans and Estimates. By Prof. JOHN SCOTT. With 105 Illus. 2s.
243. **BARN IMPLEMENTS AND MACHINES.** A Practical Treatise on the Application of Power to the Operations of Agriculture; and on various Machines used in the Threshing-barn, in the Stock-yard, and in the Dairy, &c. By Prof. J. SCOTT. With 123 Illustrations. 2s. [*Just published.*]
244. **FIELD IMPLEMENTS AND MACHINES.** By Professor JOHN SCOTT. Illustrated. [*In the press.*]
245. **AGRICULTURAL SURVEYING, LEVELLING, &c.** By Prof. JOHN SCOTT. Illustrated. [*In the press.*]
250. **MEAT PRODUCTION.** A Manual for Producers, Distributors, &c. By JOHN EWART. 2s. 6d.†

† The † indicates that these vols. may be had strongly bound at 6d. extra.

MATHEMATICS, ARITHMETIC, ETC.

32. **MATHEMATICAL INSTRUMENTS**, a Treatise on; in which their Construction and the Methods of Testing, Adjusting, and Using them are concisely Explained. By J. F. HEATHER, M.A., of the Royal Military Academy, Woolwich. Original Edition, in 1 vol., Illustrated. 1s. 6d.
- *.* *In ordering the above, be careful to say, "Original Edition" (No. 32), to distinguish it from the Enlarged Edition in 3 vols. (Nos. 168-9-70.)*
76. **DESCRIPTIVE GEOMETRY**, an Elementary Treatise on; with a Theory of Shadows and of Perspective, extracted from the French of G. MONGE. To which is added, a description of the Principles and Practice of Isometrical Projection. By J. F. HEATHER, M.A. With 14 Plates. 2s.
178. **PRACTICAL PLANE GEOMETRY**: giving the Simplest Modes of Constructing Figures contained in one Plane and Geometrical Construction of the Ground. By J. F. HEATHER, M.A. With 215 Woodcuts. 2s.
83. **COMMERCIAL BOOK-KEEPING**. With Commercial Phrases and Forms in English, French, Italian, and German. By JAMES HADDON, M.A., Arithmetical Master of King's College School, London. 1s. 6d.
84. **ARITHMETIC**, a Rudimentary Treatise on: with full Explanations of its Theoretical Principles, and numerous Examples for Practice. By Professor J. R. YOUNG. Tenth Edition, corrected. 1s. 6d.
- 84*. A KEY to the above, containing Solutions in full to the Exercises, together with Comments, Explanations, and Improved Processes, for the Use of Teachers and Unassisted Learners. By J. R. YOUNG. 1s. 6d.
85. **EQUATIONAL ARITHMETIC**, applied to Questions of Interest,
- 85*. Annuities, Life Assurance, and General Commerce; with various Tables by which all Calculations may be greatly facilitated. By W. HIPPLEY. 2s.
86. **ALGEBRA**, the Elements of. By JAMES HADDON, M.A. With Appendix, containing miscellaneous Investigations, and a Collection of Problems in various parts of Algebra. 2s.
- 86*. A KEY and COMPANION to the above Book, forming an extensive repository of Solved Examples and Problems in Illustration of the various Expedients necessary in Algebraical Operations. By J. R. YOUNG. 1s. 6d.
88. **EUCLID**, THE ELEMENTS OF: with many additional Propositions
89. and Explanatory Notes: to which is prefixed, an Introductory Essay on Logic. By HENRY LAW, C.E. 2s. 6d.†
- *.* *Sold also separately, viz. :-*
88. EUCLID, The First Three Books. By HENRY LAW, C.E. 1s. 6d.
89. EUCLID, Books 4, 5, 6, 11, 12. By HENRY LAW, C.E. 1s. 6d.
90. **ANALYTICAL GEOMETRY AND CONIC SECTIONS**, By JAMES HANN. A New Edition, by Professor J. R. YOUNG. 2s.†
91. **PLANE TRIGONOMETRY**, the Elements of. By JAMES HANN, formerly Mathematical Master of King's College, London. 1s. 6d.
92. **SPHERICAL TRIGONOMETRY**, the Elements of. By JAMES HANN. Revised by CHARLES H. DOWLING, C.E. 1s.
- *.* *Or with "The Elements of Plane Trigonometry," in One Volume, 2s. 6d.*
93. **MENSURATION AND MEASURING**. With the Mensuration and Levelling of Land for the Purposes of Modern Engineering. By T. BAKER, C.E. New Edition by E. NUGENT, C.E. Illustrated. 1s. 6d.
101. **DIFFERENTIAL CALCULUS**, Elements of the. By W. S. B. WOOLHOUSE, F.R.A.S., &c. 1s. 6d.
102. **INTEGRAL CALCULUS**, Rudimentary Treatise on the. By HOMERSHAM COX, B.A. Illustrated. 1s.
105. **MNEMONICAL LESSONS**.—GEOMETRY, ALGEBRA, AND TRIGONOMETRY, in Easy Mnemonical Lessons. By the Rev. THOMAS PENYNGTON KIRKMAN, M.A. 1s. 6d.
136. **ARITHMETIC**, Rudimentary, for the Use of Schools and Self-Instruction. By JAMES HADDON, M.A. Revised by A. ARMAN. 1s. 6d.
137. A KEY to HADDON'S RUDIMENTARY ARITHMETIC. By A. ARMAN. 1s. 6d.

† The † indicates that these vols. may be had strongly bound at 6d. extra.

Mathematics, Geometry, etc., continued.

168. **DRAWING AND MEASURING INSTRUMENTS.** Including—I. Instruments employed in Geometrical and Mechanical Drawing, and in the Construction, Copying, and Measurement of Maps and Plans. II. Instruments used for the purposes of Accurate Measurement, and for Arithmetical Computations. By J. F. HEATHER, M.A. Illustrated. 1s. 6d.
169. **OPTICAL INSTRUMENTS.** Including (more especially) Telescopes, Microscopes, and Apparatus for producing copies of Maps and Plans by Photography. By J. F. HEATHER, M.A. Illustrated. 1s. 6d.
170. **SURVEYING AND ASTRONOMICAL INSTRUMENTS.** Including—I. Instruments Used for Determining the Geometrical Features of a portion of Ground. II. Instruments Employed in Astronomical Observations. By J. F. HEATHER, M.A. Illustrated. 1s. 6d.
- * * *The above three volumes form an enlargement of the Author's original work, "Mathematical Instruments." (See No. 32 in the Series.);*
168. } **MATHEMATICAL INSTRUMENTS.** By J. F. HEATHER,
169. } M.A. Enlarged Edition, for the most part entirely re-written. The 3 Parts as
170. } above, in One thick Volume. With numerous Illustrations. 4s. 6d.†
158. **THE SLIDE RULE, AND HOW TO USE IT;** containing full, easy, and simple Instructions to perform all Business Calculations with unexampled rapidity and accuracy. By CHARLES HOARE, C.E. With a Slide Rule in tuck of cover. 2s. 6d.†
196. **THEORY OF COMPOUND INTEREST AND ANNUITIES;** with Tables of Logarithms for the more Difficult Computations of Interest, Discount, Annuities, &c. By FEDOR THOMAN. 4s.†
199. **INTUITIVE CALCULATIONS;** or, Easy Methods of Performing the Arithmetical Operations required in Commercial and Business Transactions; with Full Explanations of Decimals and Duodecimals; Tables, &c. By D. O'GORMAN. Twenty-fifth Edition, by Prof. J. R. YOUNG. 3s.†
204. **MATHEMATICAL TABLES,** for Trigonometrical, Astronomical, and Nautical Calculations; to which is prefixed a Treatise on Logarithms. By HENRY LAW, C.E. Together with a Series of Tables for Navigation and Nautical Astronomy. By Prof. J. R. YOUNG. New Edition. 4s.†
- 204*. **LOGARITHMS.** With Mathematical Tables for Trigonometrical, Astronomical, and Nautical Calculations. By HENRY LAW, M.Inst.C.E. New and Revised Edition. (Forming part of the above Work). 3s. [*Just published.*]
221. **MEASURES, WEIGHTS, AND MONEYS OF ALL NATIONS,** and an Analysis of the Christian, Hebrew, and Mahometan Calendars. By W. S. B. WOOLHOUSE, F.R.A.S., F.S.S. Sixth Edition. 2s.†
227. **MATHEMATICS AS APPLIED TO THE CONSTRUCTIVE ARTS.** Illustrating the various processes of Mathematical Investigation, by means of Arithmetical and Simple Algebraical Equations and Practical Examples. By FRANCIS CAMPIN, C.E. Second Edition. 3s.†

PHYSICAL SCIENCE, NATURAL PHILOSOPHY, ETC.

1. **CHEMISTRY.** By Professor GEORGE FOWNES, F.R.S. With an Appendix on the Application of Chemistry to Agriculture. 1s.
2. **NATURAL PHILOSOPHY,** Introduction to the Study of. By C. TOMLINSON. Woodcuts. 1s. 6d.
6. **MECHANICS,** Rudimentary Treatise on. By CHARLES TOMLINSON. Illustrated. 1s. 6d.
7. **ELECTRICITY;** showing the General Principles of Electrical Science, and the purposes to which it has been applied. By Sir W. SNOW HARRIS, F.R.S., &c. With Additions by R. SABINE, C.E., F.S.A. 1s. 6d.
- 7*. **GALVANISM.** By Sir W. SNOW HARRIS. New Edition by ROBERT SABINE, C.E., F.S.A. 1s. 6d.
8. **MAGNETISM;** being a concise Exposition of the General Principles of Magnetical Science, and the Purposes to which it has been applied. By Sir W. SNOW HARRIS. New Edition, revised and enlarged by H. M. NOAD, Ph.D. With 165 Woodcuts. 3s. 6d.†

† *The † indicates that these vols. may be had strongly bound at 6d. extra.*

LONDON: CROSBY LOCKWOOD AND CO.,

Physical Science, Natural Philosophy, etc., continued.

11. *THE ELECTRIC TELEGRAPH*; its History and Progress; with Descriptions of some of the Apparatus. By R. SABINE, C.E., F.S.A. 3s.
12. *PNEUMATICS*, for the Use of Beginners. By CHARLES TOMLINSON. Illustrated. 1s. 6d.
72. *MANUAL OF THE MOLLUSCA*; a Treatise on Recent and Fossil Shells. By Dr. S. P. WOODWARD, A.L.S. Fourth Edition. With Appendix by RALPH TATE, A.L.S., F.G.S. With numerous Plates and 300 Woodcuts. 6s. 6d. Cloth boards, 7s. 6d.
96. *ASTRONOMY*. By the late Rev. ROBERT MAIN, M.A. Third Edition, by WILLIAM THYNNE LYNN, B.A., F.R.A.S. 2s.
97. *STATICS AND DYNAMICS*, the Principles and Practice of; embracing also a clear development of Hydrostatics, Hydrodynamics, and Central Forces. By T. BAKER, C.E. 1s. 6d.
138. *TELEGRAPH*, Handbook of the; a Guide to [Candidates for Employment in the Telegraph Service. By R. BOND. Fourth Edition. Including Questions on Magnetism, Electricity, and Practical Telegraphy, by W. MCGREGOR. 3s. 1
173. *PHYSICAL GEOLOGY*, partly based on Major-General PORTLOCK's "Rudiments of Geology." By RALPH TATE, A.L.S., &c. Woodcuts. 2s.
174. *HISTORICAL GEOLOGY*, partly based on Major-General PORTLOCK's "Rudiments." By RALPH TATE, A.L.S., &c. Woodcuts. 2s. 6d.
173. *RUDIMENTARY TREATISE ON GEOLOGY*, Physical and & Historical. Partly based on Major-General PORTLOCK's "Rudiments of Geology." By RALPH TATE, A.L.S., F.G.S., &c. In One Volume. 4s. 6d. 1
183. *ANIMAL PHYSICS*, Handbook of. By Dr. LARDNER, D.C.L., formerly Professor of Natural Philosophy and Astronomy in University College, Lond. With 520 Illustrations. In One Vol. 7s. 6d., cloth boards.
184. *"* Sold also in Two Parts, as follows:—*
183. *ANIMAL PHYSICS*. By Dr. LARDNER. Part I., Chapters I.—VII. 4s.
184. *ANIMAL PHYSICS*. By Dr. LARDNER. Part II., Chapters VIII.—XVIII. 3s.

FINE ARTS.

20. *PERSPECTIVE FOR BEGINNERS*. Adapted to Young Students and Amateurs in Architecture, Painting, &c. By GEORGE PYNE. 2s.
40. *GLASS STAINING, AND THE ART OF PAINTING ON*
- & 41. *GLASS*. From the German of Dr. GESSERT and EMANUEL OTTO FROMBERG. With an Appendix on THE ART OF ENAMELLING. 2s. 6d.
69. *MUSIC*, A Rudimentary and Practical Treatise on. With numerous Examples. By CHARLES CHILD SPENCER. 2s. 6d.
71. *PIANOFORTE*, The Art of Playing the. With numerous Exercises & Lessons from the Best Masters. By CHARLES CHILD SPENCER. 1s. 6d.
- 69-71. *MUSIC & THE PIANOFORTE*. In one vol. Half bound, 5s.
181. *PAINTING POPULARLY EXPLAINED*, including Fresco, Oil, Mosaic, Water Colour, Water-Glass, Tempera, Encaustic, Miniature, Painting on Ivory, Vellum, Pottery, Enamel, Glass, &c. With Historical Sketches of the Progress of the Art by THOMAS JOHN GYLICK, assisted by JOHN TIMBS, F.S.A. Fourth Edition, revised and enlarged. 5s. 1
186. *A GRAMMAR OF COLOURING*, applied to Decorative Painting and the Arts. By GEORGE FIELD. New Edition, enlarged and adapted to the Use of the Ornamental Painter and Designer. By ELLIS A. DAVIDSON. With two new Coloured Diagrams, &c. 3s. 1
246. *A DICTIONARY OF PAINTERS, AND HANDBOOK FOR PICTURE AMATEURS*; including Methods of Painting, Cleaning, Relining and Restoring, Schools of Painting, &c. With Notes on the Copyists and Imitators of each Master. By PHILIPPE DARYL. 2s. 6d. 1

 The 1 indicates that these vols. may be had strongly bound at 6d. extra.

7, STATIONERS' HALL COURT, LUDGATE HILL, E.C.

INDUSTRIAL AND USEFUL ARTS.

23. *BRICKS AND TILES*, Rudimentary Treatise on the Manufacture of. By E. DOBSON, M.R.I.B.A. Illustrated, 3s.†
67. *CLOCKS, WATCHES, AND BELLS*, a Rudimentary Treatise on. By Sir EDMUND BECKETT, LL.D., Q.C. Seventh Edition, revised and enlarged. 4s. 6d. limp; 5s. 6d. cloth boards.
- 83*. *CONSTRUCTION OF DOOR LOCKS*. Compiled from the Papers of A. C. HOBBS, and Edited by CHARLES TOMLINSON, F.R.S. With Additions by ROBERT MALLEY, M.I.C.E. Illus. 2s. 6d.
162. *THE BRASS FOUNDER'S MANUAL*; Instructions for Modelling, Pattern-Making, Moulding, Turning, Filing, Burnishing, Bronzing, &c. With copious Receipts, &c. By WALTER GRAHAM. 2s.†
205. *THE ART OF LETTER PAINTING MADE EASY*. By J. G. BADENOCH. Illustrated with 12 full-page Engravings of Examples. 1s.
215. *THE GOLDSMITH'S HANDBOOK*, containing full Instructions for the Alloying and Working of Gold. By GEORGE E. GEE. 3s.†
224. *COACH BUILDING*, A Practical Treatise, Historical and Descriptive. By J. W. BURGESS. 2s. 6d.†
225. *THE SILVERSMITH'S HANDBOOK*, containing full Instructions for the Alloying and Working of Silver. By GEORGE E. GEE. 3s.†
235. *PRACTICAL ORGAN BUILDING*. By W. E. DICKSON, M.A., Precentor of Ely Cathedral. Illustrated, 2s. 6d.†
249. *THE HALL-MARKING OF JEWELLERY PRACTICALLY CONSIDERED*. By GEORGE E. GEE. 3s.†

MISCELLANEOUS VOLUMES.

36. *A DICTIONARY OF TERMS used in ARCHITECTURE, BUILDING, ENGINEERING, MINING, METALLURGY, ARCHÆOLOGY, the FINE ARTS, &c.* By JOHN WEALE. Fifth Edition. Revised by ROBERT HUNT, F.R.S. Illustrated. 5s. limp; 6s. cloth boards.
50. *THE LAW OF CONTRACTS FOR WORKS AND SERVICES*. By DAVID GIBBONS. Third Edition, enlarged. 3s.†
112. *MANUAL OF DOMESTIC MEDICINE*. By R. GOODING, B.A., M.D. Intended as a Family Guide in all Cases of Accident and Emergency. Third Edition. 2s.†
- 112*. *MANAGEMENT OF HEALTH*. A Manual of Home and Personal Hygiene. By the Rev. JAMES BAIRD, B.A. 1s.
150. *LOGIC*, Pure and Applied. By S. H. EMMENS. 1s. 6d.
153. *SELECTIONS FROM LOCKE'S ESSAYS ON THE HUMAN UNDERSTANDING*. With Notes by S. H. EMMENS. 2s.
154. *GENERAL HINTS TO EMIGRANTS*. Notices of the various Fields for Emigration, Hints on Outfits, Useful Recipes, &c. 2s.
157. *THE EMIGRANT'S GUIDE TO NATAL*. By ROBERT JAMES MANN, F.R.A.S., F.M.S. Second Edition. Map. 2s.
193. *HANDBOOK OF FIELD FORTIFICATION*, intended for the Guidance of Officers Preparing for Promotion. By Major W. W. KNOLLYS, F.R.G.S. With 163 Woodcuts. 3s.†
194. *THE HOUSE MANAGER*: Being a Guide to Housekeeping. Practical Cookery, Pickling and Preserving, Household Work, Dairy Management, the Table and Dessert, Cellarage of Wines, Home-brewing and Wine-making, the Boudoir and Dressing-room, Travelling, Stable Economy, Gardening Operations, &c. By AN OLD HOUSEKEEPER. 3s. 6d.†
194. *HOUSE BOOK (The)*. Comprising:—I. THE HOUSE MANAGER. By AN OLD HOUSEKEEPER. II. DOMESTIC MEDICINE. By RALPH GOODING, M.D. III. MANAGEMENT OF HEALTH. By JAMES BAIRD. In One Vol., strongly half-bound, 6s.
- 112*.

† The † indicates that these vols. may be had strongly bound at 6d. extra.

EDUCATIONAL AND CLASSICAL SERIES.**HISTORY.**

1. **England, Outlines of the History of;** more especially with reference to the Origin and Progress of the English Constitution. By WILLIAM DOUGLAS HAMILTON, F.S.A., of Her Majesty's Public Record Office. 4th Edition, revised. 5s.; cloth boards, 5s.
5. **Greece, Outlines of the History of;** in connection with the Rise of the Arts and Civilization in Europe. By W. DOUGLAS HAMILTON, of University College, London, and EDWARD LEVIEN, M.A., of Balliol College, Oxford. 2s. 6d.; cloth boards, 3s. 6d.
7. **Rome, Outlines of the History of:** from the Earliest Period to the Christian Era and the Commencement of the Decline of the Empire. By EDWARD LEVIEN, of Balliol College, Oxford. Map, 2s. 6d.; cl. bds. 3s. 5d.
9. **Chronology of History, Art, Literature, and Progress,** from the Creation of the World to the Conclusion of the Franco-German War. The Continuation by W. D. HAMILTON, F.S.A. 3s.; cloth boards, 3s. 6d.
50. **Dates and Events in English History,** for the use of Candidates in Public and Private Examinations. By the Rev. E. RAND. 1s.

ENGLISH LANGUAGE AND MISCELLANEOUS.

11. **Grammar of the English Tongue, Spoken and Written.** With an Introduction to the Study of Comparative Philology. By HYDE CLARKE, D.C.L. Fourth Edition. 1s. 6d.
- 11*. **Philology: Handbook of the Comparative Philology of English,** Anglo-Saxon, Frisian, Flemish or Dutch, Low or Platt Dutch, High Dutch or German, Danish, Swedish, Icelandic, Latin, Italian, French, Spanish, and Portuguese Tongues. By HYDE CLARKE, D.C.L. 1s.
12. **Dictionary of the English Language, as Spoken and Written.** Containing above 100,000 Words. By HYDE CLARKE, D.C.L. 3s. 6d.; cloth boards, 4s. 6d.; complete with the GRAMMAR, cloth bds., 5s. 6d.
48. **Composition and Punctuation, familiarly Explained** for those who have neglected the Study of Grammar. By JUSTIN BRENNAN. 17th Edition. 1s. 6d.
49. **Derivative Spelling-Book: Giving the Origin of Every Word** from the Greek, Latin, Saxon, German, Teutonic, Dutch, French, Spanish, and other Languages; with their present Acceptation and Pronunciation. By J. ROWBOTHAM, F.R.A.S. Improved Edition. 1s. 6d.
51. **The Art of Extempore Speaking: Hints for the Pulpit, the Senate, and the Bar.** By M. BAUTAIN, Vicar-General and Professor at the Sorbonne. Translated from the French. 7th Edition, carefully corrected. 2s. 6d.
52. **Mining and Quarrying, with the Sciences connected therewith.** First Book of, for Schools. By J. H. COLLINS, F.G.S., Lecturer to the Miners' Association of Cornwall and Devon. 1s.
53. **Places and Facts in Political and Physical Geography,** for Candidates in Examinations. By the Rev. EDGAR RAND, B.A. 1s.
54. **Analytical Chemistry, Qualitative and Quantitative, a Course of.** To which is prefixed, a Brief Treatise upon Modern Chemical Nomenclature and Notation. By WM. W. PINK and GEORGE E. WEBSTER. 2s.

THE SCHOOL MANAGERS' SERIES OF READING BOOKS,

Edited by the Rev. A. R. GRANT, Rector of Hitcham, and Honorary Canon of Ely; formerly H.M. Inspector of Schools.

INTRODUCTORY PRIMER, 3d.

	s.	d.		s.	d.
FIRST STANDARD . . .	0	6	FOURTH STANDARD . . .	1	2
SECOND " . . .	0	10	FIFTH " . . .	1	6
THIRD " . . .	1	0	SIXTH " . . .	1	6
LESSONS FROM THE BIBLE. Part I. Old Testament.	1s.				
LESSONS FROM THE BIBLE. Part II. New Testament, to which is added					
THE GEOGRAPHY OF THE BIBLE, for very young Children. By Rev. C.					
THORNTON FORSTER. 1s. 2d.	* Or the Two Parts in One Volume. 2s.				

FRENCH.

24. **French Grammar.** With Complete and Concise Rules on the Genders of French Nouns. By G. L. STRAUSS, Ph.D. 1s. 6d.
 25. **French-English Dictionary.** Comprising a large number of New Terms used in Engineering, Mining, &c. By ALFRED ELWES. 1s. 6d.
 26. **English-French Dictionary.** By ALFRED ELWES. 2s.
 25, 26. **French Dictionary** (as above). Complete, in One Vol., 3s.; cloth boards, 3s. 6d. *.* Or with the GRAMMAR, cloth boards, 4s. 6d.
 47. **French and English Phrase Book:** containing Introductory Lessons, with Translations, several Vocabularies of Words, a Collection of suitable Phrases, and Easy Familiar Dialogues. 1s. 6d.

GERMAN.

39. **German Grammar.** Adapted for English Students, from Heyse's Theoretical and Practical Grammar, by Dr. G. L. STRAUSS. 1s. 6d.
 40. **German Reader:** A Series of Extracts, carefully culled from the most approved Authors of Germany; with Notes, Philological and Explanatory. By G. L. STRAUSS, Ph.D. 1s.
 41-43. **German Trilogot Dictionary.** By N. E. S. A. HAMILTON. In Three Parts. Part I. German-French-English. Part II. English-German-French. Part III. French-German-English. 3s., or cloth boards, 4s.
 41-43. **German Trilogot Dictionary** (as above), together with German & 39. Grammar (No. 39), in One Volume, cloth boards, 5s.

ITALIAN.

27. **Italian Grammar,** arranged in Twenty Lessons, with a Course of Exercises. By ALFRED ELWES. 1s. 6d.
 28. **Italian Trilogot Dictionary,** wherein the Genders of all the Italian and French Nouns are carefully noted down. By ALFRED ELWES. Vol. 1. Italian-English-French. 2s. 6d.
 30. **Italian Trilogot Dictionary.** By A. ELWES. Vol. 2. English-French-Italian. 2s. 6d.
 32. **Italian Trilogot Dictionary.** By ALFRED ELWES. Vol. 3. French-Italian-English. 2s. 6d.
 28, 30. **Italian Trilogot Dictionary** (as above). In One Vol., 7s. 6d.
 32. Cloth boards.

SPANISH AND PORTUGUESE.

34. **Spanish Grammar,** in a Simple and Practical Form. With a Course of Exercises. By ALFRED ELWES. 1s. 6d.
 35. **Spanish-English and English-Spanish Dictionary.** Including a large number of Technical Terms used in Mining, Engineering, &c., with the proper Accents and the Gender of every Noun. By ALFRED ELWES. 4s.; cloth boards, 5s. *.* Or with the GRAMMAR, cloth boards, 6s.
 55. **Portuguese Grammar,** in a Simple and Practical Form. With a Course of Exercises. By ALFRED ELWES. 1s. 6d.
 56. **Portuguese-English and English-Portuguese Dictionary.** Including a large number of Technical Terms used in Mining, Engineering, &c., with the proper Accents and the Gender of every Noun. By ALFRED ELWES. 5s.; cloth boards, 6s. *.* Or with the GRAMMAR, cloth boards, 7s. [Just published.]

HEBREW.

- 46*. **Hebrew Grammar.** By Dr. BRESSLAU. 1s. 6d.
 44. **Hebrew and English Dictionary,** Biblical and Rabbinical; containing the Hebrew and Chaldee Roots of the Old Testament Post-Rabbinical Writings. By Dr. BRESSLAU. 6s.
 46. **English and Hebrew Dictionary.** By Dr. BRESSLAU. 3s.
 44, 46. **Hebrew Dictionary** (as above), in Two Vols., complete, with 46*. the GRAMMAR, cloth boards, 12s.

LATIN.

19. *Latin Grammar*. Containing the Inflections and Elementary Principles of Translation and Construction. By the Rev. THOMAS GOODWIN, M.A., Head Master of the Greenwich Proprietary School. 1s.
20. *Latin-English Dictionary*. By the Rev. THOMAS GOODWIN, M.A. 2s.
22. *English-Latin Dictionary*; together with an Appendix of French and Italian Words which have their origin from the Latin. By the Rev. THOMAS GOODWIN, M.A. 1s. 6d.
- 20, 22. *Latin Dictionary* (as above). Complete in One Vol., 3s. 6d. cloth boards, 4s. 6d. * * Or with the GRAMMAR, cloth boards, 5s. 6d.

LATIN CLASSICS. With Explanatory Notes in English.

1. *Latin Delectus*. Containing Extracts from Classical Authors, with Genealogical Vocabularies and Explanatory Notes, by H. YOUNG. 1s. 6d.
2. *Cæsar's Commentarii de Bello Gallico*. Notes, and a Geographical Register for the Use of Schools, by H. YOUNG. 2s.
3. *Cornelius Nepos*. With Notes. By H. YOUNG. 1s.
4. *Virgilli Maronis Bucolica et Georgica*. With Notes on the *Bucolics* by W. RUSHTON, M.A., and on the *Georgics* by H. YOUNG. 1s. 6d.
5. *Virgilli Maronis Æneis*. With Notes, Critical and Explanatory, by H. YOUNG. New Edition, revised and improved. With copious Additional Notes by Rev. T. H. L. LEARY, D.C.L., formerly Scholar of Brasenose College, Oxford. 3s.
- 5^s ——— Part 1. Books i.—vi., 1s. 6d.
- 5^s ——— Part 2. Books vii.—xii., 2s.
6. *Horace; Odes, Epode, and Carmen Sæculare*. Notes by H. YOUNG. 1s. 6d.
7. *Horace; Satires, Epistles, and Ars Poetica*. Notes by W. BROWNRIGG SMITH, M.A., F.R.G.S. 1s. 6d.
8. *Sallustii Crispi Catalina et Bellum Jugurthinum*. Notes, Critical and Explanatory, by W. M. DONNE, B.A., Trin. Coll., Cam. 1s. 6d.
9. *Terentii Andria et Heautontimorumenos*. With Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 1s. 6d.
10. *Terentii Adelphi, Hecyra, Phormio*. Edited, with Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 2s.
11. *Terentii Eunuchus, Comœdia*. Notes, by Rev. J. DAVIES, M.A. 1s. 6d.
12. *Ciceronis Oratio pro Sexto Roscio Amerino*. Edited, with an Introduction, Analysis, and Notes, Explanatory and Critical, by the Rev. JAMES DAVIES, M.A. 1s. 6d.
13. *Ciceronis Orationes in Catilinam, Verrem, et pro Archia*. With Introduction, Analysis, and Notes, Explanatory and Critical, by Rev. T. H. L. LEARY, D.C.L. formerly Scholar of Brasenose College, Oxford. 1s. 6d.
14. *Ciceronis Cato Major, Lælius, Brutus, sive de Senectute, de Amicitia, de Claris Oratoribus Dialogi*. With Notes by W. BROWNRIGG SMITH, M.A., F.R.G.S. 2s.
16. *Livy: History of Rome*. Notes by H. YOUNG and W. B. SMITH, M.A. Part 1. Books i., ii., 1s. 6d.
- 16^s ——— Part 2. Books iii., iv., v., 1s. 6d.
17. ——— Part 3. Books xxi., xxii., 1s. 6d.
19. *Latin Verse Selections*, from Catullus, Tibullus, Propertius, and Ovid. Notes by W. B. DONNE, M.A., Trinity College, Cambridge. 2s.
20. *Latin Prose Selections*, from Varro, Columella, Vitruvius, Seneca, Quintilian, Florus, Velleius Paterculus, Valerius Maximus, Suetonius, Apuleius, &c. Notes by W. B. DONNE, M.A. 2s.
21. *Juvenalis Satiræ*. With Prolegomena and Notes by T. H. S. ESCOTT, B.A., Lecturer on Logic at King's College, London. 2s.

GREEK.

14. **Greek Grammar**, in accordance with the Principles and Philological Researches of the most eminent Scholars of our own day. By HANS CLAUDE HAMILTON. 1s. 6d.
- 15, 17. **Greek Lexicon**. Containing all the Words in General Use, with their Significations, Inflections, and Doubtful Quantities. By HENRY R. HAMILTON. Vol. 1. Greek-English, 2s. 6d.; Vol. 2. English-Greek, 2s. Or the Two Vols. in One, 4s. 6d.: cloth boards, 5s.
- 14, 15. **Greek Lexicon** (as above). Complete, with the GRAMMAR, in 17. One Vol., cloth boards, 6s.

GREEK CLASSICS. With Explanatory Notes in English.

1. **Greek Delectus**. Containing Extracts from Classical Authors, with Genealogical Vocabularies and Explanatory Notes, by H. YOUNG. New Edition, with an improved and enlarged Supplementary Vocabulary, by JOHN HUTCHISON, M.A., of the High School, Glasgow. 1s. 6d.
- 2, 3. **Xenophon's Anabasis**; or, The Retreat of the Ten Thousand. Notes and a Geographical Register, by H. YOUNG. Part 1. Books i. to iii., 1s. Part 2. Books iv. to vii., 1s.
4. **Lucian's Select Dialogues**. The Text carefully revised, with Grammatical and Explanatory Notes, by H. YOUNG. 1s. 6d.
- 5-12. **Homer, The Works of**. According to the Text of BARUMLEIN. With Notes, Critical and Explanatory, drawn from the best and latest Authorities, with Preliminary Observations and Appendices, by T. H. L. LEARY, M.A., D.C.L.
- | | | |
|--------------|-------------------------------------|---|
| THE ILLIAD: | Part 1. Books i. to vi., 1s. 6d. | Part 3. Books xiii. to xviii., 1s. 6d. |
| | Part 2. Books vii. to xii., 1s. 6d. | Part 4. Books xix. to xxiv., 1s. 6d. |
| THE ODYSSEY: | Part 1. Books i. to vi., 1s. 6d. | Part 3. Books xiii. to xviii., 1s. 6d. |
| | Part 2. Books vii. to xii., 1s. 6d. | Part 4. Books xix. to xxiv., and Hymns, 2s. |
13. **Plato's Dialogues**: The Apology of Socrates, the Crito, and the Phædo. From the Text of C. F. HERMANN. Edited with Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 2s.
- 14-17. **Herodotus, The History of**, chiefly after the Text of GAISFORD. With Preliminary Observations and Appendices, and Notes, Critical and Explanatory, by T. H. L. LEARY, M.A., D.C.L.
- | |
|---|
| Part 1. Books i., ii. (The Clio and Euterpe), 2s. |
| Part 2. Books iii., iv. (The Thalia and Melpomene), 2s. |
| Part 3. Books v.-vii. (The Terpsichore, Erato, and Polymnia), 2s. |
| Part 4. Books viii., ix. (The Urania and Calliope) and Index, 1s. 6d. |
18. **Sophocles: Œdipus Tyrannus**. Notes by H. YOUNG. 1s.
20. **Sophocles: Antigone**. From the Text of DINDORF. Notes, Critical and Explanatory, by the Rev. JOHN MILNER, B.A. 2s.
23. **Euripides: Hecuba and Medea**. Chiefly from the Text of DINDORF. With Notes, Critical and Explanatory, by W. BROWNRIGG SMITH, M.A., F.R.G.S. 1s. 6d.
26. **Euripides: Alcestis**. Chiefly from the Text of DINDORF. With Notes, Critical and Explanatory, by JOHN MILNER, B.A. 1s. 6d.
30. **Æschylus: Prometheus Vincetus: The Prometheus Bound**. From the Text of DINDORF. Edited, with English Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 1s.
32. **Æschylus: Septem Contra Thebes: The Seven against Thebes**. From the Text of DINDORF. Edited, with English Notes, Critical and Explanatory, by the Rev. JAMES DAVIES, M.A. 1s.
40. **Aristophanes: Acharnians**. Chiefly from the Text of C. H. WEISK. With Notes, by C. S. T. TOWNSEND, M.A. 1s. 6d.
41. **Thucydides: History of the Peloponnesian War**. Notes by H. YOUNG. Book 1. 1s.
42. **Xenophon's Panegyric on Agesilaus**. Notes and Introduction by LL. F. W. JEWITT. 1s. 6d.
43. **Demosthenes: The Oration on the Crown and the Philippias**. With English Notes. By Rev. T. H. L. LEARY, D.C.L., formerly Scholar of Brasenose College, Oxford. 1s. 6d.

LONDON, May, 1884.

A Catalogue of Books

INCLUDING MANY NEW AND STANDARD WORKS IN
**ENGINEERING, ARCHITECTURE, AGRICULTURE,
MATHEMATICS, MECHANICS, SCIENCE, ETC.**

PUBLISHED BY

CROSBY LOCKWOOD & CO.,

7, STATIONERS'-HALL COURT, LUDGATE HILL, E.C.

ENGINEERING, SURVEYING, ETC.

Humber's Work on Water-Supply.

A COMPREHENSIVE TREATISE on the WATER-SUPPLY of CITIES and TOWNS. By WILLIAM HUMBER, A.-M. Inst. C.E., and M. Inst. M.E. Illustrated with 50 Double Plates, 1 Single Plate, Coloured Frontispiece, and upwards of 250 Woodcuts, and containing 400 pages of Text. Imp. 4to, 6l. 6s. elegantly and substantially half-bound in morocco.

List of Contents:—

I. Historical Sketch of some of the means that have been adopted for the Supply of Water to Cities and Towns.—II. Water and the Foreign Matter usually associated with it.—III. Rainfall and Evaporation.—IV. Springs and the water-bearing formations of various districts.—V. Measurement and Estimation of the Flow of Water.—VI. On the Selection of the Source of Supply.—VII. Wells.—VIII. Reservoirs.—IX. The Purification of Water.—X. Pumps.—XI. Pumping

Machinery.—XII. Conduits.—XIII. Distribution of Water.—XIV. Meters, Service Pipes, and House Fittings.—XV. The Law and Economy of Water Works.—XVI. Constant and Intermittent Supply.—XVII. Description of Plates.—Appendices, giving Tables of Rates of Supply, Velocities, &c. &c., together with Specifications of several Works illustrated, among which will be found:—Aberdeen, Bideford, Canterbury, Dundee, Halifax, Lambeth, Rotherham, Dublin, and others.

"The most systematic and valuable work upon water supply hitherto produced in English, or in any other language . . . Mr. Humber's work is characterised almost throughout by an exhaustiveness much more distinctive of French and German than of English technical treatises."—*Engineer*.

Humber's Work on Bridge Construction.

A COMPLETE and PRACTICAL TREATISE on CAST and WROUGHT-IRON BRIDGE CONSTRUCTION, including Iron Foundations. In Three Parts—Theoretical, Practical, and Descriptive. By WILLIAM HUMBER, A.-M. Inst. C.E., and M. Inst. M.E. Third Edition, with 115 Double Plates. In 2 vols. imp. 4to, 6l. 16s. 6d. half-bound in morocco.

"A book—and particularly a large and costly treatise like Mr. Humber's—which has reached its third edition may certainly be said to have established its own reputation."—*Engineering*.

Humber's Modern Engineering.

A RECORD of the PROGRESS of MODERN ENGINEERING. First Series. Comprising Civil, Mechanical, Marine, Hydraulic, Railway, Bridge, and other Engineering Works, &c. By WILLIAM HUMBER, A.-M. Inst. C.E., &c. Imp. 4to, with 36 Double Plates, drawn to a large scale, and Portrait of John Hawkshaw, C.E., F.R.S., &c., and descriptive Letter-press, Specifications, &c. 3*l.* 3*s.* half morocco.

List of the Plates and Diagrams.

Victoria Station and Roof, L. B. & S. C. R. (8 plates); Southport Pier (2 plates); Victoria Station and Roof, L. C. & D. and G. W. R. (6 plates); Roof of Cremorne Music Hall; Bridge over G. N. Railway; Roof of Station, Dutch Rhenish Rail (2	plates); Bridge over the Thames, West London Extension Railway (5 plates); Armour Plates; Suspension Bridge, Thames (4 plates); The Allen Engine; Suspension Bridge, Avon (3 plates); Underground Railway (3 plates).
--	---

HUMBER'S RECORD OF MODERN ENGINEERING. Second Series. Imp. 4to, with 36 Double Plates, Portrait of Robert Stephenson, C.E., &c., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

List of the Plates and Diagrams.

Birkenhead Docks, Low Water Basin (15 plates); Charing Cross Station Roof, C. C. Railway (3 plates); Digswell Viaduct, G. N. Railway; Robbery Wood Viaduct, G. N. Railway; Iron Permanent Way; Clydach Viaduct, Merthyr, Tredegar, and Abergavenny Railway; Ebbw	Viaduct, Merthyr, Tredegar, and Abergavenny Railway; College Wood Viaduct, Cornwall Railway; Dublin Winter Palace Roof (3 plates); Bridge over the Thames, L. C. and D. Railway (6 plates); Albert Harbour, Greenock (4 plates).
--	--

HUMBER'S RECORD OF MODERN ENGINEERING. Third Series. Imp. 4to, with 40 Double Plates, Portrait of J. R. M'Clean, Esq., late Pres. Inst. C.E., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

List of the Plates and Diagrams.

MAIN DRAINAGE, METROPOLIS.—North Side.—Map showing Interception of Sewers; Middle Level Sewer (2 plates); Outfall Sewer, Bridge over River Lea (3 plates); Outfall Sewer, Bridge over Marsh Lane, North Woolwich Railway, and Bow and Barking Railway Junction; Outfall Sewer, Bridge over Bow and Barking Railway (3 plates); Outfall Sewer, Bridge over East London Waterworks' Feeder (2 plates); Outfall Sewer, Reservoir (2 plates); Outfall Sewer, Tumbling Bay and Outlet; Outfall Sewer, Penstocks. South Side.—Outfall Sewer, Bermondsey	Branch (2 plates); Outfall Sewer, Reservoir and Outlet (4 plates); Outfall Sewer, Filth Hoist; Sections of Sewers (North and South Sides). THAMES EMBANKMENT.—Section of River Wall; Steamboat Pier, Westminster (2 plates); Landing Stairs between Charing Cross and Waterloo Bridges; York Gate (2 plates); Overflow and Outlet at Savoy Street Sewer (3 plates); Steamboat Pier, Waterloo Bridge (3 plates); Junction of Sewers, Plans and Sections; Gullies, Plans and Sections; Rolling Stock; Granite and Iron Forts.
---	---

HUMBER'S RECORD OF MODERN ENGINEERING. Fourth Series. Imp. 4to, with 36 Double Plates, Portrait of John Fowler, Esq., late Pres. Inst. C.E., and descriptive Letterpress, Specifications, &c. 3*l.* 3*s.* half morocco.

List of the Plates and Diagrams.

Abbey Mills Pumping Station, Main Drainage, Metropolis (4 plates); Barrow Docks (5 plates); Manquix Viaduct, Santiago and Valparaiso Railway (2 plates); Adam's Locomotive, St. Helen's Canal Railway (2 plates); Cannon Street Station Roof, Charing Cross Railway (3 plates); Road Bridge over the River Moka (2 plates); Telegraphic Apparatus for Meso-	potamia; Viaduct over the River Wye, Midland Railway (3 plates); St. German's Viaduct, Cornwall Railway (2 plates); Wrought-Iron Cylinder for Diving Bell; Millwall Docks (6 plates); Milroy's Patent Excavator, Metropolitan District Railway (6 plates); Harbours, Ports, and Breakwaters (3 plates).
---	---

Strains in Iron Frameworks, &c.

GRAPHIC AND ANALYTIC STATICS IN THEORY AND COMPARISON. Their Practical Application to the Treatment of Stresses in Roofs, Solid Girders, Lattice, Bowstring and Suspension Bridges, Braced Iron Arches and Piers, and other Frameworks. To which is added a Chapter on Wind Pressures. By R. HUDSON GRAHAM, C.E. With numerous Examples, many taken from existing Structures. 8vo., 16s. cloth.

"Mr. Graham's book will find a place wherever graphic and analytic statics are used or studied."—*Engineer*.

"This exhaustive treatise is admirably adapted for the architect and engineer, and will tend to wean the profession from a tedious and laboured mode of calculation. To prove the accuracy of the graphical demonstrations, the author compares them with the analytic formulæ given by Rankine."—*Building News*.

Strength of Girders.

GRAPHIC TABLE for FACILITATING the COMPUTATION of the WEIGHTS of WROUGHT-IRON and STEEL GIRDERS, &c., for Parliamentary and other Estimates. By J. H. WATSON BUCK, M. Inst. C. E. On a Sheet, 2s. 6d.

Strains, Formulæ & Diagrams for Calculation of.

A HANDY BOOK for the CALCULATION of STRAINS in GIRDERS and SIMILAR STRUCTURES, and their STRENGTH; consisting of Formulæ and Corresponding Diagrams, with numerous Details for Practical Application, &c. By WILLIAM HUMBER, A.-M. Inst. C. E., &c. Third Edition. Cr. 8vo, 7s. 6d. cl.

Strains.

THE STRAINS ON STRUCTURES OF IRONWORK; with Practical Remarks on Iron Construction. By F. W. SHEILDS, M. Inst. C.E. Second Edition, with 5 Plates. Royal 8vo, 5s. cloth.

"The student cannot find a better book on this subject than Mr. Shields'."—*Engineer*.

Barlow on the Strength of Materials, enlarged.

A TREATISE ON THE STRENGTH OF MATERIALS, with Rules for application in Architecture, the Construction of Suspension Bridges, Railways, &c. By PETER BARLOW, F.R.S. Revised by his Sons, P. W. and W. H. BARLOW. Edited by W. HUMBER, A.-M. Inst. C.E. 8vo, 18s. cloth.

"The standard treatise upon this particular subject."—*Engineer*.

Strength of Cast Iron, &c.

A PRACTICAL ESSAY on the STRENGTH of CAST IRON and OTHER METALS. By T. TREDGOLD, C.E. 5th Edition. To which are added, Experimental Researches on the Strength, &c., of Cast Iron. By E. HODGKINSON, F.R.S. 8vo, 12s. cloth.

. HODGKINSON'S RESEARCHES, separate, price 6s.

Hydraulics.

HYDRAULIC TABLES, CO-EFFICIENTS, and FORMULÆ for finding the Discharge of Water from Orifices, Notches, Weirs, Pipes, and Rivers. With New Formulæ, Tables, and General Information on Rain-fall, Catchment-Basins, Drainage, Sewerage, and Water Supply. By J. NEVILLE, C.E., M.R.I.A. Third Edition, Revised and Enlarged. Crown 8vo, 14s. cloth.

Hydraulics.

HYDRAULIC MANUAL. Consisting of Working Tables and Explanatory Text. Intended as a Guide in Hydraulic Calculations and Field Operations. By **LOWIS D'A. JACKSON**. Fourth Edition. Rewritten and Enlarged. Large Crown 8vo. 16s. cloth.

"We heartily recommend this volume to all who desire to be acquainted with the latest development of this important subject."—*Engineering*.

"The standard work in this department of mechanics. The present edition has been brought abreast of the most recent practice."—*Scotsman*.

River Engineering.

RIVER BARS: The Causes of their Formation, and their Treatment by 'Induced Tidal Scour,' with a Description of the Successful Reduction by this Method of the Bar at Dublin. By **I. J. MANN**, Assis. Eng. to the Dublin Port and Docks Board. Rl. 8vo. 7s. 6d. cl.

Levelling.

A TREATISE on the PRINCIPLES and PRACTICE of LEVELLING; showing its Application to Purposes of Railway and Civil Engineering, in the Construction of Roads; with **Mr. TELFORD's** Rules for the same. By **FREDERICK W. SIMMS**, F.G.S., M. Inst. C.E. Sixth Edition, very carefully revised, with the addition of **Mr. LAW's** Practical Examples for Setting out Railway Curves, and **Mr. TRAUTWINE's** Field Practice of Laying out Circular Curves. With 7 Plates and numerous Woodcuts. 8vo, 8s. 6d. cloth.

*. * TRAUTWINE on Curves, separate, 5s.

Practical Tunnelling.

PRACTICAL TUNNELLING: Explaining in detail the Setting out of the Works, Shaft-sinking and Heading-Driving, Ranging the Lines and Levelling under Ground, Sub-Excavating, Timbering, and the Construction of the Brickwork of Tunnels with the amount of labour required for, and the Cost of, the various portions of the work. By **F. W. SIMMS**, M. Inst. C.E. Third Edition, Revised and Extended. By **D. KINNEAR CLARK**, M.I.C.E. Imp. 8vo, with 21 Folding Plates and numerous Wood Engravings, 30s. cloth.

Civil and Hydraulic Engineering.

CIVIL ENGINEERING. By **HENRY LAW**, M. Inst. C.E. Including a Treatise on Hydraulic Engineering, by **GEORGE R. BURNELL**, M.I.C.E. Seventh Edition, Revised, with large additions, by **D. KINNEAR CLARK**, M. Inst. C.E. 7s. 6d., cloth.

Gas-Lighting.

COMMON SENSE FOR GAS-USERS: a Catechism of Gas-Lighting for Householders, Gasfitters, Millowners, Architects, Engineers, &c. By **R. WILSON**, C.E. 2nd Edition. Cr. 8vo, 2s. 6d.

Earthwork.

EARTHWORK TABLES, showing the Contents in Cubic Yards of Embankments, Cuttings, &c., of Heights or Depths up to an average of 80 feet. By **JOSEPH BROADBENT**, C.E., and **FRANCIS CAMPIN**, C.E. Cr. 8vo, oblong, 5s. cloth.

Tramways and their Working.

TRAMWAYS: THEIR CONSTRUCTION and WORKING. Embracing a Comprehensive History of the System, with an Exhaustive Analysis of the various modes of Traction, including Horse-power, Steam, Heated Water, and Compressed Air; a Description of the Varieties of Rolling Stock, and Ample Details of Cost and Working Expenses; the Progress recently made in Tramway Construction, &c., &c. By D. KINNEAR CLARK, M. Inst. C. E. With over 200 Wood Engravings, and 13 Folding Plates. 2 vols. Large Crown 8vo, 30s. cloth.

"All interested in tramways must refer to it, as all railway engineers have turned to the author's work 'Railway Machinery.'"—*The Engineer*.

"The work is based on former tramway experience, and is specially valuable in these days of rapid change and progress."—*Engineering*.

Steam.

STEAM AND THE STEAM ENGINE, Stationary and Portable. Being an Extension of Sewell's Treatise on Steam. By D. KINNEAR CLARK, M.I.C.E. Second Edition. 12mo, 4s. cloth.

Steam Engine.

TEXT-BOOK ON THE STEAM ENGINE. By T. M. GOODEVE, M.A., Barrister-at-Law, Author of "The Principles of Mechanics," "The Elements of Mechanism," &c. Fifth Edition. With numerous Illustrations. Crown 8vo, 6s. cloth.

"Mr. Goodeve's text-book is a work of which every young engineer should possess himself."—*Mining Journal*.

The High-Pressure Steam Engine.

THE HIGH-PRESSURE STEAM ENGINE. By DR. ERNST ALBAN. Translated from the German, with Notes, by Dr. POLÉ, F.R.S. Plates. 8vo, 16s. 6d., cloth.

Steam.

THE SAFE USE OF STEAM: containing Rules for Unprofessional Steam Users. By an ENGINEER. 5th Edition. Sewed, 6d.

"If steam-users would but learn this little book by heart, boiler explosions would become sensations by their rarity."—*English Mechanic*.

Mechanical Engineering.

DETAILS OF MACHINERY: Comprising Instructions for the Execution of various Works in Iron, in the Fitting-Shop, Foundry, and Boiler-Yard. By FRANCIS CAMPIN, C.E. 3s. 6d. cloth.

Mechanical Engineering.

MECHANICAL ENGINEERING: Comprising Metallurgy, Moulding, Casting, Forging, Tools, Workshop Machinery, Manufacture of the Steam Engine, &c. By F. CAMPIN, C.E. 3s. cloth.

Works of Construction.

MATERIALS AND CONSTRUCTION: a Theoretical and Practical Treatise on the Strains, Designing, and Erection of Works of Construction. By F. CAMPIN, C.E. 12mo, 3s. 6d. cl. brds.

Iron Bridges, Girders, Roofs, &c.

A TREATISE ON THE APPLICATION OF IRON TO THE CONSTRUCTION OF BRIDGES, GIRDERS, ROOFS, AND OTHER WORKS. By F. CAMPIN, C.E. 12mo, 3s.

Bridge Construction in Masonry, Timber, & Iron.

EXAMPLES OF BRIDGE AND VIADUCT CONSTRUCTION IN MASONRY, TIMBER, AND IRON; consisting of 46 Plates from the Contract Drawings or Admeasurement of select Works. By W. DAVIS HASKOLL, C.E. Second Edition, with the addition of 554 Estimates, and the Practice of Setting out Works, with 6 pages of Diagrams. Imp. 4to, 2l. 12s. 6d. half-morocco.

"A work of the present nature by a man of Mr. Haskoll's experience, must prove invaluable. The tables of estimates considerably enhance its value."—*Engineering*.

Oblique Bridges.

A PRACTICAL and THEORETICAL ESSAY on OBLIQUE BRIDGES, with 13 large Plates. By the late GEO. WATSON BUCK, M.I.C.E. Third Edition, revised by his Son, J. H. WATSON BUCK, M.I.C.E.; and with the addition of Description to Diagrams for Facilitating the Construction of Oblique Bridges, by W. H. BARLOW, M.I.C.E. Royal 8vo, 12s. cloth.

"The standard text book for all engineers regarding skew arches."—*Engineer*.

Oblique Arches.

A PRACTICAL TREATISE ON THE CONSTRUCTION of OBLIQUE ARCHES. By JOHN HART. 3rd Ed. Imp. 8vo, 8s. cloth.

Boiler Construction.

THE MECHANICAL ENGINEER'S OFFICE BOOK: Boiler Construction. By NELSON FOLEY, Cardiff, late Assistant Manager Palmer's Engine Works, Jarrow. With 29 full-page Lithographic Diagrams. Folio, 21s. half-bound.

Locomotive-Engine Driving.

LOCOMOTIVE-ENGINE DRIVING; a Practical Manual for Engineers in charge of Locomotive Engines. By MICHAEL REYNOLDS, M.S.E. Sixth Edition. Including A KEY TO THE LOCOMOTIVE ENGINE. With Illustrations. Cr. 8vo, 4s. 6d. cl.

"Mr. Reynolds has supplied a want, and has supplied it well."—*Engineer*.

The Engineer, Fireman, and Engine-Boy.

THE MODEL LOCOMOTIVE ENGINEER, FIREMAN, AND ENGINE-BOY. By M. REYNOLDS. Crown 8vo, 4s. 6d.

Stationary Engine Driving.

STATIONARY ENGINE DRIVING. A Practical Manual for Engineers in Charge of Stationary Engines. By MICHAEL REYNOLDS. Second Edition, Revised and Enlarged. With Plates and Woodcuts. Crown 8vo, 4s. 6d. cloth.

Engine-Driving Life.

ENGINE-DRIVING LIFE; or Stirring Adventures and Incidents in the Lives of Locomotive Engine-Drivers. By MICHAEL REYNOLDS. Eighth Thousand. Crown 8vo, 2s. cloth.

Continuous Railway Brakes.

CONTINUOUS RAILWAY BRAKES. A Practical Treatise on the several Systems in Use in the United Kingdom; their Construction and Performance. With copious Illustrations and numerous Tables. By MICHAEL REYNOLDS. Large Crown 8vo, 9s. cloth.

Construction of Iron Beams, Pillars, &c.

IRON AND HEAT ; exhibiting the Principles concerned in the construction of Iron Beams, Pillars, and Bridge Girders, and the Action of Heat in the Smelting Furnace. By J. ARMOUR, C.E. 3s.

Fire Engineering.

FIRES, FIRE-ENGINES, AND FIRE BRIGADES. With a History of Fire-Engines, their Construction, Use, and Management ; Remarks on Fire-Proof Buildings, and the Preservation of Life from Fire ; Statistics of the Fire Appliances in English Towns ; Foreign Fire Systems ; Hints on Fire Brigades, &c., &c. By CHARLES F. T. YOUNG, C.E. Demy 8vo, 1l. 4s. cloth.

Trigonometrical Surveying.

AN OUTLINE OF THE METHOD OF CONDUCTING A TRIGONOMETRICAL SURVEY, for the Formation of Geographical and Topographical Maps and Plans, Military Reconnaissance, Levelling, &c., with the most useful Problems in Geodesy and Practical Astronomy. By LIEUT.-GEN. FROME, R.E., late Inspector-General of Fortifications. Fourth Edition, Enlarged, and partly Re-written. By CAPTAIN CHARLES WARREN, R.E. With 19 Plates and 115 Woodcuts, royal 8vo, 16s. cloth.

Tables of Curves.

TABLES OF TANGENTIAL ANGLES and MULTIPLES for setting out Curves from 5 to 200 Radius. By ALEXANDER BRAZELEY, M. Inst. C.E. Third Edition. Printed on 48 Cards, and sold in a cloth box, waistcoat-pocket size, 3s. 6d.

' Each table is printed on a small card, which, being placed on the theodolite, leaves the hands free to manipulate the instrument.'—*Engineer*.

" Very handy ; a man may know that all his day's work must fall on two of these cards, which he puts into his own card-case, and leaves the rest behind."—

Pioneer Engineering.

PIONEER ENGINEERING. A Treatise on the Engineering Operations connected with the Settlement of Waste Lands in New Countries. By EDWARD DOBSON, A.I.C.E. With Plates and Wood Engravings. Revised Edition. 12mo, 5s. cloth.

" A workmanlike production, and one without possession of which no man should start to encounter the duties of a pioneer engineer."—*Athenæum*.

Engineering Fieldwork.

THE PRACTICE OF ENGINEERING FIELDWORK, applied to Land and Hydraulic, Hydrographic, and Submarine Surveying and Levelling. Second Edition, revised, with considerable additions, and a Supplement on WATERWORKS, SEWERS, SEWAGE, and IRRIGATION. By W. DAVIS HASKOLL, C.E. Numerous folding Plates. In 1 Vol., demy 8vo, 1l. 5s., cl. boards.

Large Tunnel Shafts.

THE CONSTRUCTION OF LARGE TUNNEL SHAFTS. By J. H. WATSON BUCK, M. Inst. C.E., &c. Illustrated with Folding Plates. Royal 8vo, 12s. cloth.

" Many of the methods given are of extreme practical value to the mason, and the observations on the form of arch, the rules for ordering the stone, and the construction of the templates, will be found of considerable use. We commend the book to the profession, and to all who have to build similar shafts."—*Building News*.

Survey Practice.

AID TO SURVEY PRACTICE: for Reference in Surveying, Levelling, Setting-out and in Route Surveys of Travellers by Land and Sea. With Tables, Illustrations, and Records. By **LOWIS D'A. JACKSON, A.-M.I.C.E.** Author of "Hydraulic Manual and Statistics," &c. Large crown 8vo, 12s. 6d., cloth.

"Mr. Jackson has had much and varied experience in field work and some knowledge of bookmaking, and he has utilised both these acquirements with a very useful result. The volume covers the ground it occupies very thoroughly."—*Engineering*.

Sanitary Work.

SANITARY WORK IN THE SMALLER TOWNS AND IN VILLAGES. Comprising:—1. Some of the more Common Forms of Nuisance and their Remedies; 2. Drainage; 3. Water Supply. By **CHAS. SLAGG, Assoc. M. Inst. C.E.** Second Edition, Revised and Enlarged. 3s. 6d., cloth boards.

"This book contains all that such a treatise can be expected to contain, and is sound and trustworthy in every particular."—*Builder*.

Gas and Gasworks.

THE CONSTRUCTION OF GASWORKS AND THE MANUFACTURE AND DISTRIBUTION OF COAL-GAS. Originally written by **S. HUGHES, C.E.** Sixth Edition. Re-written and enlarged, by **W. RICHARDS, C.E.** 12mo, 5s. cloth.

Waterworks for Cities and Towns.

WATERWORKS for the SUPPLY of CITIES and TOWNS, with a Description of the Principal Geological Formations of England as influencing Supplies of Water. By **S. HUGHES.** 4s. 6d. cloth.

Coal and Speed Tables.

POCKET BOOK OF COAL AND SPEED TABLES: for Engineers and Steam-Users. By **NELSON FOLEY,** Author of "Boiler Construction." [Nearly ready.]

Fuels and their Economy.

FUEL, its Combustion and Economy; consisting of an Abridgment of "A Treatise on the Combustion of Coal and the Prevention of Smoke." By **C. W. WILLIAMS, A.I.C.E.** With extensive additions on Recent Practice in the Combustion and Economy of Fuel—Coal, Coke, Wood, Peat, Petroleum, &c.; by **D. KINN-NEAR CLARK, M. Inst. C.E.** Second Edition. 4s. cloth.

"Students should buy the book and read it, as one of the most complete and satisfactory treatises on the combustion and economy of fuel to be had."—*Engineer*.

Roads and Streets.

THE CONSTRUCTION OF ROADS AND STREETS. In Two Parts. I. The Art of Constructing Common Roads. By **HENRY LAW, C.E.** Revised and Condensed. II. Recent Practice in the Construction of Roads and Streets: including Pavements of Stone, Wood, and Asphalte. By **D. KINN-NEAR CLARK, M. Inst. C.E.** Second Edit., revised. 12mo, 5s. cloth.

"A book which every borough surveyor and engineer must possess, and of considerable service to architects, builders, and property owners."—*Building News*.

Locomotives.

LOCOMOTIVE ENGINES, A Rudimentary Treatise on. Comprising an Historical Sketch and Description of the Locomotive Engine. By G. D. DEMPSEY, C.E. With large additions treating of the MODERN LOCOMOTIVE, by D. KINNEAR CLARK, M. Inst. C.E. With Illustrations. 12mo. 3s. 6d., cloth boards.

"The student cannot fail to profit largely by adopting this as his preliminary textbook."—*Iron and Coal Trades Review*.

Field-Book for Engineers.

THE ENGINEER'S, MINING SURVEYOR'S, and CONTRACTOR'S FIELD-BOOK. By W. DAVIS HASKOLL, C.E. Consisting of a Series of Tables, with Rules, Explanations of Systems, and Use of Theodolite for Traverse Surveying and Plotting the Work with minute accuracy by means of Straight Edge and Set Square only; Levelling with the Theodolite, Casting out and Reducing Levels to Datum, and Plotting Sections in the ordinary manner; Setting out Curves with the Theodolite by Tangential Angles and Multiples with Right and Left-hand Readings of the Instrument; Setting out Curves without Theodolite on the System of Tangential Angles by Sets of Tangents and Offsets; and Earthwork Tables to 80 feet deep, calculated for every 6 inches in depth. With numerous Woodcuts. 4th Edition, enlarged. Cr. 8vo. 12s. cloth.

"The book is very handy, and the author might have added that the separate tables of sines and tangents to every minute will make it useful for many other purposes, the genuine traverse tables existing all the same."—*Athenæum*.

Earthwork, Measurement and Calculation of.

A MANUAL on EARTHWORK. By ALEX. J. S. GRAHAM, C.E. With numerous Diagrams. 18mo, 2s. 6d. cloth.

"As a really handy book for reference, we know of no work equal to it; and the railway engineers and others employed in the measurement and calculation of earthwork will find a great amount of practical information very admirably arranged, and available for general or rough estimates, as well as for the more exact calculations required in the engineers' contractor's offices."—*Artisan*.

Drawing for Engineers.

THE WORKMAN'S MANUAL OF ENGINEERING DRAWING. By JOHN MAXTON, Instructor in Engineering Drawing, Royal Naval College, Greenwich, formerly of R. S. N. A., South Kensington. Fifth Edition, carefully revised. With upwards of 300 Plates and Diagrams. 12mo, cloth, strongly bound, 4s.

"A copy of it should be kept for reference in every drawing office."—*Engineering*.

"Indispensable for teachers of engineering drawing."—*Mechanics' Magazine*.

Weale's Dictionary of Terms.

A DICTIONARY of TERMS used in ARCHITECTURE, BUILDING, ENGINEERING, MINING, METALLURGY, ARCHÆOLOGY, the FINE ARTS, &c. By JOHN WEALE. Fifth Edition, revised by ROBERT HUNT, F.R.S., Keeper of Mining Records, Editor of "Ure's Dictionary of Arts." 12mo, 6s. cl. bds.

"The best small technological dictionary in the language."—*Architect*.

"The absolute accuracy of a work of this character can only be judged of after extensive consultation, and from our examination it appears very correct and very complete."—*Mining Journal*.

MINING, METALLURGY, ETC.

Metalliferous Mining.

BRITISH MINING. A Treatise on the History, Discovery, Practical Development, and Future Prospects of Metalliferous Mines in the United Kingdom. By ROBERT HUNT, F.R.S., Keeper of Mining Records; Editor of "Ure's Dictionary of Arts, Manufactures, and Mines," &c. Upwards of 950 pages, with 230 Illustrations. Super royal 8vo. £3 3s. cloth. [*Just published.*]
 "A sound, business-like collection of interesting facts. . . . The amount of information Mr. Hunt has brought together is enormous. . . . The volume appears likely to convey more instruction upon the subject than any work hitherto published."—*Mining Journal*.

Coal and Iron.

THE COAL AND IRON INDUSTRIES OF THE UNITED KINGDOM: comprising a Description of the Coal Fields, and of the Principal Seams of Coal, with returns of their Produce and its Distribution, and Analyses of Special Varieties. Also, an Account of the occurrence of Iron Ores in Veins or Seams; Analyses of each Variety; and a History of the Rise and Progress of Pig Iron Manufacture since the year 1740, exhibiting the economies introduced in the Blast Furnaces for its Production and Improvement. By RICHARD MEADE, Assistant Keeper of Mining Records. With Maps of the Coal Fields and Ironstone Deposits of the United Kingdom. 8vo., £1 8s. cloth.

Metalliferous Minerals and Mining.

A TREATISE ON METALLIFEROUS MINERALS AND MINING. By D. C. DAVIES, F.G.S. With Numerous Wood Engravings. Second Edition, revised. Cr. 8vo, 12s. 6d. cloth.
 "Without question, the most exhaustive and the most practically useful work we have seen; the amount of information given is enormous, and it is given concisely and intelligibly."—*Mining Journal*.

Earthy Minerals and Mining.

EARTHY AND OTHER MINERALS, AND MINING. By D. C. DAVIES, F.G.S. Uniform with, and forming a companion volume to, the same Author's "Metalliferous Minerals and Mining." With numerous Illustrations. [*Nearly ready.*]

Slate and Slate Quarrying.

A TREATISE ON SLATE AND SLATE QUARRYING, Scientific, Practical, and Commercial. By D. C. DAVIES, F.G.S. Illustrated. Second Edition, revised. 3s. 6d. cloth.

Metallurgy of Iron.

A TREATISE ON THE METALLURGY OF IRON: containing Outlines of the History of Iron Manufacture, Methods of Assay, and Analyses of Iron Ores, Processes of Manufacture of Iron and Steel, &c. By H. BAUERMAN, F.G.S. Fifth Edition, Revised and Enlarged. Illustrated. 5s. 6d., cloth.

Mining, Surveying and Valuing.

THE MINERAL SURVEYOR AND VALUER'S COMPLETE GUIDE, comprising a Treatise on Improved Mining Surveying, with new Traverse Tables; and Descriptions of Improved Instruments; also an Exposition of the Correct Principles of Laying out and Valuing Home and Foreign Iron and Coal Mineral Properties. By WILLIAM LINTERN, Mining and Civil Engineer. With four Plates of Diagrams, Plans, &c. 12mo, 4s. cloth.

* * Also, bound with THOMAN'S TABLES. 7s. 6d. (See page 20.)

Coal and Coal Mining.

COAL AND COAL MINING. By WARINGTON W. SMYTH, M.A., F.R.S., &c., Chief Inspector of the Mines of the Crown. Fifth edition, revised. 4s. cloth.

"Every portion of the volume appears to have been prepared with much care, and as an outline is given of every known coal-field in this and other countries, as well as of the two principal methods of working, the book will doubtless interest a very large number of readers."—*Mining Journal*.

Underground Pumping Machinery.

MINE DRAINAGE; being a Complete and Practical Treatise on Direct-Acting Underground Steam Pumping Machinery, with a Description of a large number of the best known Engines, their General Utility and the Special Sphere of their Action, the Mode of their Application, and their merits compared with other forms of Pumping Machinery. By STEPHEN MICHELL. 8vo, 15s. cloth.

Manual of Mining Tools.

MINING TOOLS. By W. MORGANS. Text, 12mo, 3s. Atlas of 235 Illustrations, 4to, 6s. Together, 9s. cloth.

NAVAL ARCHITECTURE, NAVIGATION, ETC.

Pocket Book for Naval Architects & Shipbuilders.

THE NAVAL ARCHITECT'S AND SHIPBUILDER'S POCKET BOOK OF FORMULÆ, RULES, AND TABLES AND MARINE ENGINEER'S AND SURVEYOR'S HANDY BOOK OF REFERENCE. By CLEMENT MACKROW, M. Inst. N. A., Naval Draughtsman. Second Edition, revised. With numerous Diagrams. Fcap., 12s. 6d., strongly bound in leather.

"Should be used by all who are engaged in the construction or design of vessels."—*Engineer*.

"Mr. Mackrow has compressed an extraordinary amount of information into this useful volume."—*Athenæum*.

Pocket-Book for Marine Engineers.

A POCKET-BOOK OF USEFUL TABLES AND FORMULÆ FOR MARINE ENGINEERS. By FRANK PROCTOR, A.I.N.A. Third Edition. Royal 32mo, leather, gilt edges, 4s.

"A most useful companion to all marine engineers."—*United Service Gazette*.

"Scarcely anything required by a naval engineer appears to have been forgotten."—*Iron*.

Grantham's Iron Ship-Building.

ON IRON SHIP-BUILDING ; with Practical Examples and Details. By JOHN GRANTHAM, M. Inst. C.E., &c. Fifth Edition. 40 Plates. Imp. 4to, bds., with separate Text, 2l. 2s. complete.

Light-Houses.

EUROPEAN LIGHT-HOUSE SYSTEMS ; being a Report of a Tour of Inspection made in 1873. By Major GEORGE H. ELLIOT, Corps of Engineers, U.S.A. Illustrated by 51 Engravings and 31 Woodcuts in the Text. 8vo, 21s. cloth.

Storms.

STORMS : their Nature, Classification, and Laws, with the Means of Predicting them by their Embodiments, the Clouds. By WILLIAM BLASIUS. Crown 8vo, 10s. 6d. cloth boards.

Rudimentary Navigation.

THE SAILOR'S SEA-BOOK : a Rudimentary Treatise on Navigation. By JAMES GREENWOOD, B.A. New and enlarged edition. By W. H. ROSSER. 12mo, 3s. cloth boards.

Mathematical and Nautical Tables.

MATHEMATICAL TABLES, for Trigonometrical, Astronomical, and Nautical Calculations ; to which is prefixed a Treatise on Logarithms. By HENRY LAW, C.E. Together with a Series of Tables for Navigation and Nautical Astronomy. By Professor J. R. YOUNG. New Edition. 12mo, 4s. cloth boards.

Navigation (Practical), with Tables.

PRACTICAL NAVIGATION : consisting of the Sailor's Sea-Book, by JAMES GREENWOOD and W. H. ROSSER ; together with the requisite Mathematical and Nautical Tables for the Working of the Problems. By HENRY LAW, C.E., and Professor J. R. YOUNG. Illustrated. 12mo, 7s. strongly half-bound in leather.

WEALE'S RUDIMENTARY SERIES.

The following books in Naval Architecture, etc., are published in the above series.

NAVIGATION AND NAUTICAL ASTRONOMY IN THEORY AND PRACTICE. By Professor J. R. YOUNG. New Edition. Including the Requisite Elements from the Nautical Almanac for Working the Problems. 12mo, 2s. 6d. cloth.

MASTING, MAST-MAKING, AND RIGGING OF SHIPS. By ROBERT KIPPING, N.A. Fifteenth Edition. 12mo, 2s. 6d. cloth.

SAILS AND SAIL-MAKING. Tenth Edition, enlarged. By ROBERT KIPPING, N.A. Illustrated. 12mo, 3s. cloth boards.

NAVAL ARCHITECTURE. By JAMES PEAKE. Fifth Edition, with Plates and Diagrams. 12mo, 4s. cloth boards.

MARINE ENGINES, AND STEAM VESSELS. By ROBERT MURRAY, C.E. Eighth Edition.

[In preparation.]

ARCHITECTURE, BUILDING, ETC.

Construction.

THE SCIENCE of BUILDING: An Elementary Treatise on the Principles of Construction. By E. WYNDHAM TARN, M.A. Second Edition, revised, with 58 Engravings, price 7s. 6d.

"A very valuable book, which we strongly recommend to all students."—*Builder*.

"No architectural student should be without this hand-book."—*Architect*.

Civil and Ecclesiastical Building.

A BOOK ON BUILDING, CIVIL and ECCLESIASTICAL, including CHURCH RESTORATION. By Sir EDMUND BECKETT, Bart., LL.D., Q.C., F.R.A.S. 12mo, 5s. cloth boards.

"A book which is always amusing and nearly always instructive. We are able very cordially to recommend all persons to read it for themselves."—*Times*.

Villa Architecture.

A HANDY BOOK of VILLA ARCHITECTURE; being a Series of Designs for Villa Residences in various Styles. With Outline Specifications and Estimates. By C. WICKES, Architect. 30 Plates, 4to, half morocco, gilt edges, 1l. 1s.

* * An Enlarged Edition, with 61 Plates. 2l. 2s. half morocco.

Useful Text-Book for Architects.

THE ARCHITECT'S GUIDE: A Text-book for Architects, Clerks of Works, &c. By F. ROGERS. Cr. 8vo, 6s.

The Young Architect's Book.

HINTS TO YOUNG ARCHITECTS. By G. WIGHTWICK. New Edition. By G. H. GUILLAUME. 12mo, cloth, 4s.

"Will be found an acquisition to pupils, and a copy ought to be considered as necessary a purchase as a box of instruments."—*Architect*.

Drawing for Builders and Students.

PRACTICAL RULES ON DRAWING for the OPERATIVE BUILDER and YOUNG STUDENT in ARCHITECTURE. By GEORGE PYNE. With 14 Plates, 4to, 7s. 6d. boards.

Boiler and Factory Chimneys.

BOILER AND FACTORY CHIMNEYS; their Draught-power and Stability, with a chapter on Lightning Conductors. By ROBERT WILSON, C.E. Crown 8vo, 3s. 6d. cloth.

Builder's and Contractor's Price Book.

LOCKWOOD & CO.'S BUILDER'S AND CONTRACTOR'S PRICE BOOK, containing the latest prices of all kinds of Builders' Materials and Labour, &c. Revised by F. T. W. MILLER, A.R.I.B.A. Half-bound, 4s.

Stone-working Machinery.

STONE-WORKING MACHINERY, and the Rapid and Economical Conversion of Stone. With Hints on the Arrangement and Management of Stone Works. By M. POWIS BALE, M.I.M.E., A.M.I.C.E. [Nearly ready.

Taylor and Cresy's Rome.

THE ARCHITECTURAL ANTIQUITIES OF ROME. By the late G. L. TAYLOR, Esq., F.S.A., and EDWARD CRESY, Esq. New Edition, Edited by the Rev. ALEXANDER TAYLOR, M.A. (son of the late G. L. Taylor, Esq.) This is the only book which gives on a large scale, and with the precision of architectural measurement, the principal Monuments of Ancient Rome in plan, elevation, and detail. Large folio, with 130 Plates, half-bound, 3*l.* 3*s.*

* * Originally published in two volumes, folio, at 18*l.* 18*s.*

Vitruvius' Architecture.

THE ARCHITECTURE OF MARCUS VITRUVIUS POLLIO. Translated by JOSEPH GWILT, F.S.A., F.R.A.S. Numerous Plates. 12mo, cloth limp, 5*s.*

Ancient Architecture.

RUDIMENTARY ARCHITECTURE (ANCIENT); comprising VITRUVIUS, translated by JOSEPH GWILT, F.S.A., &c., with 23 fine plates; and GRECIAN ARCHITECTURE. By the EARL of ABERDEEN; 12mo, 6*s.*, half-bound.

* * The only edition of VITRUVIUS procurable at a moderate price.

Modern Architecture.

RUDIMENTARY ARCHITECTURE (MODERN); comprising THE ORDERS OF ARCHITECTURE. By W. H. LEEDS, Esq.; The STYLES OF ARCHITECTURE OF VARIOUS COUNTRIES. By T. TALBOT BURY; and The PRINCIPLES OF DESIGN IN ARCHITECTURE. By E. L. GARBETT. Numerous illustrations, 12mo, 6*s.* half-bound.

Civil Architecture.

THE DECORATIVE PART OF CIVIL ARCHITECTURE. By Sir WILLIAM CHAMBERS, F.R.S. With Illustrations, Notes, and an Examination of Grecian Architecture. By JOSEPH GWILT, F.S.A. Edited by W. H. LEEDS. 66 Plates, 4*to*, 21*s.*

House Painting.

HOUSE PAINTING, GRAINING, MARBLING, AND SIGN WRITING: a Practical Manual of. With 9 Coloured Plates of Woods and Marbles, and nearly 150 Wood Engravings. By ELLIS A. DAVIDSON. Third Edition, Revised. 12mo, 6*s.* cloth.

Plumbing.

PLUMBING; a Text-book to the Practice of the Art or Craft of the Plumber. With chapters upon House-drainage, embodying the latest Improvements. By W. P. BUCHAN, Sanitary Engineer. Fourth Edition, Revised, with 330 illustrations. 12mo. 4*s.* cloth.

Joints used in Building, Engineering, &c.

THE JOINTS MADE AND USED BY BUILDERS in the construction of various kinds of Engineering and Architectural works, with especial reference to those wrought by artificers in erecting and finishing Habitable Structures. By W. J. CHRISTY, Architect. With 160 Illustrations. 12mo, 3*s.* 6*d.* cloth boards.

Handbook of Specifications.

THE HANDBOOK OF SPECIFICATIONS; or, Practical Guide to the Architect, Engineer, Surveyor, and Builder, in drawing up Specifications and Contracts for Works and Constructions. Illustrated by Precedents of Buildings actually executed by eminent Architects and Engineers. By Professor THOMAS L. DONALDSON, M.I.B.A. New Edition, in One large volume, 8vo, with upwards of 1000 pages of text, and 33 Plates, cloth, 1*l.* 11*s.* 6*d.*

"In this work forty-four specifications of executed works are given. . . . Donaldson's Handbook of Specifications must be bought by all architects."—*Builder*.

Specifications for Practical Architecture.

SPECIFICATIONS FOR PRACTICAL ARCHITECTURE: A Guide to the Architect, Engineer, Surveyor, and Builder; with an Essay on the Structure and Science of Modern Buildings. By FREDERICK ROGERS, Architect. 8vo, 15*s.* cloth.

* * A volume of specifications of a practical character being greatly required, and the old standard work of Alfred Bartholomew being out of print, the author, on the basis of that work, has produced the above.—*Extract from Preface*.

Designing, Measuring, and Valuing.

THE STUDENT'S GUIDE to the PRACTICE of MEASURING and VALUING ARTIFICERS' WORKS; containing Directions for taking Dimensions, Abstracting the same, and bringing the Quantities into Bill, with Tables of Constants, and copious Memoranda for the Valuation of Labour and Materials in the respective Trades of Bricklayer and Slater, Carpenter and Joiner, Painter and Glazier, Paperhanger, &c. With 8 Plates and 63 Woodcuts. Originally edited by EDWARD DOBSON, Architect. Fifth Edition, Revised, with considerable Additions on Mensuration and Construction, and a new chapter on Dilapidations, Repairs, and Contracts. By E. WYNDHAM TARN, M.A. 9*s.* [Just published.

"The most complete treatise on the principles of measuring and valuing artificers work that has yet been published."—*Building News*.

Beaton's Pocket Estimator.

THE POCKET ESTIMATOR FOR THE BUILDING TRADES, being an easy method of estimating the various parts of a Building collectively, more especially applied to Carpenters' and Joiners' work. By A. C. BEATON. Second Edition. Waistcoat-pocket size. 1*s.* 6*d.*

Beaton's Builders' and Surveyors' Technical Guide.

THE POCKET TECHNICAL GUIDE AND MEASURER FOR BUILDERS AND SURVEYORS: containing an Explanation of the Terms used in Building Construction, Directions for Measuring Work, Useful Memoranda, &c. By A. C. BEATON. 1*s.* 6*d.*

The House-Owner's Estimator.

THE HOUSE-OWNER'S ESTIMATOR; or, What will it Cost to Build, Alter, or Repair? A Price-Book for Unprofessional People, Architectural Surveyors, Builders, &c. By the late JAMES D. SIMON. Edited by F. T. W. MILLER, A.R.I.B.A. Third Edition, Revised. Crown 8vo, 3*s.* 6*d.*, cloth.

"In two years it will repay its cost a hundred times over."—*Field*.

CARPENTRY, TIMBER, ETC.

Tredgold's Carpentry, new and cheaper Edition.

THE ELEMENTARY PRINCIPLES OF CARPENTRY : a Treatise on the Pressure and Equilibrium of Timber Framing, the Resistance of Timber, and the Construction of Floors, Arches, Bridges, Roofs, Uniting Iron and Stone with Timber, &c. To which is added an Essay on the Nature and Properties of Timber, &c., with Descriptions of the Kinds of Wood used in Building ; also numerous Tables of the Scantlings of Timber for different purposes, the Specific Gravities of Materials, &c. By THOMAS TREDGOLD, C.E. Edited by PETER BARLOW, F.R.S. Fifth Edition, corrected and enlarged. With 64 Plates, Portrait of the Author, and Woodcuts. 4to, published at 2l. 2s., reduced to 1l. 5s. cloth.

"A work whose monumental excellence must commend it wherever skilful carpentry is concerned. The Author's principles are rather confirmed than impaired by time. The additional plates are of great intrinsic value."—*Building News*.

Grandy's Timber Tables.

THE TIMBER IMPORTER'S, TIMBER MERCHANT'S, & BUILDER'S STANDARD GUIDE. By R. E. GRANDY. 2nd Edition. Carefully revised and corrected. 12mo, 3s. 6d. cloth.

"Everything it pretends to be : built up gradually, it leads one from a forest to a treenail, and throws in, as a makeweight, a host of material concerning bricks, columns, cisterns, &c.—all that the class to whom it appeals requires."—*English Mechanic*.

Timber Freight Book.

THE TIMBER IMPORTERS' AND SHIPOWNERS' FREIGHT BOOK : Being a Comprehensive Series of Tables for the Use of Timber Importers, Captains of Ships, Shipbrokers, Builders, and Others. By W. RICHARDSON. Crown 8vo, 6s.

Tables for Packing-Case Makers.

PACKING-CASE TABLES ; showing the number of Superficial Feet in Boxes or Packing-Cases, from six inches square and upwards. By W. RICHARDSON. Oblong 4to, 3s. 6d. cloth.

"Invaluable labour-saving tables."—*Ironmonger*.

Carriage Building, &c.

COACH BUILDING : A Practical Treatise, Historical and Descriptive, containing full information of the various Trades and Processes involved, with Hints on the proper keeping of Carriages, &c. 57 Illustrations. By JAMES W. BURGESS. 12mo, 3s. cloth.

Horton's Measurer.

THE COMPLETE MEASURER ; setting forth the Measurement of Boards, Glass, &c. ; Unequal-sided, Square-sided, Octagonal-sided, Round Timber and Stone, and Standing Timber. Also a Table showing the solidity of hewn or eight-sided timber, or of any octagonal-sided column. By RICHARD HORTON. Fourth Edit. With Additions, 12mo, strongly bound in leather, 5s.

Horton's Underwood and Woodland Tables.

TABLES FOR PLANTING AND VALUING UNDERWOOD AND WOODLAND ; also Lineal, Superficial, Cubical, and Decimal Tables, &c. By R. HORTON. 12mo, 2s. leather.

Nicholson's Carpenter's Guide.

THE CARPENTER'S NEW GUIDE; or, BOOK of LINES for CARPENTERS: comprising all the Elementary Principles essential for acquiring a knowledge of Carpentry. Founded on the late PETER NICHOLSON's standard work. A new Edition, revised by ARTHUR ASHPITEL, F.S.A., together with Practical Rules on Drawing, by GEORGE PYNE. With 74 Plates, 4to, 17. 1s. cloth.

Dowsing's Timber Merchant's Companion.

THE TIMBER MERCHANT'S AND BUILDER'S COMPANION; containing New and Copious Tables of the Reduced Weight and Measurement of Deals and Battens, of all sizes, from One to a Thousand Pieces, also the relative Price that each size bears per Lineal Foot to any given Price per Petersburg Standard Hundred, &c., &c. Also a variety of other valuable information. By W. DOWSING. Third Edition. Crown 8vo, 3s.

Practical Timber Merchant.

THE PRACTICAL TIMBER MERCHANT, being a Guide for the use of Building Contractors, Surveyors, Builders, &c., comprising useful Tables for all purposes connected with the Timber Trade, Essay on the Strength of Timber, Remarks on the Growth of Timber, &c. By W. RICHARDSON. Fcap. 8vo, 3s. 6d. cl.

Woodworking Machinery.

WOODWORKING MACHINERY; its Rise, Progress, and Construction. With Hints on the Management of Saw Mills and the Economical Conversion of Timber. Illustrated with Examples of Recent Designs by leading English, French, and American Engineers. By M. POWIS BALE, M.I.M.E. Crown 8vo, 12s. 6d. cl.

"Mr. Bale is evidently an expert on the subject, and he has collected so much information that his book is all-sufficient for builders and others engaged in the conversion of timber."—*Architect*.

"The most comprehensive compendium of wood-working machinery we have seen. The author is a thorough master of his subject."—*Building News*.

Saw Mills.

SAW MILLS, THEIR ARRANGEMENT AND MANAGEMENT, AND THE ECONOMICAL CONVERSION OF TIMBER. (Being a Companion Volume to "Woodworking Machinery.") By M. POWIS BALE, M.I.M.E. With numerous Illustrations. Crown 8vo, 10s. 6d., cloth.

"The author is favourably known by his former work on 'Woodworking Machinery,' of which we were able to speak approvingly. This is a companion volume, in which the administration of a large sawing establishment is discussed, and the subject examined from a financial standpoint. Hence the size, shape, order, and disposition of saw-mills and the like are gone into in detail, and the course of the timber is traced from its reception to its delivery in its converted state. We could not desire a more complete or practical treatise."—*Builder*.

"We highly recommend Mr. Bale's work to the attention and perusal of all those who are engaged in the art of wood conversion, or who are about building or re-modelling saw-mills on improved principles."—*Building News*.

"Will be found of much value by that special class of readers for whose information it is designed. We have pleasure in recommending the book to those about to construct or to manage saw-mills."—*Athenæum*.

MECHANICS, ETC.

Engineer's Reference Book.

THE WORKS MANAGERS' HANDBOOK. For Engineers, Millwrights, and Boiler-Makers; Tool Makers, Machinists, and Metal Workers; Iron and Brassfounders, &c. By W. S. HUTTON, Civil and Mechanical Engineer. Medium 8vo, about 400 pages, price 12s. 6d., strongly bound. [In preparation.]

Mechanic's Workshop Companion.

THE OPERATIVE MECHANIC'S WORKSHOP COMPANION, and THE SCIENTIFIC GENTLEMAN'S PRACTICAL ASSISTANT. By W. TEMPLETON. 13th Edit., with Mechanical Tables for Operative Smiths, Millwrights, Engineers, &c.; and an Extensive Table of Powers and Roots, 12mo, 5s. bound.
 "Admirably adapted to the wants of a very large class. It has met with great success in the engineering workshop, as we can testify; and there are a great many men who, in a great measure, owe their rise in life to this little work."—*Building News*.

Engineer's and Machinist's Assistant.

THE ENGINEER'S, MILLWRIGHT'S, and MACHINIST'S PRACTICAL ASSISTANT; comprising a Collection of Useful Tables, Rules, and Data. By WM. TEMPLETON. 18mo, 2s. 6d.

Smith's Tables for Mechanics, &c.

TABLES, MEMORANDA, and CALCULATED RESULTS, FOR MECHANICS, ENGINEERS, ARCHITECTS, BUILDERS, &c. Selected and arranged by FRANCIS SMITH. 240 pp. Waistcoat-pocket size, 1s. 6d., limp leather.

Turning.

LATHE-WORK: a Practical Treatise on the Tools, Appliances, and Processes employed in the Art of Turning. By PAUL N. HASLUCK. Second Edition, thoroughly Revised, with a New Chapter on the Screw-cutting Lathe. Crown 8vo, 5s. cloth.

Turning.

THE METAL TURNER'S HANDBOOK. By PAUL N. HASLUCK. With over 100 Cuts. Crown 8vo, 1s., cloth.

*. The above forms the first volume of HASLUCK'S HANDBOOKS ON HANDICRAFTS. Other Volumes in preparation.

Boiler Making.

THE BOILER-MAKER'S READY RECKONER. With Examples of Practical Geometry and Templatting, for the use of Platers, Smiths, and Riveters. By JOHN COURTNEY, Edited by D. K. CLARK, M.I.C.E. 12mo, 9s., half-bd.

Superficial Measurement.

THE TRADESMAN'S GUIDE TO SUPERFICIAL MEASUREMENT. Tables calculated from 1 to 700 inches in length, by 1 to 108 inches in breadth. By J. HAWKINGS. Fcp. 3s. 6d. cl.

Steam Boilers.

A TREATISE ON STEAM BOILERS: their Strength, Construction, and Economical Working. By R. WILSON, C.E. Fifth Edition. 12mo, 6s., cloth.

"The best treatise that has ever been published on steam boilers."—*Engineer*.

MATHEMATICS, TABLES, ETC.

Metrical Units and Systems, &c.

MODERN METROLOGY: A Manual of the Metrical Units and Systems of the present Century. With an Appendix containing a proposed English System. By LOWIS D'A. JACKSON, A.-M. Inst. C.E., Author of "Aid to Survey Practice," &c. Large Crown 8vo, 12s. 6d. cloth.

Gregory's Practical Mathematics.

MATHEMATICS for PRACTICAL MEN; being a Common-place Book of Pure and Mixed Mathematics. Designed chiefly for the use of Civil Engineers, Architects, and Surveyors. Part I. PURE MATHEMATICS—comprising Arithmetic, Algebra, Geometry, Mensuration, Trigonometry, Conic Sections, Properties of Curves. Part II. MIXED MATHEMATICS—comprising Mechanics in general, Statics, Dynamics, Hydrostatics, Hydrodynamics, Pneumatics, Mechanical Agents, Strength of Materials, &c. By OLINTHUS GREGORY, LL.D., F.R.A.S. Enlarged by H. LAW, C.E. 4th Edition, revised by Prof. J. R. YOUNG. With 13 Plates. 8vo. 14. 1s. cloth.

Mathematics as applied to the Constructive Arts.

A TREATISE ON MATHEMATICS AS APPLIED TO THE CONSTRUCTIVE ARTS. Illustrating the various processes of Mathematical Investigation by means of Arithmetical and simple Algebraical Equations and Practical Examples, &c. By FRANCIS CAMPIN, C.E. 12mo, 3s. 6d. cloth.

Geometry for the Architect, Engineer, &c.

PRACTICAL GEOMETRY, for the Architect, Engineer, and Mechanic. By E. W. TARN, M.A. With Appendices on Diagrams of Strains and Isometrical projection. Demy 8vo, 9s. cloth.

Practical Geometry.

THE GEOMETRY OF COMPASSES, or Problems Resolved by the Mere Description of Circles, and the Use of Coloured Diagrams and Symbols. By OLIVER BYRNE. Coloured Plates. Crown 8vo, 3s. 6d. cloth.

The Metric System.

A SERIES OF METRIC TABLES, in which the British Standard Measures and Weights are compared with those of the Metric System at present in use on the Continent. By C. H. DOWLING, C.E. 2nd Edit., revised and enlarged. 8vo, 10s. 6d. cl.

Inwood's Tables, greatly enlarged and improved.

TABLES FOR THE PURCHASING OF ESTATES, Freehold, Copyhold, or Leasehold; Annuities, Advowsons, &c., and for the Renewing of Leases; also for Valuing Reversionary Estates, Deferred Annuities, &c. By WILLIAM INWOOD. 22nd Edition, with Tables of Logarithms for the more Difficult Computations of the Interest of Money, &c. By M. FEDOR THOMAN. 12mo. 8s. cloth.

"Those interested in the purchase and sale of estates, and in the adjustment of compensation cases, as well as in transactions in annuities, life insurances, &c., will find the present edition of eminent service."—*Engineering*.

Weights, Measures, and Moneys.

MEASURES, WEIGHTS, and MONEYS of all NATIONS. Entirely New Edition, Revised and Enlarged. By W. S. B. WOOLHOUSE, F.R.A.S. 12mo, 2s. 6d. cloth boards.

Compound Interest and Annuities.

THEORY of COMPOUND INTEREST and ANNUITIES ; with Tables of Logarithms for the more Difficult Computations of Interest, Discount, Annuities, &c., in all their Applications and Uses for Mercantile and State Purposes. By FÉDOR THOMAN, of the Société Crédit Mobilier, Paris. 3rd Edit., 12mo, 4s. 6d. cl.

Iron and Metal Trades' Calculator.

THE IRON AND METAL TRADES' COMPANION : Being a Calculator containing a Series of Tables upon a new and comprehensive plan for expeditiously ascertaining the value of any goods bought or sold by weight, from 1s. per cwt. to 112s. per cwt., and from one farthing per lb. to 1s. per lb. Each Table extends from one lb. to 100 tons. By T. DOWNIE. 396 pp., 9s., leather.

Iron and Steel.

IRON AND STEEL : a Work for the Forge, Foundry, Factory, and Office. Containing Information for Ironmasters ; Civil, Mechanical, and Mining Engineers ; Architects, Builders, &c. By CHARLES HOARE. Eighth Edit. Oblong 32mo, 6s., leather.

Comprehensive Weight Calculator.

THE WEIGHT CALCULATOR, being a Series of Tables upon a New and Comprehensive Plan, exhibiting at one Reference the exact Value of any Weight from 1lb. to 15 tons, at 300 Progressive Rates, from 1 Penny to 168 Shillings per cwt., and containing 186,000 Direct Answers, which, with their Combinations, consisting of a single addition, will afford an aggregate of 10,266,000 Answers ; the whole being calculated and designed to ensure Correctness and promote Despatch. By HENRY HARBEN, Accountant. New Edition. Royal 8vo, 1l. 5s., half-bound.

Comprehensive Discount Guide.

THE DISCOUNT GUIDE : comprising Tables for the use of Merchants, Manufacturers, Ironmongers, and others, by which may be ascertained the exact profit arising from any mode of using Discounts, either in the Purchase or Sale of Goods, and the method of either Altering a Rate of Discount, or Advancing a Price, so as to produce, by one operation, a sum that will realise any required profit after allowing one or more Discounts : to which are added Tables of Profit or Advance from $1\frac{1}{4}$ to 90 per cent., Tables of Discount from $1\frac{1}{4}$ to $98\frac{1}{4}$ per cent., and Tables of Commission, &c., from $\frac{1}{4}$ to 10 per cent. By H. HARBEN, 8vo, 1l. 5s., half-bound.

Mathematical Instruments.

MATHEMATICAL INSTRUMENTS : Their Construction, Adjustment, Testing, and Use ; comprising Drawing, Measuring, Optical, Surveying, and Astronomical Instruments. By J. F. HEATHER, M.A. Enlarged Edition. 12mo, 5s. cloth.

SCIENCE AND ART.

Gold and Gold-Working.

THE GOLDSMITH'S HANDBOOK: containing full instructions for the Alloying and Working of Gold. Including the Art of Alloying, Melting, Reducing, Colouring, Collecting and Refining. Chemical and Physical Properties of Gold, with a new System of Mixing its Alloys; Solders, Enamels, &c. By GEORGE E. GEE. Second Edition, enlarged. 12mo, 3s. 6d. cloth.

"The best work yet printed on its subject for a reasonable price."—*Jeweller*.

"Essentially a practical manual, well adapted to the wants of amateurs and apprentices, containing trustworthy information that only a practical man can supply."—*English Mechanic*.

Silver and Silver Working.

THE SILVERSMITH'S HANDBOOK, containing full Instructions for the Alloying and Working of Silver. Including the different Modes of Refining and Melting the Metal, its Solders, the Preparation of Imitation Alloys, &c. By G. E. GEE. 12mo, 3s. 6d.

"The chief merit of the work is its practical character. The workers in the trade will speedily discover its merits when they sit down to study it."—*English Mechanic*.

Hall-Marking of Jewellery.

THE HALL-MARKING OF JEWELLERY PRACTICALLY CONSIDERED, comprising an account of all the different Assay Towns of the United Kingdom; with the Stamps at present employed; also the Laws relating to the Standards and Hall-Marks at the various Assay Offices; and a variety of Practical Suggestions concerning the Mixing of Standard Alloys, &c. By GEORGE E. GEE. Crown 8vo, 3s. 6d. cloth.

Electro-Plating, &c.

ELECTRO-PLATING: A Practical Handbook. By J. W. URQUHART, C.E. Crown 8vo, 5s. cloth.

"Any ordinarily intelligent person may become an adept in electro-deposition with a very little science indeed, and this is the book to show the way."—*Builder*.

Electrotyping, &c.

ELECTROTYPING: The Reproduction and Multiplication of Printing Surfaces and Works of Art by the Electro-deposition of Metals. By J. W. URQUHART, C.E. Crown 8vo, 5s. cloth.

"A guide to beginners and those who practise the old and imperfect methods."—*Iron*.

Electro-Plating.

ELECTRO-METALLURGY PRACTICALLY TREATED. BY ALEXANDER WATT, F.R.S.S.A. Including the Electro-deposition of Copper, Silver, Gold, Brass and Bronze, Platinum, Lead, Nickel, Tin, Zinc, Alloys of Metals, Practical Notes, &c., &c. Eighth Edition, Revised, including the most recent Processes. 12mo, 3s. 6d., cloth.

"From this book both amateur and artisan may learn everything necessary for the successful prosecution of electroplating."—*Iron*.

"A practical treatise for the use of those who desire to work in the art of electro-deposition as a business."—*English Mechanic*.

Dentistry.

MECHANICAL DENTISTRY. A Practical Treatise on the Construction of the various kinds of Artificial Dentures. Comprising also Useful Formulæ, Tables, and Receipts for Gold Plate, Clasps, Solders, etc., etc. By CHARLES HUNTER. Second Edition, Revised. With over 100 Engravings. 7s. 6d., cloth.

Electricity.

A MANUAL OF ELECTRICITY; including Galvanism, Magnetism, Diamagnetism, Electro-Dynamics, Magneto-Electricity, and the Electric Telegraph. By HENRY M. NOAD, Ph.D., F.C.S. Fourth Edition, with 500 Woodcuts. 8vo, 1l. 4s. cloth.

"The accounts given of electricity and galvanism are not only complete in a scientific sense, but, which is a rarer thing, are popular and interesting."—*Lancet*.

Text-Book of Electricity.

THE STUDENT'S TEXT-BOOK OF ELECTRICITY. By HENRY M. NOAD, Ph.D., F.R.S., &c. New Edition, Revised. With an Introduction and Additional Chapters by W. H. PREECE, M.I.C.E., Vice-President of the Society of Telegraph Engineers, &c. With 470 Illustrations. Crown 8vo, 12s. 6d. cloth.

"We can recommend Dr. Noad's book for clear style, great range of subject, a good index, and a plethora of woodcuts."—*Athenæum*.

"An admirable text-book for every student—beginner or advanced—of electricity."—*Engineering*.

"Under the editorial hand of Mr. Preece the late Dr. Noad's text-book of electricity has grown into an admirable handbook."—*Westminster Review*.

Electric Lighting.

ELECTRIC LIGHT: Its Production and Use, embodying plain Directions for the Treatment of Voltaic Batteries, Electric Lamps, and Dynamo-Electric Machines. By J. W. URQUHART, C.E. Edited by F. C. WEBB, M.I.C.E., M.S.T.E. 2nd Edition, Revised, with Large Additions and 128 Illustrations. 7s. 6d. cloth.

"The book is by far the best that we have yet met with on the subject."—*Athenæum*.

Lightning.

THE ACTION OF LIGHTNING, and the MEANS of DEFENDING LIFE AND PROPERTY FROM ITS EFFECTS. By Major ARTHUR PARNELL, R.E. 12mo, 7s. 6d. cloth.

The Blowpipe.

THE BLOWPIPE IN CHEMISTRY, MINERALOGY, AND GEOLOGY, containing all known Methods of Anhydrous Analysis, many Working Examples, and Instructions for making Apparatus. By Lieut.-Col. W. A. ROSS, R.A., F.G.S.

[In the press.]

Chemical Analysis.

THE COMMERCIAL HANDBOOK OF CHEMICAL ANALYSIS; or Practical Instructions for the determination of the Intrinsic or Commercial Value of Substances used in Manufactures, in Trades, and in the Arts. By A. NORMANDY. *New Edition*. Enlarged, and to a great extent re-written, by HENRY M. NOAD, Ph.D., F.R.S. With numerous Illustrations. Cr. 8vo, 12s. 6d. cloth.

The Alkali Trade—Sulphuric Acid, &c.

A MANUAL OF THE ALKALI TRADE, including the Manufacture of Sulphuric Acid, Sulphate of Soda, and Bleaching Powder. By JOHN LOMAS, Alkali Manufacturer. With 232 Illustrations and Working Drawings, and containing 386 pages of text. Super-royal 8vo, 2l. 12s. 6d. cloth.

This work provides (1) a Complete Handbook for intending Alkali and Sulphuric Acid Manufacturers, and for those already in the field who desire to improve their plant, or to become practically acquainted with the latest processes and developments of the trade; (2) a Handy Volume which Manufacturers can put into the hands of their Managers and Foremen as a useful guide in their daily rounds of duty.

SYNOPSIS OF CONTENTS.

Chap. I. Choice of Site and General Plan of Works—II. Sulphuric Acid—III. Recovery of the Nitrogen Compounds, and Treatment of Small Pyrites—IV. The Salt Cake Process—V. Legislation upon the Noxious Vapours Question—VI. The Hargreaves' and Jones' Processes—VII. The Balling Process—VIII. Lixiviation and Salting Down—

IX. Carbonating or Finishing—X. Soda Crystals—XI. Refined Alkali—XII. Caustic Soda—XIII. Bi-carbonate of Soda—XIV. Bleaching Powder—XV. Utilisation of Tank Waste—XVI. General Remarks—Four Appendices, treating of Yields, Sulphuric Acid Calculations, Anemometers, and Foreign Legislation upon the Noxious Vapours Question.

"The author has given the fullest, most practical, and, to all concerned in the alkali trade, most valuable mass of information that, to our knowledge, has been published in any language."—*Engineer*.

"This book is written by a manufacturer for manufacturers. The working details of the most approved forms of apparatus are given, and these are accompanied by no less than 232 wood engravings, all of which may be used for the purposes of construction. Every step in the manufacture is very fully described in this manual, and each improvement explained. Everything which tends to introduce economy into the technical details of this trade receives the fullest attention."—*Athenæum*.

"The author is not one of those clever compilers who, on short notice, will 'read up' any conceivable subject, but a practical man in the best sense of the word. We find here not merely a sound and luminous explanation of the chemical principles of the trade, but a notice of numerous matters which have a most important bearing on the successful conduct of alkali works, but which are generally overlooked by even the most experienced technological authors."—*Chemical Review*.

Soap-making.

THE ART OF SOAP-MAKING, A Practical Handbook of the Manufacture of Hard and Soft Soaps, Toilet Soaps, &c. Including many New Processes, and a Chapter on the Recovery of Glycerine from Waste Leys. By ALEXANDER WATT, Author of "Electro-Metallurgy Practically Treated," &c. With Numerous Illustrations. Crown 8vo, 9s., cloth. *[Just published.]*

"The work will prove very useful, not merely to the technological student, but to the practical soap-boiler who wishes to understand the theory of his art."—*Chemical News*.

"Every stage of the process of the manufacture of the various kinds of soap is clearly described."—*The Textile Recorder*.

Leather Manufacture.

THE ART OF LEATHER MANUFACTURE. Being a Practical Handbook in which the Operations of Tanning, Currying, and Leather Dressing are fully Described, and the Principles of Tanning Explained, with Practical Details, and Accounts of many Recent Processes, to which is added a Description of the Arts of Glue Manufacture, Gut Dressing, &c. By ALEXANDER WATT, Author of "Soap-Making," "Electro-Metallurgy," &c. With numerous Illustrations. Crown 8vo. *[In preparation.]*

Dr. Lardner's Museum of Science and Art.

THE MUSEUM OF SCIENCE AND ART. Edited by DIONYSIUS LARDNER, D.C.L., formerly Professor of Natural Philosophy and Astronomy in University College, London. With upwards of 1200 Engravings on Wood. In 6 Double Volumes. Price £1 1s., in a new and elegant cloth binding, or handsomely bound in half morocco, 31s. 6d.

OPINIONS OF THE PRESS.

"This series, besides affording popular but sound instruction on scientific subjects, with which the humblest man in the country ought to be acquainted, also undertakes that teaching of 'common things' which every well-wisher of his kind is anxious to promote. Many thousand copies of this serviceable publication have been printed, in the belief and hope that the desire for instruction and improvement widely prevails; and we have no fear that such enlightened faith will meet with disappointment."—*Times*.

"A cheap and interesting publication, alike informing and attractive. The papers combine subjects of importance and great scientific knowledge, considerable inductive powers, and a popular style of treatment."—*Spectator*.

"The 'Museum of Science and Art' is the most valuable contribution that has ever been made to the Scientific Instruction of every class of society."—*Sir David Brewster in the North British Review*.

"Whether we consider the liberality and beauty of the illustrations, the charm of the writing, or the durable interest of the matter, we must express our belief that there is hardly to be found among the new books, one that would be welcomed by people of so many ages and classes as a valuable present."—*Examiner*.

* * *Separate books formed from the above, suitable for Workmen's Libraries, Science Classes, &c.*

COMMON THINGS EXPLAINED. Containing Air, Earth, Fire, Water, Time, Man, the Eye, Locomotion, Colour, Clocks and Watches, &c. 233 Illustrations, cloth gilt, 5s.

THE MICROSCOPE. Containing Optical Images, Magnifying Glasses, Origin and Description of the Microscope, Microscopic Objects, the Solar Microscope, Microscopic Drawing and Engraving, &c. 147 Illustrations, cloth gilt, 2s.

POPULAR GEOLOGY. Containing Earthquakes and Volcanoes, the Crust of the Earth, etc. 201 Illustrations, cloth gilt, 2s. 6d.

POPULAR PHYSICS. Containing Magnitude and Minuteness, the Atmosphere, Meteoric Stones, Popular Fallacies, Weather Prognostics, the Thermometer, the Barometer, Sound, &c. 85 Illustrations, cloth gilt, 2s. 6d.

STEAM AND ITS USES. Including the Steam Engine, the Locomotive, and Steam Navigation. 89 Illustrations, cloth gilt, 2s.

POPULAR ASTRONOMY. Containing How to Observe the Heavens. The Earth, Sun, Moon, Planets. Light, Comets, Eclipses, Astronomical Influences, &c. 182 Illustrations, 4s. 6d.

THE BEE AND WHITE ANTS: Their Manners and Habits. With Illustrations of Animal Instinct and Intelligence. 135 Illustrations, cloth gilt, 2s.

THE ELECTRIC TELEGRAPH POPULARISED. To render intelligible to all who can Read, irrespective of any previous Scientific Acquirements, the various forms of Telegraphy in Actual Operation. 100 Illustrations, cloth gilt, 1s. 6d.

Dr. Lardner's Handbooks of Natural Philosophy.

. The following five volumes, though each is Complete in itself, and to be purchased separately, form A COMPLETE COURSE OF NATURAL PHILOSOPHY, and are intended for the general reader who desires to attain accurate knowledge of the various departments of Physical Science, without pursuing them according to the more profound methods of mathematical investigation. The style is studiously popular. It has been the author's aim to supply Manuals such as are required by the Student, the Engineer, the Artisan, and the superior classes in Schools.

THE HANDBOOK OF MECHANICS. Enlarged and almost rewritten by BENJAMIN LOEWY, F.R.A.S. With 378 Illustrations. Post 8vo, 6s. cloth.

"The perspicuity of the original has been retained, and chapters which had become obsolete, have been replaced by others of more modern character. The explanations throughout are studiously popular, and care has been taken to show the application of the various branches of physics to the industrial arts, and to the practical business of life."—*Mining Journal*.

THE HANDBOOK OF HYDROSTATICS and PNEUMATICS. New Edition, Revised and Enlarged by BENJAMIN LOEWY, F.R.A.S. With 236 Illustrations. Post 8vo, 5s. cloth.

"For those 'who desire to attain an accurate knowledge of physical science without the profound methods of mathematical investigation, this work is not merely intended, but well adapted."—*Chemical News*.

THE HANDBOOK OF HEAT. Edited and almost entirely Rewritten by BENJAMIN LOEWY, F.R.A.S., etc. 117 Illustrations. Post 8vo, 6s. cloth.

"The style is always clear and precise, and conveys instruction without leaving any cloudiness or lurking doubts behind."—*Engineering*.

THE HANDBOOK OF OPTICS. New Edition. Edited by T. OLVER HARDING, B.A. 298 Illustrations. Post 8vo, 5s. cloth.

"Written by one of the ablest English scientific writers, beautifully and elaborately illustrated."—*Mechanics' Magazine*.

THE HANDBOOK OF ELECTRICITY, MAGNETISM, and ACOUSTICS. New Edition. Edited by GEO. CAREY FOSTER, B.A., F.C.S. With 400 Illustrations. Post 8vo, 5s. cloth.

"The book could not have been entrusted to any one better calculated to preserve the terse and lucid style of Lardner, while correcting his errors and bringing up his work to the present state of scientific knowledge."—*Popular Science Review*.

Dr. Lardner's Handbook of Astronomy.

THE HANDBOOK OF ASTRONOMY. Forming a Companion to the "Handbooks of Natural Philosophy." By DIONYSIUS LARDNER, D.C.L. Fourth Edition. Revised and Edited by EDWIN DUNKIN, F.R.S., Royal Observatory, Greenwich. With 38 Plates and upwards of 100 Woodcuts. In 1 vol., small 8vo, 550 pages, 9s. 6d., cloth.

"Probably no other book contains the same amount of information in so compendious and well-arranged a form—certainly none at the price at which this is offered to the public."—*Athenæum*.

"We can do no other than pronounce this work a most valuable manual of astronomy, and we strongly recommend it to all who wish to acquire a general—but at the same time correct—acquaintance with this sublime science."—*Quarterly Journal of Science*.

Dr. Lardner's Handbook of Animal Physics.

THE HANDBOOK OF ANIMAL PHYSICS. By DR. LARDNER. With 520 Illustrations. New Edition, small 8vo, cloth, 732 pages, 7s. 6d.

"We have no hesitation in cordially recommending it."—*Educational Times*.

Dr. Lardner's School Handbooks.

NATURAL PHILOSOPHY FOR SCHOOLS. By DR. LARDNER.
328 Illustrations. Sixth Edition. 1 vol. 3s. 6d. cloth.
"Conveys, in clear and precise terms, general notions of all the principal divisions of Physical Science."—*British Quarterly Review*.

ANIMAL PHYSIOLOGY FOR SCHOOLS. By DR. LARDNER.
With 190 Illustrations. Second Edition. 1 vol. 3s. 6d. cloth.
"Clearly written, well arranged, and excellently illustrated."—*Gardeners' Chronicle*.

Dr. Lardner's Electric Telegraph.

THE ELECTRIC TELEGRAPH. By DR. LARDNER. New Edition. Revised and Re-written, by E. B. BRIGHT, F.R.A.S.
140 Illustrations. Small 8vo, 2s. 6d. cloth.
"One of the most readable books extant on the Electric Telegraph."—*Eng. Mechanic*.

Mollusca.

A MANUAL OF THE MOLLUSCA; being a Treatise on Recent and Fossil Shells. By Dr. S. P. WOODWARD, A.L.S. With Appendix by RALPH TATE, A.L.S., F.G.S. With numerous Plates and 300 Woodcuts. 3rd Edition. Cr. 8vo, 7s. 6d. cloth.

Geology and Genesis.

THE TWIN RECORDS OF CREATION; or, Geology and Genesis, their Perfect Harmony and Wonderful Concord. By GEORGE W. VICTOR LE VAUX. Fcap. 8vo, 5s. cloth.
"A valuable contribution to the evidences of revelation, and disposes very conclusively of the arguments of those who would set God's Works against God's Word. No real difficulty is shirked, and no sophistry is left unexposed."—*The Rock*.

Geology.

GEOLOGY, PHYSICAL AND HISTORICAL: Consisting of "Physical Geology," which sets forth the Leading Principles of the Science; and "Historical Geology," which treats of the Mineral and Organic Conditions of the Earth at each successive epoch, especial reference being made to the British Series of Rocks. By RALPH TATE. With more than 250 Illustrations. Fcap. 8vo, 5s. cloth.

Practical Philosophy.

A SYNOPSIS OF PRACTICAL PHILOSOPHY. By Rev. JOHN CARR, M.A., late Fellow of Trin. Coll., Camb. 18mo, 5s. cl.

The Military Sciences.

AIDE-MÉMOIRE to the MILITARY SCIENCES. Framed from Contributions of Officers and others connected with the different Services. Originally edited by a Committee of the Corps of Royal Engineers. 2nd Edition, revised; nearly 350 Engravings and many hundred Woodcuts. 3 vols. royal 8vo, cloth, 4l. 10s.

Field Fortification.

A TREATISE on FIELD FORTIFICATION, the ATTACK of FORTRESSES, MILITARY MINING, and RECON-NOITRING. By Colonel I. S. MACAULAY, late Professor of Fortification in the R. M. A., Woolwich. Sixth Edition, crown 8vo, cloth, with separate Atlas of 12 Plates, 12s. complete.

Clocks, Watches, and Bells.

RUDIMENTARY TREATISE on CLOCKS, and WATCHES, and BELLS. By Sir EDMUND BECKETT, Bart., LL.D., Q.C., F.R.A.S. Seventh Edition, revised and enlarged. Limp cloth (No. 67, Weale's Series), 4s. 6d.; cl. bds. 5s. 6d.

"The best work on the subject extant. The treatise on bells is undoubtedly the best in the language."—*Engineering*.

"The only modern treatise on clock-making."—*Horological Journal*.

The Construction of the Organ.

PRACTICAL ORGAN-BUILDING. By W. E. DICKSON, M.A., Precentor of Ely Cathedral. Second Edition, revised, with Additions. 12mo, 3s. cloth boards.

"The amateur builder will find in this book all that is necessary to enable him personally to construct a perfect organ with his own hands."—*Academy*.

Brewing.

A HANDBOOK FOR YOUNG BREWERS. By HERBERT EDWARDS WRIGHT, B.A. Crown 8vo, 3s. 6d. cloth.

"A thoroughly scientific treatise in popular language."—*Morning Advertiser*.

"We would particularly recommend teachers of the art to place it in every pupil's hands, and we feel sure its perusal will be attended with advantage."—*Brewer*.

Dye-Wares and Colours.

THE MANUAL of COLOURS and DYE-WARES: their Properties, Applications, Valuation, Impurities, and Sophistications. For the Use of Dyers, Printers, Drysalters, Brokers, &c. By J. W. SLATER. Second Edition. Crown 8vo, 7s. 6d. cloth.

"A complete encyclopædia of the materia tinctoria."—*Chemist and Druggist*.

"The newest resources of the dyer and printer are noticed with completeness, accuracy, and clearness."—*Chemical News*.

Grammar of Colouring.

A GRAMMAR OF COLOURING, applied to Decorative Painting and the Arts. By GEORGE FIELD. New Edition. By ELLIS A. DAVIDSON. 12mo, 3s. 6d. cloth.

Woods and Marbles (Imitation of).

SCHOOL OF PAINTING FOR THE IMITATION OF WOODS AND MARBLES, as Taught and Practised by A. R. and P. VAN DER BURG. With 24 full-size Coloured Plates; also 12 Plain Plates, comprising 154 Figures. Folio, 2l. 12s. 6d. bound.

"As patterns the plates are perfect, and by following them a style both artistic and accurate will be obtained. The instructions accompanying the plates are full and explicit, and may be comprehended by the dullest understanding without difficulty. The students and novices are fortunate who are able to become the possessors of so noble a work."—*Architect*.

Pictures and Painters.

THE PICTURE AMATEUR'S HANDBOOK AND DICTIONARY OF PAINTERS: A Guide for Visitors to Picture Galleries, and for Art-Students, including methods of Painting, Cleaning, Re-Lining, and Restoring, the Principal Schools of Painting. With Notes on Copyists and Imitators of each Master.

By PHILIPPE DARVYL, B.A. Cr. 8vo, 3s. cloth.

"A guide to the authorship, quality, and value of a picture, and furnishes the fundamental knowledge necessary to amateurs."—*Saturday Review*.]

Delamotte's Works on Illumination & Alphabets.

A PRIMER OF THE ART OF ILLUMINATION; for the use of Beginners: with a Rudimentary Treatise on the Art, Practical Directions for its Exercise, and numerous Examples taken from Illuminated MSS., printed in Gold and Colours. By F. DELAMOTTE. Small 4to, 9s. Elegantly bound, cloth antique.

"The examples of ancient MSS. recommended to the student, which, with much good sense, the author chooses from collections accessible to all, are selected with judgment and knowledge, as well as taste."—*Athenæum*.

ORNAMENTAL ALPHABETS, ANCIENT and MEDIEVAL; from the Eighth Century, with Numerals; including Gothic, Church-Text, German, Italian, Arabesque, Initials, Monograms, Crosses, &c. Collected and engraved by F. DELAMOTTE, and printed in Colours. Tenth and Cheaper Edition. Royal 8vo, oblong, 2s. 6d. ornamental boards.

"For those who insert enamelled sentences round gilded chalices, who blazon shop legends over shop-doors, who letter church walls with pithy sentences from the Decalogue, this book will be useful."—*Athenæum*.

EXAMPLES OF MODERN ALPHABETS, PLAIN and ORNAMENTAL; including German, Old English, Saxon, Italic, Perspective, Greek, Hebrew, Court Hand, Engrossing, Tuscan, Riband, Gothic, Rustic, and Arabesque, &c., &c. Collected and engraved by F. DELAMOTTE, and printed in Colours. Eighth and Cheaper Edition. Royal 8vo, oblong, 2s. 6d. ornamental boards.

"There is comprised in it every possible shape into which the letters of the alphabet and numerals can be formed."—*Standard*.

MEDIEVAL ALPHABETS AND INITIALS FOR ILLUMINATORS. By F. DELAMOTTE. Containing 21 Plates, and Illuminated Title, printed in Gold and Colours. With an Introduction by J. WILLIS BROOKS. Small 4to, 6s. cloth gilt.

THE EMBROIDERER'S BOOK OF DESIGN; containing Initials, Emblems, Cyphers, Monograms, Ornamental Borders, Ecclesiastical Devices, Mediæval and Modern Alphabets, and National Emblems. Collected and engraved by F. DELAMOTTE, and printed in Colours. Oblong royal 8vo, 1s. 6d. ornamental wrapper.

Popular Work on Painting.

PAINTING POPULARLY EXPLAINED; with Historical Sketches of the Progress of the Art. By THOMAS JOHN GULLICK, Painter, and JOHN TIMBS, F.S.A. Fourth Edition, revised and enlarged. With Frontispiece and Vignette. In small 8vo, 5s. 6d. cloth.

* * * This Work has been adopted as a Prize-book in the Schools of Art at South Kensington.

"Contains a large amount of original matter, agreeably conveyed."—*Builder*.

"Much may be learned, even by those who fancy they do not require to be taught, from the careful perusal of this unpretending but comprehensive treatise."—*Art Journal*.

Wood-Carving.

INSTRUCTIONS in WOOD-CARVING, for Amateurs; with Hints on Design. By A LADY. In emblematic wrapper, handsomely printed, with Ten large Plates, 2s. 6d.

"The handicraft of the wood-carver, so well as a book can impart it, may be learnt from 'A Lady's' publication."—*Athenæum*.

AGRICULTURE, GARDENING, ETC.

Youatt and Burn's Complete Grazier.

THE COMPLETE GRAZIER, and FARMER'S and CATTLE-BREEDER'S ASSISTANT. A Compendium of Husbandry. By WILLIAM YOUATT, ESQ., V.S. 12th Edition, very considerably enlarged, and brought up to the present requirements of agricultural practice. By ROBERT SCOTT BURN. One large 8vo. volume, 860 pp. with 244 Illustrations. 1l. 1s. half-bound.
 "The standard and text-book with the farmer and grazier."—*Farmer's Magazine*.
 "A treatise which will remain a standard work on the subject as long as British agriculture endures."—*Mark Lane Express*.

History, Structure, and Diseases of Sheep.

SHEEP; THE HISTORY, STRUCTURE, ECONOMY AND DISEASES OF. By W. C. SPOONER, M.R.V.C., &c. Fourth Edition, with fine engravings, including specimens of New and Improved Breeds. 366 pp., 4s. cloth.

Production of Meat.

MEAT PRODUCTION. A Manual for Producers, Distributors, etc. By JOHN EWART. Cr. 8vo, 5s. cloth.

Donaldson and Burn's Suburban Farming.

SUBURBAN FARMING. The Laying Out and Cultivation of Farms adapted to the produce of Milk, Butter and Cheese, Eggs, Poultry, and Pigs. By the late Prof. J. DONALDSON. With Additions, by R. SCOTT BURN. 4s. cloth.

English Agriculture.

A TEXT-BOOK OF AGRICULTURE (THE FIELDS OF GREAT BRITAIN), adapted to the Syllabus of the Science and Art Department. For Elementary and Advanced Students. By HUGH CLEMENTS (Board of Trade). 18mo, 2s. 6d. cloth.

"A clearly written description of the ordinary routine of English farm-life."—*Land*.
 "A most comprehensive volume, giving a mass of information."—*Agricultural Economist*.

Modern Farming.

OUTLINES OF MODERN FARMING. By R. SCOTT BURN. Soils, Manures, and Crops—Farming and Farming Economy—Cattle, Sheep, and Horses—Management of the Dairy, Pigs, and Poultry—Utilisation of Town Sewage, Irrigation, &c. Sixth Edition. In 1 vol. 1250 pp., half-bound, profusely illustrated, 12s.

Farm Engineering.

FARM ENGINEERING, comprising Draining and Embanking; Irrigation and Water Supply; Roads, Fences, and Gates; Farm Buildings; Barn Implements, etc.; Field Implements, etc.; Agricultural Surveying, Levelling, etc. By Prof. JOHN SCOTT. About 1300 pages, with Several Hundred Illustrations.

[In the press]

The Management of Estates.

LANDED ESTATES MANAGEMENT: Treating of the Varieties of Lands, Methods of Farming, Farm Building, Irrigation, Drainage, &c. By R. SCOTT BURN. 12mo, 3s. cloth.

"A complete and comprehensive outline of the duties appertaining to the management of landed estates."—*Journal of Forestry*.

The Management of Farms.

OUTLINES OF FARM MANAGEMENT, and the Organization of Farm Labour. Treating of the General Work of the Farm, Field, and Live Stock, Details of Contract Work, Specialties of Labour, Economical Management of the Farmhouse and Cottage, Domestic Animals, &c. By ROBERT SCOTT BURN. 12mo, 3s.

Management of Estates and Farms.

LANDED ESTATES AND FARM MANAGEMENT. By R. SCOTT BURN. (The above Two Works in One Vol.) 6s.

Hudson's Tables for Land Valuers.

THE LAND VALUER'S BEST ASSISTANT; being Tables, on a very much improved Plan, for Calculating the Value of Estates. With Tables for Reducing Scotch, Irish, and Provincial Customary Acres to Statute Measure, &c. By R. HUDSON, C.E. New Edition, royal 32mo, leather, gilt edges, elastic band, 4s.

Ewart's Land Improver's Pocket-Book.

THE LAND IMPROVER'S POCKET-BOOK OF FORMULÆ, TABLES, and MEMORANDA, required in any Computation relating to the Permanent Improvement of Landed Property. By JOHN EWART, Land Surveyor. 32mo, leather, 4s.

Complete Agricultural Surveyor's Pocket-Book.

THE LAND VALUER'S AND LAND IMPROVER'S COMPLETE POCKET-BOOK; consisting of the above two works bound together, leather, gilt edges, with strap, 7s. 6d.

"We consider Hudson's book to be the best ready-reckoner on matters relating to the valuation of land and crops we have ever seen, and its combination with Mr. Ewart's work greatly enhances the value and usefulness of the latter-mentioned.—It is most useful as a manual for reference."—*North of England Farmer*

Grafting and Budding.

THE ART OF GRAFTING AND BUDDING. By CHARLES BALTET. Translated from the French. With upwards of 180 Illustrations. 12mo, 3s. cloth boards.

Culture of Fruit Trees.

FRUIT TREES, the Scientific and Profitable Culture of. Including Choice of Trees, Planting, Grafting, Training, Restoration of Unfruitful Trees, &c. From the French of DU BREUIL. Fourth Edition, revised. With an Introduction by GEORGE GLENNY. 4s. cl.

"The book teaches how to prune and train fruit-trees to perfection."—*Field*.

Potato Culture.

POTATOES, HOW TO GROW AND SHOW THEM. A Practical Guide to the Cultivation and General Treatment of the Potato. By JAMES PINK. With Illustrations. Cr. 8vo, 2s. cl.

Good Gardening.

A PLAIN GUIDE TO GOOD GARDENING ; or, How to Grow Vegetables, Fruits, and Flowers. With Practical Notes on Soils, Manures, Seeds, Planting, Laying-out of Gardens and Grounds, &c. By S. WOOD. Third Edition. Cr. 8vo, 5s. cloth.

"A very good book, and one to be highly recommended as a practical guide. The practical directions are excellent"—*Athenaeum*.

Gainful Gardening.

MULTUM-IN-PARVO GARDENING ; or, How to make One Acre of Land produce £620 a year, by the Cultivation of Fruits and Vegetables ; also How to Grow Flowers in Three Glass Houses, so as to realise £176 per annum clear Profit. By SAMUEL WOOD. 3rd Edition, revised. Cr. 8vo, 2s. cloth.

"We are bound to recommend it as not only suited to the case of the amateur and gentleman's gardener, but to the market grower."—*Gardener's Magazine*.

Gardening for Ladies.

THE LADIES' MULTUM-IN-PARVO FLOWER GARDEN, and Amateur's Complete Guide. By S. WOOD. Cr. 8vo, 3s. 6d.

Bulb Culture.

THE BULB GARDEN ; or, How to Cultivate Bulbous and Tuberous-rooted Flowering Plants to Perfection. By SAMUEL WOOD. Coloured Plates. Crown 8vo, 3s. 6d. cloth.

Tree Planting.

THE TREE PLANTER AND PLANT PROPAGATOR : A Practical Manual on the Propagation of Forest Trees, Fruit Trees, Flowering Shrubs, Flowering Plants, Pot Herbs, &c. Numerous Illustrations. By SAMUEL WOOD. 12mo, 2s. 6d. cloth.

Tree Pruning.

THE TREE PRUNER : A Practical Manual on the Pruning of Fruit Trees, their Training and Renovation ; also the Pruning of Shrubs, Climbers, &c. By S. WOOD. 12mo, 2s. 6d., cloth.

Tree Planting, Pruning, & Plant Propagation.

THE TREE PLANTER, PROPAGATOR, AND PRUNER. By SAMUEL WOOD, Author of "Good Gardening," &c. Consisting of the above Two Works in One Vol., 5s. half-bound.

Early Fruits, Flowers and Vegetables.

THE FORCING GARDEN ; or, How to Grow Early Fruits, Flowers, and Vegetables. With Plans and Estimates for Building Glasshouses, Pits, Frames, &c. By S. WOOD. Crown 8vo, 3s. 6d.

Market Gardening, Etc.

THE KITCHEN AND MARKET GARDEN. By Contributors to "The Garden." Compiled by C. W. SHAW, Editor of "Gardening Illustrated." 12mo, 3s. 6d. cl. bds.

Kitchen Gardening.

KITCHEN GARDENING MADE EASY. Showing how to prepare and lay out the ground, the best means of cultivating every known Vegetable and Herb, &c. By G. M. F. GLENNY. 12mo, 2s.

'A Complete Epitome of the Laws of this Country.'

EVERY MAN'S OWN LAWYER; a Handy-Book of the Principles of Law and Equity. By A BARRISTER. New Edition, with Notes and References. Corrected to the end of last Session. Embracing upwards of 3,500 Statements on Points of Law. Crown 8vo, price 6s. 8d. (saved at every consultation).

COMPRISING THE RIGHTS AND WRONGS OF INDIVIDUALS, MERCANTILE AND COMMERCIAL LAW, CRIMINAL LAW, PARISH LAW, COUNTY COURT LAW, GAME AND FISHERY LAWS, POOR MEN'S LAW, THE LAWS OF BANKRUPTCY—BILLS OF EXCHANGE—SETTLEMENTS—STOCK EXCHANGE PRACTICE—TRADE MARKS AND PATENTS—CONTRACTS AND AGREEMENTS—COPYRIGHT—DOWER AND DIVORCE—ELECTIONS AND REGISTRATION—INSURANCE—TRESPASS, NUISANCES, ETC.—TRANSFER OF LAND, ETC.—WARRANTY—WILLS AND AGREEMENTS, ETC.

Also Law for Landlord and Tenant—Master and Servant—Workmen and Apprentices—Heirs, Devisees, and Legatees—Husband and Wife—Executors and Trustees—Guardian and Ward—Married Women and Infants—Partners and Agents—Lender and Borrower—Debtor and Creditor—Purchaser and Vendor—Companies and Associations—Friendly Societies—Clergymen, Churchwardens—Medical Practitioners, &c.—Bankers—Farmers—Contractors—Stock and Share Brokers—Sportsmen and Gamekeepers—Farriers and Horse-Dealers—Auctioneers, House-Agents—Innkeepers, &c.—Pawnbrokers—Surveyors, &c., &c.

"No Englishman ought to be without this book."—*Engineer*.

"What it professes to be—a complete epitome of the laws of this country, thoroughly intelligible to non-professional readers. The book is a handy one to have in readiness when some knotty point requires ready solution."—*Bell's Life*.

How to Invest.

HINTS FOR INVESTORS. Being an Explanation of the Mode of Transacting Business on the Stock Exchange, etc. By WALTER M. PLAYFORD, Sworn Broker. Crown 8vo, 2s. cloth.

Auctioneer's Assistant.

THE APPRAISER, AUCTIONEER, BROKER, HOUSE AND ESTATE AGENT, AND VALUER'S POCKET ASSISTANT, for the Valuation for Purchase, Sale, or Renewal of Leases, Annuities, and Reversions, and of property generally; with Prices for Inventories, &c. By JOHN WHEELER, Valuer, &c. Fourth Edition, enlarged, by C. NORRIS. Royal 32mo, cloth, 5s.

Auctioneering.

AUCTIONEERS : THEIR DUTIES AND LIABILITIES.

By ROBERT SQUIBBS, Auctioneer. Demy 8vo, 10s. 6d. cloth.

"The position and duties of auctioneers treated compendiously and clearly."—*Builder*.

House Property.

HANDBOOK OF HOUSE PROPERTY : the Purchase, Mortgage, Tenancy, and Compulsory Sale of Houses and Land; the Law of Dilapidations, &c. By E. L. TARBUCK. 3rd Edit. 3s. 6d.

"We are glad to be able to recommend it."—*Builder*.

"The advice is thoroughly practical."—*Law Journal*.

Metropolitan Rating.

METROPOLITAN RATING : a Summary of the Appeals heard before the Court of General Assessment Sessions at Westminster, in the years 1871–80 inclusive. Containing a large mass of very valuable information with respect to the Rating of Railways, Gas and Waterworks, Tramways, Wharves, Public Houses, &c. By EDWARD and A. L. RYDE. 8vo, 12s. 6d. cloth.

1. The first part of the document is a list of names and titles, including the names of the authors and the titles of the works. This list is organized in a vertical column on the left side of the page.

A SELECTION FROM WEALE'S SERIES.

AGRICULTURE, GARDENING, &c.

DRAINING AND EMBANKING. A Practical Treatise. By JOHN SCOTT, late Professor of Agriculture and Rural Economy, at the Royal Agricultural College, Cirencester. With 68 Illustrations. 1s. 6d.

"A valuable handbook to the engineer, as well as to the surveyor."—*Land*.
"This volume should be perused by all interested in this important branch of estate improvement."—*Land Agent's Record*.

IRRIGATION AND WATER SUPPLY. A Practical Treatise on Water Meadows, Sewage, Irrigation, Warping, &c.; on the Construction of Wells, Ponds, and Reservoirs, &c. By Professor JOHN SCOTT. With 34 Illustrations. 1s. 6d.

"A valuable and indispensable book for the estate manager and owner."—

Forestry.

"Well worth the study of all farmers and landed proprietors."—*Building News*.

FARM ROADS, FENCES, AND GATES. A Practical Treatise on the Roads, Tramways, and Waterways of the Farm; the Principles of Enclosures; and the different kinds of Fences, Gates, and Stiles. By Professor JOHN SCOTT. With 75 Illustrations. 1s. 6d.

"Mr. Scott's treatise will be welcomed as a guide to the surveyor in the construction of country and farm roads and fences, and as a concisely compiled handbook for the farmer."—*Building News*.

"A useful practical work, which should be in the hands of every farmer."—*Farmer*.

FARM BUILDINGS. Their Arrangement and Construction, including Plans and Estimates. By Professor JOHN SCOTT. With 105 Illustrations. 2s.

"The work of a practical man. No one who is called upon to design farm-buildings can afford to be without this handy little work."—*Builder*.

"This book ought to be in the hands of every landowner and agent."—*Kelso Chronicle*.

BARN IMPLEMENTS AND MACHINES. A Practical Treatise on the Application of Power to the Operations of Agriculture; and on various Machines used in the Threshing-barn, in the Stock-yard, and in the Dairy, &c. By Professor JOHN SCOTT. With 123 Illustrations. 2s.

FIELD IMPLEMENTS AND MACHINES. A Practical Treatise on the Varieties now in use, with Principles and Details of Construction, their Points of Excellence, and Management. By Professor JOHN SCOTT. With 138 Illustrations. 2s.

AGRICULTURAL SURVEYING; A Treatise on Land Surveying, Levelling, and Setting-out; and on Measuring and Estimating Quantities; Weights and Values of Materials, Produce, and Stock; with Directions for Valuing and Reporting on Farms and Estates. By Professor JOHN SCOTT. [*In the press*].

FARM ENGINEERING. By Professor JOHN SCOTT. Comprising the above Seven Volumes bound together, consisting of about 1,300 pages, with Several Hundred Illustrations.

[*In the press*].

CROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.

A SELECTION FROM WEALE'S SERIES.

THE TREE PLANTER AND PLANT PROPAGATOR. With numerous Illustrations of Grafting, Layering, Budding, Cuttings, Useful Implements, Houses, Pits, &c. By SAMUEL WOOD. 2s. 6d.; cloth boards, 3s.

"Sound in its teaching and very comprehensive in its aim. It is a good book."—*Gardeners' Magazine*.

"The instructions are thoroughly practical and correct."—*North British Agriculturist*.

THE TREE PRUNER: Being a Practical Manual on the Pruning of Fruit Trees, including also their Training and Renovation; also treating of the Pruning of Shrubs, Climbers, and Flowering Plants. With numerous Illustrations. By SAMUEL WOOD. 2s.; cloth boards, 2s. 6d.

"A useful book, written by one who has had great experience."—*Mark Lane Express*.

"We recommend this treatise very highly."—*North British Agriculturist*.

THE TREE PLANTER, PROPAGATOR, AND PRUNER. By SAMUEL WOOD. Consisting of the above Two Volumes bound together. 5s.

FRUIT TREES, Their Scientific and Profitable Culture.

From the French of M. DU BREUIL. Third Edition, by GEORGE GLENNY. With 187 cuts. 3s. 6d.; cloth boards, 4s.

"The book teaches how to prune and train fruit trees to perfection."—*Field*.

THE ART OF GRAFTING AND BUDDING. By CHARLES BALTER. With Illustrations. 2s. 6d.; cloth boards, 3s.

"The one standard work on this subject."—*Scotsman*.

"We know no product of the purely British press on this most interesting subject of grafting to compare with this book for price, value, and excellence of illustration."—*Glasgow Herald*.

KITCHEN GARDENING MADE EASY. Showing how to Prepare and Lay out the Ground, the best means of Cultivating every known Vegetable and Herb, &c., with cultural directions for the management of them all the year round. By GEORGE M. F. GLENNY. 12mo. 1s. 6d.; cloth boards, 2s.

"A useful and trustworthy guide."—*North British Agriculturist*.

COTTAGE GARDENING; or, Flowers, Fruits, and Vegetables for Small Gardens. By E. HOBDAY. 1s. 6d.

"Definite instructions as to the cultivation of small gardens."—*Scotsman*.

"Contains much useful information at a small charge."—*Glasgow Herald*.

GARDEN RECEIPTS. Edited by C. W. QUIN. 1s. 6d.

"A singularly complete collection of the principal receipts needed by gardeners."—*Farmer*.

"A useful and handy book containing a good deal of valuable information."—*Athenæum*.

THE KITCHEN AND MARKET GARDEN. By Contributors to "The Garden." Compiled by C. W. SHAW, Editor of "Gardening Illustrated." 3s.; cloth boards, 3s. 6d.

"The most valuable compendium of kitchen and market-garden work published."—*Farmer*.

"A most comprehensive volume on market and kitchen-gardening."—*Mark Lane Express*.

CROSBY LOCKWOOD & CO., 7, STATIONERS' HALL COURT, E.C.

